

# DIN EN 54-30:2015-11 (E)

## Fire detection and fire alarm systems - Part 30: Multi-sensor fire detectors - Point detectors using a combination of carbon monoxide and heat sensors

---

<b>Contents</b>		<b>Page</b>
Foreword .....		6
Introduction .....		8
<b>1</b>	<b>Scope .....</b>	<b>9</b>
<b>2</b>	<b>Normative references .....</b>	<b>9</b>
<b>3</b>	<b>Terms, definitions and abbreviations .....</b>	<b>10</b>
3.1	Terms and definitions .....	10
3.2	Abbreviations .....	10
<b>4</b>	<b>Requirements .....</b>	<b>10</b>
4.1	General .....	10
4.2	Nominal activation conditions/sensitivity .....	10
4.2.1	Individual alarm indication .....	10
4.2.2	Rate sensitive CO response .....	11
4.2.3	Response to slowly developing fires .....	11
4.2.4	Repeatability of CO response .....	11
4.2.5	Directional dependence of CO response .....	11
4.2.6	Directional dependence of heat response .....	11
4.2.7	Lower limit of heat response .....	11
4.2.8	Reproducibility of CO response .....	11
4.2.9	Reproducibility of heat response .....	11
4.2.10	Air movement .....	11
4.3	Operational reliability .....	12
4.3.1	Connection of ancillary devices .....	12
4.3.2	Monitoring of detachable detectors .....	12
4.3.3	Manufacturer's adjustments .....	12
4.3.4	On-site adjustment of behaviour .....	12
4.3.5	Software-controlled detectors .....	12
4.3.6	Long-term stability .....	13
4.4	Tolerance to supply voltage -- Variation in supply parameters .....	14
4.5	Performance parameters under fire conditions -- Fire sensitivity .....	14
4.6	Durability of nominal activation/sensitivity .....	14
4.6.1	Temperature resistance .....	14
4.6.2	Humidity resistance .....	14
4.6.3	Corrosion resistance -- SO <sub>2</sub> corrosion (endurance) .....	14
4.6.4	Shock and vibration resistance .....	15
4.6.5	Electrical stability -- EMC, immunity (operational) .....	15
4.6.6	Resistance to chemical agents .....	15
<b>5</b>	<b>Test and evaluation methods .....</b>	<b>15</b>
5.1	General .....	15
5.1.1	Atmospheric conditions for tests .....	15
5.1.2	Operating conditions for tests .....	16
5.1.3	Mounting arrangements .....	16
5.1.4	Tolerances .....	16
5.1.5	Measurement of CO response value .....	16
5.1.6	Measurement of heat response value .....	17
5.1.7	Provision for tests .....	17

5.1.8	Test schedule .....	18
5.2	Nominal activation conditions/sensitivity .....	19
5.2.1	Individual alarm indication .....	19
5.2.2	Rate sensitive CO response .....	19
5.2.3	Response to slowly developing fire .....	19
5.2.4	Repeatability of CO response .....	20
5.2.5	Directional dependence of CO response .....	20
5.2.6	Directional dependence of heat response .....	21
5.2.7	Lower limit of heat response .....	21
5.2.8	Reproducibility of CO response .....	22
5.2.9	Reproducibility of heat response .....	22
5.2.10	Air movement .....	23
5.3	Operational reliability .....	23
5.3.1	Connection of ancillary devices .....	23
5.3.2	Monitoring of detachable detectors .....	23
5.3.3	Manufacturer's adjustments .....	23
5.3.4	On-site adjustment of behaviour .....	23
5.3.5	Software controlled devices .....	23
5.3.6	Long-term stability (operational) .....	24
5.4	Tolerance to supply voltage -- Variations in supply parameters .....	24
5.4.1	Object .....	24
5.4.2	Test procedure .....	24
5.4.3	Requirements .....	24
5.5	Performance parameters under fire conditions -- Fire sensitivity .....	25
5.5.1	Object .....	25
5.5.2	Principle .....	25
5.5.3	Test procedure .....	25
5.5.4	Requirements .....	27
5.6	Durability .....	27
5.6.1	Temperature resistance .....	27
5.6.2	Humidity resistance .....	30
5.6.3	Corrosion resistance -- Sulphur dioxide SO <sub>2</sub> corrosion (endurance) .....	34
5.6.4	Shock and vibration resistance .....	35
5.6.5	Electrical stability -- EMC, immunity (operational) .....	39
5.6.6	Resistance to chemical agents .....	41
6	Assessment and verification of constancy of performance (AVCP) .....	43
6.1	General .....	43
6.2	Type testing .....	43
6.2.1	General .....	43
6.2.2	Test samples, testing and compliance criteria .....	44
6.2.3	Test reports .....	44
6.3	Factory production control (FPC) .....	44
6.3.1	General .....	44
6.3.2	Requirements .....	45
6.3.3	Product specific requirements .....	47
6.3.4	Initial inspection of factory and FPC .....	48
6.3.5	Continuous surveillance of FPC .....	48
6.3.6	Procedure for modifications .....	49
6.3.7	One-off products, pre-production products, (e.g. prototypes) and products produced in very low quantities .....	49
7	Classification .....	50
8	Marking, labelling and packaging .....	50
Annex A (normative)	Gas test chamber for CO response value and cross-sensitivity to chemical agents .....	51
A.1	General .....	51
A.2	Gas test chamber specification .....	51

<b>Annex B (normative) Fire test room .....</b>	<b>52</b>
<b>B.1 General .....</b>	<b>52</b>
<b>B.2 Fire test room specification .....</b>	<b>52</b>
<b>Annex C (normative) Measuring instruments for smoke and CO .....</b>	<b>55</b>
<b>C.1 General .....</b>	<b>55</b>
<b>C.2 CO measuring instrument .....</b>	<b>55</b>
<b>C.3 Obscuration meter .....</b>	<b>55</b>
<b>C.4 Measuring ionization chamber (MIC) .....</b>	<b>55</b>
<b>Annex D (informative) Establishing exposure levels of chemical agents .....</b>	<b>56</b>
<b>D.1 General .....</b>	<b>56</b>
<b>D.2 Establishing concentration of chemical agents for test gases 1 to 9 of 5.23 .....</b>	<b>56</b>
<b>D.3 Verification of test chamber leakage .....</b>	<b>56</b>
<b>D.4 Establishing concentration of ozone .....</b>	<b>56</b>
<b>Annex E (normative) Heat tunnel for heat response value .....</b>	<b>58</b>
<b>E.1 General .....</b>	<b>58</b>
<b>E.2 Heat tunnel specification .....</b>	<b>58</b>
<b>Annex F (normative) Smouldering (pyrolysis) wood fire (TF2) .....</b>	<b>59</b>
<b>F.1 General .....</b>	<b>59</b>
<b>F.2 Fuel .....</b>	<b>59</b>
<b>F.3 Hotplate .....</b>	<b>59</b>
<b>F.4 Arrangement .....</b>	<b>59</b>
<b>F.5 Heating rate .....</b>	<b>59</b>
<b>F.6 End-of-test condition .....</b>	<b>59</b>
<b>F.7 Test validity criteria .....</b>	<b>60</b>
<b>Annex G (normative) Glowing smouldering cotton fire (TF3) .....</b>	<b>64</b>
<b>G.1 Introduction .....</b>	<b>64</b>
<b>G.2 Fuel .....</b>	<b>64</b>
<b>G.3 Arrangement .....</b>	<b>64</b>
<b>G.4 Ignition .....</b>	<b>65</b>
<b>G.5 End-of-test condition .....</b>	<b>66</b>
<b>G.6 Test validity criteria .....</b>	<b>66</b>
<b>Annex H (normative) Open plastics (polyurethane) fire (TF4) .....</b>	<b>70</b>
<b>H.1 Introduction .....</b>	<b>70</b>
<b>H.2 Fuel .....</b>	<b>70</b>
<b>H.3 Conditioning .....</b>	<b>70</b>
<b>H.4 Arrangement .....</b>	<b>70</b>
<b>H.5 Ignition .....</b>	<b>70</b>
<b>H.6 Method of ignition .....</b>	<b>70</b>
<b>H.7 End-of-test condition .....</b>	<b>70</b>
<b>H.8 Test validity criteria .....</b>	<b>71</b>
<b>Annex I (normative) Liquid (heptane) fire (TF5) .....</b>	<b>74</b>
<b>I.1 Introduction .....</b>	<b>74</b>
<b>I.2 Fuel .....</b>	<b>74</b>
<b>I.3 Arrangement .....</b>	<b>74</b>
<b>I.4 Ignition .....</b>	<b>74</b>
<b>I.5 End-of-test condition .....</b>	<b>74</b>
<b>I.6 Test validity criteria .....</b>	<b>74</b>

<b>Annex J (informative) Information concerning the construction of the gas test chamber .....</b>	<b>78</b>
<b>J.1 General .....</b>	<b>78</b>
<b>J.2 Construction of the gas test chamber .....</b>	<b>78</b>
<b>Annex K (informative) Construction of the heat tunnel .....</b>	<b>80</b>
<b>K.1 General .....</b>	<b>80</b>
<b>K.2 Construction of the heat tunnel .....</b>	<b>80</b>
<b>Annex L (informative) Apparatus for impact test .....</b>	<b>84</b>
<b>L.1 General .....</b>	<b>84</b>
<b>L.2 Impact apparatus construction .....</b>	<b>84</b>
<b>Annex ZA (informative) Clauses of this European Standard addressing the provisions of the EU Construction Products Regulation .....</b>	<b>87</b>
<b>Bibliography .....</b>	<b>97</b>