

# DIN EN 54-26:2015-11 (E)

## Fire detection and fire alarm systems - Part 26: Carbon monoxide detectors - Point detectors

---

| <b>Contents</b>    |  | <b>Page</b> |
|--------------------|--|-------------|
| Foreword .....     |  | 5           |
| Introduction ..... |  | 7           |
| <b>1</b>           | <b>Scope .....</b>   | <b>8</b>    |
| <b>2</b>           | <b>Normative references .....</b>                                      | <b>8</b>    |
| <b>3</b>           | <b>Terms, definitions and abbreviations .....</b>                      | <b>9</b>    |
| 3.1                | Terms and definitions .....  | 9           |
| 3.2                | Abbreviations .....  | 9           |
| <b>4</b>           | <b>Requirements .....</b>  | <b>9</b>    |
| 4.1                | General .....  | 9           |
| 4.2                | Nominal activation conditions/sensitivity .....                        | 9           |
| 4.2.1              | Individual alarm indication .....                                      | 9           |
| 4.2.2              | Rate sensitive CO response .....                                       | 9           |
| 4.2.3              | Response to slowly developing fires .....                              | 9           |
| 4.2.4              | Repeatability .....  | 10          |
| 4.2.5              | Directional dependence .....   | 10          |
| 4.2.6              | Reproducibility .....  | 10          |
| 4.2.7              | Air movement .....   | 10          |
| 4.3                | Operational reliability .....  | 10          |
| 4.3.1              | Connection of ancillary devices .....                                  | 10          |
| 4.3.2              | Monitoring of detachable detectors .....                               | 10          |
| 4.3.3              | Manufacturer's adjustments .....                                       | 10          |
| 4.3.4              | On-site adjustment of behaviour .....                                  | 10          |
| 4.3.5              | Software controlled detectors .....                                    | 11          |
| 4.3.6              | Long term stability .....  | 12          |
| 4.4                | Tolerance to supply voltage -- Variation in supply parameters .....    | 12          |
| 4.5                | Performance parameters under fire conditions -- Fire sensitivity ..... | 12          |
| 4.6                | Durability of nominal activation conditions/sensitivity .....          | 12          |
| 4.6.1              | Temperature resistance .....   | 12          |
| 4.6.2              | Humidity resistance .....  | 12          |
| 4.6.3              | Corrosion resistance -- SO <sub>2</sub> corrosion (endurance) .....    | 13          |
| 4.6.4              | Shock and vibration resistance .....                                   | 13          |
| 4.6.5              | Electrical stability -- EMC, immunity (operational) .....              | 13          |
| 4.6.6              | Resistance to chemical agents .....                                    | 13          |
| <b>5</b>           | <b>Test and assessment methods .....</b>                               | <b>14</b>   |
| 5.1                | General .....  | 14          |
| 5.1.1              | Atmospheric conditions for tests .....                                 | 14          |
| 5.1.2              | Operating conditions for tests .....                                   | 14          |
| 5.1.3              | Mounting arrangements .....  | 14          |
| 5.1.4              | Tolerances .....   | 14          |
| 5.1.5              | Measurement of CO response value .....                                 | 14          |
| 5.1.6              | Provision for tests .....  | 15          |
| 5.1.7              | Test schedule .....  | 15          |
| 5.2                | Nominal activation conditions/sensitivity .....                        | 16          |
| 5.2.1              | Individual alarm indication .....                                      | 16          |
| 5.2.2              | Rate sensitive CO response .....                                       | 17          |

|   |   |    |
|---|---|----|
| 5.2.3   | Response to slowly developing fires .....   | 17 |
| 5.2.4   | Repeatability .....   | 17 |
| 5.2.5   | Directional dependence .....  | 18 |
| 5.2.6   | Reproducibility .....   | 18 |
| 5.2.7   | Air movement .....  | 19 |
| 5.3   | Operational reliability .....   | 19 |
| 5.3.1   | Connection of ancillary devices .....   | 19 |
| 5.3.2   | Monitoring of detachable detectors .....  | 19 |
| 5.3.3   | Manufacturer's adjustments .....  | 19 |
| 5.3.4   | On-site adjustment of behaviour .....   | 19 |
| 5.3.5   | Software controlled detectors .....   | 19 |
| 5.3.6   | Long term stability .....   | 19 |
| 5.4   | Tolerance to supply voltage .....   | 20 |
| 5.4.1   | Variation in supply parameters .....  | 20 |
| 5.5   | Performance parameters under fire conditions .....  | 21 |
| 5.5.1   | Fire sensitivity .....  | 21 |
| 5.6   | Durability of nominal activation conditions/sensitivity .....   | 23 |
| 5.6.1   | Temperature resistance .....  | 23 |
| 5.6.2   | Humidity resistance .....   | 25 |
| 5.6.3   | Corrosion resistance -- SO <sub>2</sub> corrosion (endurance) .....   | 29 |
| 5.6.4   | Shock and vibration resistance .....  | 30 |
| 5.6.5   | Electrical stability .....  | 34 |
| 5.6.6   | Resistance to chemical agents .....   | 35 |
| 6   | Assessment and verification of constancy of performance (AVCP) .....  | 37 |
| 6.1   | General .....   | 37 |
| 6.2   | Type testing .....  | 37 |
| 6.2.1   | General .....   | 37 |
| 6.2.2   | Test samples, testing and compliance criteria .....   | 38 |
| 6.2.3   | Test reports .....  | 39 |
| 6.3   | Factory production control (FPC) .....  | 39 |
| 6.3.1   | General .....   | 39 |
| 6.3.2   | Requirements .....  | 40 |
| 6.3.3   | Product specific requirements .....   | 42 |
| 6.3.4   | Initial inspection of factory and FPC .....   | 42 |
| 6.3.5   | Continuous surveillance of FPC .....  | 43 |
| 6.3.6   | Procedure for modifications .....   | 43 |
| 6.3.7   | One-off products, pre-production products, (e.g. prototypes) and products produced in very low quantities ..... | 43 |
| 7   | Classification .....  | 44 |
| 8   | Marking, labelling and packaging .....  | 44 |
| Annex A (normative) Gas test chamber for response value and cross-sensitivity ..... |   | 46 |
| A.1   | General .....   | 46 |
| A.2   | Gas test chamber specification .....  | 46 |
| Annex B (normative) CO and smoke measuring instruments .....                        |   | 48 |
| B.1   | General .....   | 48 |
| B.2   | CO measuring instrument .....   | 48 |
| B.3   | Obscuration meter .....   | 48 |
| B.4   | Measuring ionization chamber (MIC) .....  | 48 |
| Annex C (normative) Fire test room .....  |   | 49 |
| C.1   | General .....   | 49 |
| C.2   | Fire test room specification .....  | 49 |
| Annex D (informative) Establishing exposure levels of chemical agents .....         |   | 52 |

|  |   |           |
|--|---|-----------|
| D.1  | General .....   | 52        |
| D.2  | Establishing concentration of chemical agents for test gases 1 to 9 ..... | 52        |
| D.3  | Verification of test chamber leakage .....                                | 52        |
| D.4  | Establishing concentration of ozone .....                                 | 52        |
| <b>Annex E (normative) Smouldering (pyrolysis) wood fire (TF2) .....</b>   |   | <b>54</b> |
| E.1  | General .....   | 54        |
| E.2  | Fuel .....  | 54        |
| E.3  | Hotplate .....  | 54        |
| E.4  | Arrangement .....   | 54        |
| E.5  | Heating rate .....  | 54        |
| E.6  | End of test condition .....   | 54        |
| E.7  | Test validity criteria .....  | 54        |
| <b>Annex F (normative) Glowing smouldering cotton fire (TF3) .....</b>   |   | <b>59</b> |
| F.1  | General .....   | 59        |
| F.2  | Fuel .....  | 59        |
| F.3  | Arrangement .....   | 59        |
| F.4  | Ignition .....  | 60        |
| F.5  | End of test condition .....   | 60        |
| F.6  | Test validity criteria .....  | 61        |
| <b>Annex G (informative) Information concerning the construction of the gas test chamber .....</b>   |   | <b>64</b> |
| G.1  | General .....   | 64        |
| G.2  | Construction of the gas test chamber .....                                | 64        |
| <b>Annex H (informative) Apparatus for impact test .....</b>   |   | <b>66</b> |
| H.1  | General .....   | 66        |
| H.2  | Apparatus construction .....  | 66        |
| <b>Annex ZA (informative) Clauses of this European Standard addressing the provisions of the EU<br/>Construction Products Regulation .....</b> |   | <b>69</b> |
| <b>Bibliography .....</b>  |   | <b>79</b> |