

DIN EN 54-26:2015-11 (E)

Fire detection and fire alarm systems - Part 26: Carbon monoxide detectors - Point detectors

Contents		Page
Foreword		5
Introduction		7
1	Scope	8
2	Normative references	8
3	Terms, definitions and abbreviations	9
3.1	Terms and definitions	9
3.2	Abbreviations	9
4	Requirements	9
4.1	General	9
4.2	Nominal activation conditions/sensitivity	9
4.2.1	Individual alarm indication	9
4.2.2	Rate sensitive CO response	9
4.2.3	Response to slowly developing fires	9
4.2.4	Repeatability	10
4.2.5	Directional dependence	10
4.2.6	Reproducibility	10
4.2.7	Air movement	10
4.3	Operational reliability	10
4.3.1	Connection of ancillary devices	10
4.3.2	Monitoring of detachable detectors	10
4.3.3	Manufacturer's adjustments	10
4.3.4	On-site adjustment of behaviour	10
4.3.5	Software controlled detectors	11
4.3.6	Long term stability	12
4.4	Tolerance to supply voltage -- Variation in supply parameters	12
4.5	Performance parameters under fire conditions -- Fire sensitivity	12
4.6	Durability of nominal activation conditions/sensitivity	12
4.6.1	Temperature resistance	12
4.6.2	Humidity resistance	12
4.6.3	Corrosion resistance -- SO ₂ corrosion (endurance)	13
4.6.4	Shock and vibration resistance	13
4.6.5	Electrical stability -- EMC, immunity (operational)	13
4.6.6	Resistance to chemical agents	13
5	Test and assessment methods	14
5.1	General	14
5.1.1	Atmospheric conditions for tests	14
5.1.2	Operating conditions for tests	14
5.1.3	Mounting arrangements	14
5.1.4	Tolerances	14
5.1.5	Measurement of CO response value	14
5.1.6	Provision for tests	15
5.1.7	Test schedule	15
5.2	Nominal activation conditions/sensitivity	16
5.2.1	Individual alarm indication	16
5.2.2	Rate sensitive CO response	17

5.2.3	Response to slowly developing fires	17
5.2.4	Repeatability	17
5.2.5	Directional dependence	18
5.2.6	Reproducibility	18
5.2.7	Air movement	19
5.3	Operational reliability	19
5.3.1	Connection of ancillary devices	19
5.3.2	Monitoring of detachable detectors	19
5.3.3	Manufacturer's adjustments	19
5.3.4	On-site adjustment of behaviour	19
5.3.5	Software controlled detectors	19
5.3.6	Long term stability	19
5.4	Tolerance to supply voltage	20
5.4.1	Variation in supply parameters	20
5.5	Performance parameters under fire conditions	21
5.5.1	Fire sensitivity	21
5.6	Durability of nominal activation conditions/sensitivity	23
5.6.1	Temperature resistance	23
5.6.2	Humidity resistance	25
5.6.3	Corrosion resistance -- SO ₂ corrosion (endurance)	29
5.6.4	Shock and vibration resistance	30
5.6.5	Electrical stability	34
5.6.6	Resistance to chemical agents	35
6	Assessment and verification of constancy of performance (AVCP)	37
6.1	General	37
6.2	Type testing	37
6.2.1	General	37
6.2.2	Test samples, testing and compliance criteria	38
6.2.3	Test reports	39
6.3	Factory production control (FPC)	39
6.3.1	General	39
6.3.2	Requirements	40
6.3.3	Product specific requirements	42
6.3.4	Initial inspection of factory and FPC	42
6.3.5	Continuous surveillance of FPC	43
6.3.6	Procedure for modifications	43
6.3.7	One-off products, pre-production products, (e.g. prototypes) and products produced in very low quantities	43
7	Classification	44
8	Marking, labelling and packaging	44
Annex A (normative) Gas test chamber for response value and cross-sensitivity		46
A.1	General	46
A.2	Gas test chamber specification	46
Annex B (normative) CO and smoke measuring instruments		48
B.1	General	48
B.2	CO measuring instrument	48
B.3	Obscuration meter	48
B.4	Measuring ionization chamber (MIC)	48
Annex C (normative) Fire test room		49
C.1	General	49
C.2	Fire test room specification	49
Annex D (informative) Establishing exposure levels of chemical agents		52

D.1	General	52
D.2	Establishing concentration of chemical agents for test gases 1 to 9	52
D.3	Verification of test chamber leakage	52
D.4	Establishing concentration of ozone	52
Annex E (normative) Smouldering (pyrolysis) wood fire (TF2)		54
E.1	General	54
E.2	Fuel	54
E.3	Hotplate	54
E.4	Arrangement	54
E.5	Heating rate	54
E.6	End of test condition	54
E.7	Test validity criteria	54
Annex F (normative) Glowing smouldering cotton fire (TF3)		59
F.1	General	59
F.2	Fuel	59
F.3	Arrangement	59
F.4	Ignition	60
F.5	End of test condition	60
F.6	Test validity criteria	61
Annex G (informative) Information concerning the construction of the gas test chamber		64
G.1	General	64
G.2	Construction of the gas test chamber	64
Annex H (informative) Apparatus for impact test		66
H.1	General	66
H.2	Apparatus construction	66
Annex ZA (informative) Clauses of this European Standard addressing the provisions of the EU Construction Products Regulation		69
Bibliography		79