

DIN EN 12845:2016-04 (E)

Fixed firefighting systems - Automatic sprinkler systems - Design, installation and maintenance (includes Corrigendum :2016)

Contents	Page
European foreword.....	12
Introduction	13
1 Scope	15
2 Normative references	15
3 Terms and definitions	16
4 Contract planning and documentation.....	23
4.1 General.....	23
4.2 Initial considerations	23
4.3 Preliminary or estimating stage	23
4.4 Design stage.....	24
4.4.1 General.....	24
4.4.2 Summary schedule	24
4.4.3 Installation layout drawings	25
4.4.4 Water supply	28
5 Extent of sprinkler protection.....	30
5.1 Buildings and areas to be protected.....	30
5.1.1 General.....	30
5.1.2 Permitted exceptions within a building.....	30
5.1.3 Necessary exceptions	30
5.2 Storage in the open air	30
5.3 Fire resistant separation	30
5.4 Protection of concealed spaces	31
5.5 Height difference between the highest and lowest sprinklers.....	31
6 Classification of occupancies and fire hazards	31
6.1 General.....	31
6.2 Hazard classes	31
6.2.1 General.....	31
6.2.2 Light Hazard – LH	31
6.2.3 Ordinary Hazard – OH	31
6.2.4 High Hazard – HH.....	32
6.3 Storage.....	33
6.3.1 General.....	33
6.3.2 Storage Configuration	33
7 Hydraulic design criteria.....	36
7.1 LH, OH and HHP.....	36
7.2 High Hazard Storage – HHS.....	37
7.2.1 General.....	37
7.2.2 Ceiling or roof protection only	37
7.2.3 Intermediate level in-rack sprinklers	38
7.3 Pressure and flow requirements for pre-calculated systems	40
7.3.1 LH and OH systems	40
7.3.2 HHP and HHS systems without in-rack sprinklers	40

8	Water supplies	42
8.1	General.....	42
8.1.1	Duration	42
8.1.2	Continuity	42
8.1.3	Frost protection	43
8.2	Maximum water pressure	43
8.3	Connections for other services	44
8.4	Housing of equipment for water supplies.....	44
8.5	Test facility devices.....	44
8.5.1	General	44
8.5.2	At pump house	45
8.5.3	At control valve sets	45
8.6	Water supply test.....	45
8.6.1	General	45
8.6.2	Storage tank and pressure tank supplies	46
8.6.3	Town main, booster pump, elevated private reservoir and gravity tank supplies	46
9	Type of water supply.....	46
9.1	General	46
9.2	Town mains.....	46
9.3	Storage tanks.....	46
9.3.1	General	46
9.3.2	Water volume	47
9.3.3	Refill rates for full capacity tanks	48
9.3.4	Reduced capacity tanks.....	48
9.3.5	Effective capacity of tanks and dimensions of suction chambers	50
9.3.6	Strainers	51
9.4	Inexhaustible sources – settling and suction chambers	51
9.5	Pressure tanks.....	54
9.5.1	General	54
9.5.2	Housing	54
9.5.3	Minimum capacity (water).....	54
9.5.4	Air pressure and contents	54
9.5.5	Charging with air and water	55
9.5.6	Control and safety equipment.....	55
9.6	Choice of water supply	55
9.6.1	Single water supplies.....	55
9.6.2	Superior single water supplies	56
9.6.3	Duplicate water supplies	56
9.6.4	Combined water supplies	56
9.7	Isolation of water supply	57
10	Pumps.....	57
10.1	General	57
10.2	Multiple pump arrangements	57
10.3	Compartments for pumpsets	58
10.3.1	General	58
10.3.2	Sprinkler protection	58
10.3.3	Temperature	58
10.3.4	Ventilation	58
10.4	Maximum temperature of water supply.....	58
10.5	Valves and accessories	58
10.6	Suction conditions	59
10.6.1	General	59
10.6.2	Suction pipe	59

10.7	Performance characteristics	62
10.7.1	Pre-calculated systems – LH and OH	62
10.7.2	Pre-calculated systems – HHP and HHS with no in-rack sprinklers	63
10.7.3	Calculated systems	64
10.7.4	Pressure and water capacity of boosted town mains	65
10.7.5	Pressure switches	65
10.8	Electrically driven pumpsets	65
10.8.1	General	65
10.8.2	Electricity supply	65
10.8.3	Main switchboard	66
10.8.4	Installation between the main switchboard and the pump controller	67
10.8.5	Pump controller	67
10.8.6	Monitoring of pump operation	67
10.9	Diesel engine driven pumpsets	67
10.9.1	General	67
10.9.2	Engines	68
10.9.3	Cooling system	68
10.9.4	Air filtration	68
10.9.5	Exhaust system	68
10.9.6	Fuel, fuel tank and fuel feed pipes	68
10.9.7	Starting mechanism	69
10.9.8	Electric starter motor batteries	70
10.9.9	Battery chargers	70
10.9.10	Siting of batteries and chargers	70
10.9.11	Starter alarm indication	71
10.9.12	Tools and spare parts	71
10.9.13	Engine tests and exercising	71
11	Installation type and size	72
11.1	Wet pipe installations	72
11.1.1	General	72
11.1.2	Protection against freezing	72
11.1.3	Size of installations	72
11.2	Dry pipe installations	73
11.2.1	General	73
11.2.2	Size of installations	73
11.3	Alternate installations	73
11.3.1	General	73
11.3.2	Size of installations	74
11.4	Pre-action installations	74
11.4.1	General	74
11.4.2	Automatic detection system	74
11.4.3	Size of installations	75
11.5	Subsidiary dry pipe or alternate extension	75
11.5.1	General	75
11.5.2	Size of subsidiary extensions	75
11.6	Subsidiary water spray extension	75
12	Spacing and location of sprinklers	75
12.1	General	75
12.2	Maximum area of coverage per sprinkler	76
12.3	Minimum distance between sprinklers	77
12.4	Location of sprinklers in relation to building construction	78
12.5	Intermediate sprinklers in HH occupancies	84
12.5.1	General	84
12.5.2	Maximum vertical distance between sprinklers at intermediate levels	84
12.5.3	Horizontal position of sprinklers at intermediate levels	84
12.5.4	Numbers of rows of sprinklers at each level	86
12.5.5	HHS intermediate sprinklers in non-shelved racks	86
12.5.6	HHS intermediate sprinklers below solid or slatted shelves in racks (ST5 and ST6)	87

13	Pipe sizing and layout	88
13.1	General	88
13.2	Calculation of pressure losses in pipework	88
13.2.1	Pipe friction loss	88
13.2.2	Static pressure difference	89
13.2.3	Velocity	89
13.2.4	Pressure loss through fittings and valves	89
13.2.5	Accuracy of calculations	90
13.3	Pre-calculated systems.....	91
13.3.1	General	91
13.3.2	Location of Design Points	91
13.3.3	Light Hazard - LH.....	92
13.3.4	Ordinary Hazard - OH	93
13.3.5	High hazard - HHP and HHS (except intermediate level sprinklers)	95
13.4	Fully calculated systems	103
13.4.1	Design density	103
13.4.2	Locations of the area of operation	104
13.4.3	Shape of the area of operation.....	104
13.4.4	Minimum sprinkler discharge pressure	108
13.4.5	Minimum pipe diameters	108
14	Sprinkler design characteristics and uses	108
14.1	General	108
14.2	Sprinkler types and application	108
14.2.1	General	108
14.2.2	Ceiling, flush, recessed and concealed pattern	109
14.2.3	Sidewall pattern	109
14.2.4	Flat spray pattern	109
14.3	Flow from sprinklers	109
14.4	Sprinkler temperature ratings	110
14.5	Sprinkler thermal sensitivity	111
14.5.1	General	111
14.5.2	Interaction with other measures	111
14.6	Sprinkler guards	111
14.7	Sprinkler water shields	111
14.8	Sprinkler rosettes	112
14.9	Corrosion protection of sprinklers	112
15	Valves	112
15.1	Control valve set.....	112
15.2	Stop valves.....	112
15.3	Ring main valves	112
15.4	Drain valves	112
15.5	Test valves	113
15.5.1	Alarm and pump start test valves	113
15.5.2	Remote test valves	113
15.6	Flushing connections	114
15.7	Pressure gauges.....	114
15.7.1	General	114
15.7.2	Water supply connections.....	114
15.7.3	Control valve set.....	114
15.7.4	Removal.....	115

16	Alarms and alarm devices	115
16.1	Water flow alarms	115
16.1.1	General	115
16.1.2	Water motor and gong	115
16.1.3	Piping to water motor.....	115
16.2	Electrical water flow and pressure switches	115
16.2.1	General	115
16.2.2	Water flow alarm switches.....	115
16.2.3	Dry and pre-action systems	116
16.3	Fire brigade and remote central station alarm connection.....	116
17	Pipework	116
17.1	General.....	116
17.1.1	Underground piping	116
17.1.2	Above ground piping.....	116
17.1.3	Welding of steel pipe	116
17.1.4	Flexible pipes and joints	117
17.1.5	Concealment	117
17.1.6	Protection against fire and mechanical damage.....	117
17.1.7	Painting.....	117
17.1.8	Drainage.....	117
17.1.9	Copper pipe	118
17.2	Pipe supports	118
17.2.1	General.....	118
17.2.2	Spacing and location.....	118
17.2.3	Design	119
17.3	Pipework in concealed spaces.....	119
17.3.1	General.....	119
17.3.2	False ceilings above OH occupancies	120
17.3.3	All other cases	120
18	Signs, notices, and information	120
18.1	Block plan.....	120
18.2	Signs and notices	120
18.2.1	Location plate.....	120
18.2.2	Signs for stop valves.....	120
18.2.3	Control valve set.....	121
18.2.4	Water supply connections to other services	121
18.2.5	Suction and booster pumps	121
18.2.6	Electric switches and control panels.....	122
18.2.7	Testing and operating devices	122
19	Commissioning	122
19.1	Commissioning tests	122
19.1.1	Pipework	122
19.1.2	Equipment	123
19.1.3	Water supplies	123
19.2	Completion certificate and documents	123
20	Maintenance	123
20.1	General.....	123
20.1.1	Introduction	123
20.1.2	Programmed work	123
20.1.3	Precautions while carrying out work.....	124
20.1.4	Replacement sprinklers	124
20.2	User's programme of inspection and checking.....	124
20.2.1	General.....	124
20.2.2	Weekly routine	124
20.2.3	Monthly routine	125
20.3	Service, testing and maintenance schedule	125
20.3.1	General.....	125
20.3.2	Quarterly routine	125
20.3.3	Half-yearly routine	127
20.3.4	Yearly routine	127
20.3.5	3 Yearly routine	128
20.3.6	10 yearly routine	128

21	Third party inspection	128
	Annex A (normative) Classification of typical hazards	129
	Annex B (normative) Methodology for categorizing stored goods	132
B.1	General	132
B.2	Material factor (M)	132
B.2.1	General	132
B.2.2	Material Factor 1	132
B.2.3	Material factor 2	133
B.2.4	Material factor 3	134
B.2.5	Material factor 4	134
B.3	Storage configuration	134
B.3.1	Effect of storage configuration	134
B.3.2	Exposed plastic container with non-combustible content	135
B.3.3	Exposed plastic surface – unexpanded	135
B.3.4	Exposed plastic surface – expanded	135
B.3.5	Open structure	135
B.3.6	Solid block materials	136
B.3.7	Granular or powdered materials	136
B.3.8	No special configuration	136
	Annex C (normative) Alphabetical listing of stored products and categories	137
	Annex D (normative) Zoning of sprinkler installations	141
D.1	General	141
D.2	Zoning of installations	141
D.3	Requirements for zoned installations	141
D.3.1	Extent of zones	141
D.3.2	Zone subsidiary stop valves	141
D.3.3	Flushing Valves	141
D.3.4	Monitoring	142
D.3.5	Zone test and drainage facilities	142
D.3.6	Installation control valve set	142
D.3.7	Installation monitoring and alarms	142
D.4	Block plan	143
	Annex E (normative) Special requirements for high rise systems	144
E.1	General	144
E.2	Design criteria	144
E.2.1	Hazard group	144
E.2.2	Subdivision of high rise sprinkler systems	144
E.2.3	Standing water pressures at non-return and alarm valves	144
E.2.4	Calculation of distribution pipework for pre-calculated systems	144
E.2.5	Water pressures	144

- E.3 Water supplies 145**
- E.3.1 Types of water supplies 145**
- E.3.2 Pressure and flow requirements for pre-calculated installations 145**
- E.3.3 Water supply characteristics for pre-calculated installations 145**
- E.3.4 Pump performance for pre-calculated installations..... 145**
- Annex F (normative) Additional measures to improve system reliability and availability 148**
- F.1 General..... 148**
- F.2 Subdivision into zones..... 148**
- F.3 Wet pipe installations 148**
- F.4 Sprinkler type and sensitivity..... 148**
- F.5 Control valve set..... 148**
- F.6 Water supplies 148**
- F.7 Additional measures for theatres..... 148**
- F.8 Additional precautions for maintenance 149**
- Annex G (normative) Protection of special hazards..... 150**
- G.1 General..... 150**
- G.2 Aerosols..... 150**
- G.3 Clothes in multiple garment hanging storage 150**
- G.3.1 General..... 150**
- G.3.2 Categorization 150**
- G.3.3 Sprinkler protection other than at ceiling 151**
- G.3.4 Sprinklers in operation..... 151**
- G.3.5 Ceiling sprinklers..... 151**
- G.3.6 Automatic shutdown 151**
- G.3.7 Control valve set..... 151**
- G.4 Flammable liquid storage 152**
- G.5 Idle pallets 153**
- G.6 Spirit based liquors in wooden barrels 154**
- G.7 Non-woven synthetic fabric..... 154**
- G.7.1 Free standing storage 154**
- G.7.2 Rack storage 155**
- G.8 Polypropylene or polyethylene storage bins..... 155**
- G.8.1 General..... 155**
- G.8.2 Classification..... 155**
- G.8.3 Palletized rack storage (ST4)..... 155**
- G.8.4 All other storage 155**
- G.8.5 Foam additive..... 156**
- Annex H (normative) Sprinkler systems monitoring 157**

H.1	General	157
H.2	Functions to be monitored	157
H.2.1	General	157
H.2.2	Stop valves controlling water flow to sprinklers	157
H.2.3	Other stop valves	157
H.2.4	Liquid levels	157
H.2.5	Pressures	157
H.2.6	Electrical power	158
H.2.7	Temperature	158
Annex I (normative) Transmission of alarms		159
I.1	Functions to be monitored	159
I.2	Alarm levels	160
Annex J (informative) Precautions and procedures when a system is not fully operational		161
J.1	Minimizing the effects	161
J.2	Planned shut-down	161
J.3	Unplanned shut-down	162
J.4	Action following sprinkler operation	162
J.4.1	General	162
J.4.2	Installations protecting cold storage warehouses (air circulation refrigeration)	162
Annex K (informative) Twenty-five year inspection		163
Annex L (informative) Special technology		164
Annex M (informative) Independent certification body		165
Annex N (normative) Control Mode Specific Application Sprinklers: CMSA		166
N.1	Introduction	166
N.1.1	General	166
N.1.2	Definitions	166
N.1.3	General	166
N.1.4	Sprinkler type and temperature rating	166
N.1.5	Water demand	167
N.2	Sprinkler location	167
N.2.1	Sprinkler spacing	167
N.2.2	Range pipe sizes	167
N.2.3	Minimum clear space below sprinklers	167
N.2.4	Excessive clearance	167
N.2.5	Distance of sprinklers below ceiling	167
N.2.6	Location of sprinklers in beam and girder, concrete T and panel construction	168
N.2.7	Obstructions to sprinkler distribution	168
N.3	Design	172

Annex O (informative) Example of P&ID 177

Annex P (normative) ESFR sprinkler protection..... 178

P.1 Introduction 178

P.2 Scope 178

P.3 Definitions 178

P.3.1 Sprinkler, ESFR pattern 178

P.3.2 Suppression mode..... 178

P.3.3 Classification of goods 178

P.3.4 Ceiling height 179

P.3.5 Laced tyre storage 179

P.3.6 Paper categories, based on weight..... 179

P.4 Contract arrangements 179

P.5 General..... 179

P.6 Occupancies and fire hazards..... 180

P.7 Racked, shelved and post pallet storage 180

P.7.1 Longitudinal and transverse flues 180

P.7.2 Shelving 181

P.7.3 In-rack sprinklers for ESFR systems 181

P.7.4 Design requirements 181

P.8 Building requirements..... 197

P.8.1 Roof or ceiling slope 197

P.8.2 Measures required to correct excessive roof or ceiling slope 197

P.8.3 Ceiling strength..... 198

P.8.4 Sky lights 198

P.8.5 Powered ventilation..... 198

P.8.6 Walkways and conveyors 200

P.8.7 Sprinkler protection beneath mezzanines 200

P.9 ESFR sprinkler installation design 200

P.9.1 Installation type..... 200

P.9.2 Sprinkler nominal k-factor 200

P.9.3 Temperature ratings thermal sensitivity and colour codings 200

P.9.4 ESFR sprinkler location relative to obstructions at or near the ceiling or roof..... 201

P.10 Pipe sizing 202

P.10.1 General..... 202

P.10.2 Minimum pipe sizes 202

P.10.3 Minimum ESFR sprinkler flow pressure..... 202

P.10.4 The number of sprinklers assumed to be operating..... 202

P.10.5 Shape of design sprinkler area 203

P.10.6	Sprinklers beneath obstructions	203
P.11	Sprinkler spacing and location	203
P.11.1	ESFR sprinkler area of coverage	203
P.11.2	Obstructions	203
P.11.3	Sprinkler positioning relative to roof and ceilings	204
P.11.4	Sprinkler orientation relative to the floor or pipework	204
P.11.5	Clear space below sprinklers	204
P.11.6	Sprinkler location relative to draught or smoke curtains	204
P.11.7	Positioning of ESFR sprinklers relative to draught or smoke curtains	204
P.11.8	ESFR sprinkler protection adjacent to areas protected by standard sprinklers	204
P.12	Water supplies	205
P.12.1	Pump drive and power arrangements	205
P.12.2	Pump selection	205
P.12.3	Duration	205
	Bibliography.....	206