# ISO 7165:2017-07 (E)

## Fire fighting - Portable fire extinguishers - Performance and construction

## Contents

Page


Foreword ..... vi

1 Scope ..... 1

2 Normative references ..... 1

3 Terms and definitions ..... 1

4 Classification of extinguishers ..... 4

5 Extinguishing media, propellants and filling requirements ..... 4
5.1 Extinguishing media ..... 4
5.1.1 Carbon dioxide ..... 4
5.1.2 Clean agents ..... 4
5.1.3 Powders ..... 4
5.1.4 Foam concentrates ..... 5
5.1.5 Water-based agents ..... 5
5.2 Propellants ..... 5
5.3 Filling requirements ..... 5
5.3.1 Fill density ..... 5
5.3.2 Filling tolerance ..... 5
5.3.3 Charges ..... 5

6 Pressure requirements for low-pressure extinguishers ..... 6
6.1 Test pressure ..... 6
6.2 Minimum burst pressure ..... 6

7 General operating performance requirements ..... 6
7.1 Operating temperatures ..... 6
7.2 Minimum effective discharge time and bulk range of discharge ..... 6
7.2.1 Class A-rated extinguishers ..... 6
7.2.2 Class B rated extinguishers ..... 7
7.2.3 Bulk range ..... 8
7.3 Resistance to temperature changes ..... 9
7.3.1 Requirements ..... 9
7.3.2 Test method ..... 9
7.4 Retention of charge ..... 9
7.4.1 Routine checks ..... 9
7.4.2 Retention of charge following partial discharge ..... 10
7.4.3 Long-term leakage test ..... 11
7.5 Mechanical resistance ..... 11
7.5.1 Resistance to impact ..... 11
7.5.2 Resistance to vibrations ..... 12
7.6 Resistance to corrosion ..... 13
7.6.1 External corrosion test ..... 13
7.6.2 Internal corrosion test for extinguishers using water-based media ..... 14
7.7 Tapping test (powder extinguishers only) ..... 14
7.7.1 Requirements ..... 14
7.7.2 Test apparatus ..... 14
7.7.3 Test method ..... 17
7.8 Intermittent discharge test ..... 18

8 Performance requirements for test fires ..... 18
8.1 Rating suitability for the various classes of fire ..... 18
8.1.1 Class A ..... 18
8.1.2 Class B ..... 19
8.1.3 Class C ..... 19
8.1.4 Class D ..... 19
8.1.5 Class F ..... 20
8.2 Test fires -- General ..... 20
8.2.1 Operator's clothing ..... 20
8.2.2 Requirements for extinguishment ..... 20
8.2.3 Test extinguishers and method of use ..... 20
8.2.4 Test schedule ..... 21
8.3 Class A test fire ..... 21
8.3.1 Location ..... 21
8.3.2 Construction ..... 21
8.3.3 Procedure ..... 22
8.4 Class B test fire ..... 24
8.4.1 General ..... 24
8.4.2 Location ..... 24
8.4.3 Construction ..... 25
8.4.4 Fuel ..... 25
8.4.5 Procedure ..... 26
8.4.6 Low-temperature extinguishing test ..... 26
8.5 Class D test fire ..... 26
8.5.1 General ..... 26
8.5.2 Metal chip or turning fires ..... 27
8.5.3 Metal powder or dust fires ..... 28
8.5.4 Shallow liquid metal fires ..... 28
8.5.5 Simulated casting fire ..... 29
8.6 Electrical conductivity of extinguisher discharge ..... 30
8.6.1 Water-based extinguishers ..... 30
8.6.2 Requirements ..... 30
8.6.3 Test for electrical conductivity ..... 30
8.7 Class F test fire ..... 30
8.7.1 Location ..... 30
8.7.2 Construction ..... 30
8.7.3 Fuel ..... 31
8.7.4 Procedure ..... 31
8.8 Class F splash test ..... 33
8.8.1 Location ..... 33
8.8.2 Construction ..... 33
8.8.3 Fuel ..... 34
8.8.4 Procedure ..... 34
8.8.5 Requirements ..... 36

9 Construction requirements ..... 36
9.1 High-pressure extinguishers ..... 36
9.2 Low-pressure extinguishers ..... 36
9.2.1 General requirements ..... 36
9.2.2 Burst test ..... 37
9.2.3 Crushing test ..... 37
9.2.4 Permanent volumetric expansion test ..... 38
9.2.5 Welded low-carbon steel cylinder ..... 38
9.2.6 Stainless steel cylinders ..... 39
9.2.7 Aluminium cylinders ..... 39
9.3 Carrying handle ..... 39
9.4 Mounting ..... 40
9.5 Caps, valves and closures ..... 40
9.6 Safety devices ..... 41
9.7 Manufacturing tests ..... 41
9.7.1 Low-pressure cylinders ..... 41

9.7.2 Leakage tests ..... 41
9.8 Requirements for plastics components ..... 41
9.8.1 General requirements ..... 41
9.8.2 Requirements for normally pressurized components ..... 42
9.8.3 Ultraviolet light exposure ..... 42
9.8.4 Impact resistance ..... 43
9.8.5 Normally non-pressurized components ..... 43
9.8.6 Test for exposure to extinguishing medium ..... 43
9.9 Hose assemblies ..... 43
9.10 Method of operation ..... 44
9.11 Safety-locking devices ..... 45
9.12 Requirements for pressure gauges and indicators for low-pressure extinguishers ..... 46
9.12.1 General ..... 46
9.12.2 Calibration test -- Gauges and indicators ..... 47
9.12.3 Burst strength test -- Gauges and indicators ..... 47
9.12.4 Overpressure test -- Gauges ..... 47
9.12.5 Impulse test -- Gauges ..... 48
9.12.6 Pressure gauge relief test ..... 48
9.12.7 Water resistance test -- Gauges and indicators ..... 48
9.12.8 Leakage test -- Gauges and indicators ..... 48
9.12.9 Plastics components -- Gauges and indicators ..... 48
9.13 Dip-tubes and filters -- Water-based extinguishers ..... 48
9.14 Special requirements for CO2 extinguishers ..... 49
9.15 Gasket and O-rings ..... 49
9.15.1 Tensile strength, elongation, maximum set and hardness ..... 49
9.15.2 Compression set ..... 49

10 Marking and colour ..... 50
10.1 Colour ..... 50
10.2 Marking ..... 50
10.2.1 General ..... 50
10.2.2 Use-code symbols ..... 52
10.2.3 Recharging instructions ..... 53
10.3 Inspection instructions ..... 53

11 Manuals ..... 54
11.1 User manual ..... 54
11.2 Service manual ..... 54

Annex A (normative) Alternate test fire for powder extinguishers with a rating exceeding 144B ..... 55

Annex B (normative) Polar solvents ..... 60

Annex C (normative) Clean agent FK-5-1-12 -- Extinguishing agent physical properties ..... 63

Annex D (normative) Clean agent HCFC Blend B -- Extinguishing agent physical properties ..... 66

Annex E (normative) Clean agent HFC-227ea -- Extinguishing agent physical properties ..... 69

Annex F (normative) Clean Agent HFC-236fa -- Extinguishing agent physical properties ..... 72

Bibliography ..... 75