

DIN EN 14972-1:2021-06 (E)

Fixed firefighting systems - Water mist systems - Part 1: Design, installation, inspection and maintenance

Contents		Page
European foreword		7
Introduction		9
1	Scope	10
2	Normative references	10
3	Terms, definitions and abbreviations	11
3.1	Terms and definitions	11
3.2	Abbreviations	18
4	Design	18
4.1	Design principal	18
4.1.1	General	18
4.1.2	General requirement	18
4.1.3	Full scale fire testing procedures	18
4.2	Design, installation, operation and maintenance manual	19
4.2.1	General	19
4.2.2	Content of the DIOM manual	19
4.3	Water mist systems using gas for their operation	21
4.4	Use of additives	21
4.5	Design parameters	21
4.6	Water and gas supply	21
4.6.1	Pumped systems requirements	21
4.6.2	Self-contained systems requirements	21
4.7	Compartment protection	21
4.7.1	General	21
4.7.2	Compartment	21
4.7.3	Fire hazard	22
4.7.4	Design requirements	22
4.8	Requirements for different types of water mist deluge systems	22
4.8.1	Local application systems	22
4.8.2	Local application systems with multiple hazards	22
4.8.3	Volume protection water mist systems	22
4.8.4	Zoned protection systems	22
4.8.5	Activation and control	22
4.9	Design of water mist automatic nozzle systems	23
4.9.1	Extent of protection	23
4.9.2	Permitted exceptions within a building	23
4.9.3	Material reaction	23
4.9.4	System design	23
4.9.5	Nozzle selection and positioning	28
4.9.6	Alarm device	28
4.9.7	Test connection	28
4.9.8	Air velocity and openings	28
4.10	Design of water mist deluge system	29
4.10.1	Nozzle selection and positioning	29
4.10.2	Air velocity and openings	29
4.10.3	Automatic shut-down	29
4.11	Fire detection and fire alarm systems activating the water mist system	29

4.11.1	General requirements	29
4.11.2	Fire detection and fire alarm systems continuity	29
4.11.3	Avoiding false alarms by water mist discharge	30
4.11.4	Manual activation	30
4.11.5	Electrical detection and activation	30
4.11.6	Non-electrical detection	31
4.12	Hydraulic and pneumatic calculations	31
4.13	Water, propellant and atomizing gas supply design	31
4.13.1	General	31
4.13.2	Connection to public or town mains	31
4.13.3	Flow requirement	32
4.13.4	Maximum and minimum water pressure	32
4.13.5	Discharge operating time	32
4.13.6	Type of water supply	34
4.13.7	Availability	35
4.13.8	Housing of equipment for water supplies	39
5	Installation	39
5.1	General	39
5.1.1	DIOM manual	39
5.1.2	Electrical safety	39
5.1.3	High Voltage live electrical equipment	40
5.1.4	Electrical clearances	40
5.2	Nozzle	40
5.2.1	General	40
5.2.2	Automatic nozzle	41
5.2.3	Open nozzle	41
5.3	Pipe	42
5.3.1	General	42
5.3.2	Protection against mechanical damages	42
5.3.3	Protection against corrosion	42
5.3.4	Protection in seismic areas	42
5.3.5	Protection against freezing for wet pipes	42
5.3.6	Accessibility of the pipe work	42
5.3.7	Pipe bending	42
5.3.8	Water supply pipes	43
5.3.9	Pipe support	43
5.3.10	Drainage	44
5.4	Gas and water containers (where provided)	44
5.4.1	General	44
5.4.2	Location	44
5.4.3	Accessibility	44
5.4.4	Fixing	44
5.4.5	Manifolds	44
5.4.6	Temperature	45
5.5	Strainers and filters	45
5.5.1	Strainers	45
5.5.2	Nozzle filter	45
5.5.3	System filters	45
5.6	Valves	45
5.6.1	General	45
5.6.2	Identifications	45
5.6.3	Accessibility	45
5.6.4	Securing and monitoring valves	45
5.6.5	Shut-off valves	45
5.6.6	Control valves	46
5.6.7	Check and non-return valves	46
5.7	Pressure gauges	46
5.8	Test connection	46
5.8.1	Test connection for automatic water mist systems	46
5.8.2	Test connection for water mist deluge system	46
5.9	Electrical installation	46

5.9.1	Electrical power supply	46
5.9.2	Fire detection and fire alarm system	46
5.10	System monitoring and alarms	46
5.10.1	General	46
5.10.2	Alarms	47
5.10.3	Remote signalling	47
5.11	Water mist system supply, including additives	48
5.11.1	General	48
5.11.2	Water quality	48
5.11.3	Additives	48
5.11.4	Water supply	48
5.11.5	Test devices	51
6	Water mist system components	51
6.1	General	51
6.1.1	Requirements for components	51
6.1.2	Pressure rating	51
6.2	Nozzle	51
6.3	Piping and fittings	52
6.3.1	Pipework	52
6.3.2	Fittings	52
6.4	Flexible hoses	53
6.4.1	Hose length	53
6.4.2	Hoses to be used in areas exposed to fire class B fires	53
6.4.3	Hose rating	53
6.5	Pipe supports	53
6.6	Valves	53
6.6.1	Shut-off valves	53
6.6.2	Pressure regulating valves	54
6.6.3	Check and non-return valves	54
6.6.4	Drain/fill valves	54
6.6.5	Safety valves	54
6.7	Control valves	54
6.7.1	General	54
6.7.2	Strainers and filters	54
6.8	Flow switches and flow transmitters	55
6.9	Pressure switches and pressure transmitters	55
6.10	Supply components for self-contained systems	55
6.10.1	General	55
6.10.2	Excess pressure	55
6.10.3	Pressure container marking	55
6.10.4	Design temperature	55
6.10.5	Gas cylinders and actuation valve	55
6.10.6	Cylinders and storage containers for water	55
7	Main pumps for water mist systems	56
7.1	General	56
7.2	Pump set	56
7.2.1	Operation	56
7.2.2	Overpressure	56
7.2.3	Centrifugal pumps	56
7.2.4	Positive displacement pumps	56
7.2.5	Pump driver	56
7.2.6	Pump Cooling	56
7.2.7	Pump set anchoring	56
7.2.8	Positive displacement pump filters	57
7.2.9	Pump set coupling	57
7.2.10	Valves and accessories	57
7.2.11	Suction pipe	57
7.2.12	Discharge pipe	58
7.2.13	Pump set rating	58
7.2.14	Pump set operation	58

7.2.15	Electrically driven pump sets	59
7.2.16	Diesel engine driven pump sets	61
8	Testing, acceptance and commissioning	65
8.1	Acceptance test for water mist systems	65
8.2	Test criteria	65
8.3	Site commissioning test	66
8.4	Completion certificate and documents	66
9	Inspection and maintenance	67
9.1	Inspection	67
9.1.1	Inspection schedule	67
9.1.2	User's program of inspection	67
9.2	Inspection and maintenance routines	67
9.2.1	Weekly routine	67
9.2.2	Monthly routine	68
9.2.3	Quarterly routine	68
9.2.4	Half-yearly routine	69
9.2.5	Annual inspection	69
9.2.6	Three-yearly routine	70
9.2.7	Five-yearly routine	70
9.2.8	Ten-yearly routine	71
9.2.9	Maintenance schedule	71
9.2.10	User's program of monitoring	71
9.2.11	Training	71
10	Documentation	71
10.1	Installation documentation	71
10.2	Documentation for acceptance of design, installation and commissioning	72
Annex A (informative) Guideline for developing representative fire test protocols for water mist systems		74
A.1	General	74
A.2	Evaluation of the fire hazard	74
A.3	Evaluation of the compartment conditions	75
A.4	Determining the performance objective	76
A.5	Setting up the fire test procedure	76
A.6	Carrying out the test	78
A.7	Documentation and interpretation of test results	78
A.8	Example for fire test report	78
Annex B (informative) Area of operation for typical automatic nozzle water mist systems		80
B.1	General	80
B.2	Typical system component layouts	80
B.2.1	System components gridded layout	80
B.2.2	System components terminal layout	81
B.2.3	System components looped layout	81
B.3	AOs to be determined by full hydraulic calculation	82
B.4	Most unfavourable and most favourable AO demands and the pump supply curve	84
B.5	Calculating the number of nozzles and actual area of AO	85
B.6	Method of calculating the area per nozzle	87
B.6.1	Regular spacing	87
B.6.2	Irregular spacing	88
B.7	Shape of the AO	90
B.7.1	General	90
B.7.2	Shape of the hydraulically most unfavourable location	91
B.7.3	Shape of the hydraulically most favourable location	94
B.8	Length of the AO	96
B.9	Relocation of section valves	97
B.10	Calculating the nozzles operating in the most unfavourable AO	97
Bibliography		99