

# DIN EN 17966:2024-12 (E)

## Fire protection equipment - Carbon dioxide extinguishing systems for use on premises - Design and installation (ISO 6183:2022, modified)

---

<b>Contents</b>		<b>Page</b>
European foreword .....		6
Introduction .....		7
1	Scope .....	8
2	Normative references .....	8
3	Terms and definitions .....	8
4	Use and limitations .....	12
4.1	General .....	12
4.2	Uses for carbon dioxide systems .....	12
4.3	Limitations for carbon dioxide systems .....	12
4.4	Temperature limitations .....	12
5	Safety .....	13
5.1	Hazard to personnel .....	13
5.2	Safety precautions .....	13
5.2.1	Normally occupied and normally unoccupied areas .....	13
5.2.2	Warning notices for occupiable areas .....	14
5.2.3	Warning notices for unoccupiable areas .....	17
5.3	Electrical hazards .....	18
5.4	Electrical earthing .....	19
5.5	Electrostatic discharge .....	19
6	System design .....	19
6.1	General .....	19
6.1.1	Introduction .....	19
6.1.2	Specifications .....	20
6.1.3	Working documents .....	20
6.2	Carbon dioxide supply .....	20
6.2.1	Quality .....	20
6.2.2	Quantity .....	20
6.2.3	Container arrangement .....	21
6.2.4	Storage containers .....	22
6.3	Distribution .....	24
6.3.1	General .....	24
6.3.2	Piping .....	25
6.3.3	Fittings .....	25
6.3.4	Pipe and valve support .....	25
6.3.5	Valves .....	26
6.3.6	Nozzles .....	27
6.4	Enclosures (total flooding) .....	28
6.4.1	Structural strength .....	28
6.4.2	Loss through openings .....	28
6.4.3	Ventilation systems .....	28
6.5	Detection, actuation and control systems .....	29
6.5.1	General .....	29
6.5.2	Shut-down of plant and equipment .....	29
6.5.3	Automatic detection .....	29

6.5.4	Operating devices .....	29
6.5.5	Control equipment .....	30
6.5.6	Audible alarms and visual indicators .....	31
7	Carbon dioxide flow and concentration calculations .....	32
7.1	General .....	32
7.2	System flow calculations .....	32
7.2.1	General .....	32
7.2.2	Friction losses .....	33
7.2.3	Pressure drop .....	33
7.2.4	Valves and fittings .....	34
7.2.5	As-installed calculations .....	34
7.2.6	Specific requirements .....	34
7.3	Carbon dioxide concentration requirements .....	34
7.3.1	Flame extinguishment .....	34
7.3.2	Inerting .....	34
7.4	Total flooding quantity .....	35
7.4.1	General .....	35
7.4.2	Design quantity .....	35
7.4.3	KB factor .....	36
7.5	Design of local application systems .....	38
7.5.1	General .....	38
7.5.2	Carbon dioxide requirements .....	39
7.5.3	Rate by area method .....	39
7.5.4	Rate by volume method .....	41
7.6	Duration of protection -- total flooding systems .....	42
7.7	System performance .....	43
7.7.1	Discharge time .....	43
7.7.2	Extended discharge .....	43
8	Commissioning and acceptance .....	43
8.1	General .....	43
8.2	Tests .....	43
8.2.1	General .....	43
8.2.2	Enclosure check .....	44
8.2.3	Review of mechanical components .....	44
8.2.4	Review of enclosure integrity .....	45
8.2.5	Review of electrical components .....	45
8.2.6	Preliminary functional tests .....	46
8.2.7	System functional operational test .....	46
8.2.8	Remote monitoring operations (if applicable) .....	47
8.2.9	Control panel primary power source .....	47
8.2.10	Completion of functional tests .....	47
8.3	Completion certificate and documentation .....	47
9	Inspection, maintenance, testing and training .....	48
9.1	General .....	48
9.2	Inspection .....	48
9.2.1	General .....	48
9.2.2	Container .....	48
9.2.3	Hose .....	48
9.2.4	Enclosures .....	48
9.3	Maintenance .....	49
9.3.1	General .....	49
9.3.2	User's programme of inspection .....	49
9.3.3	Service schedule .....	49
9.4	Training .....	49
Annex A (normative)	Working documents .....	50
A.1	General .....	50
A.2	Working documents .....	50

A.3	Specific details .....	51
A.3.1	Pre-engineered systems .....	51
A.3.2	Engineered systems .....	51
A.4	Completion certificate and documentation .....	51
Annex B (normative) Carbon dioxide system pipe and orifice size determination .....		56
Annex C (informative) System performance verification .....		66
Annex D (informative) General information on carbon dioxide .....		67
D.1	General .....	67
D.2	Free efflux .....	68
D.3	Hazards to personnel .....	70
Annex E (informative) Examples of calculations .....		72
E.1	Rate by volume method -- Example 1 .....	72
E.1.1	Hazard .....	72
E.1.2	Actual dimensions .....	72
E.1.3	Assumed volume .....	72
E.1.4	Percent perimeter enclosed .....	73
E.1.5	Discharge rate for 71 % enclosure .....	73
E.1.6	Discharge rate .....	73
E.1.7	Carbon dioxide requirement .....	73
E.2	Rate by volume method -- Example 2 .....	73
E.2.1	Hazard .....	73
E.2.2	Actual dimensions .....	73
E.2.3	Assumed volume .....	73
E.2.4	Percent perimeter enclosed .....	74
E.2.5	Discharge rate for 0 % enclosure .....	74
E.2.6	Discharge rate .....	74
E.2.7	Carbon dioxide requirement .....	74
E.3	Rate by area method .....	74
E.3.1	Hazard .....	74
E.3.2	Surface dimensions .....	74
E.3.3	Nozzle location .....	74
E.3.4	Procedure .....	74
E.3.5	Total flow rate .....	74
E.3.6	Carbon dioxide requirement .....	74
E.4	Total flooding system .....	75
E.4.1	Storeroom .....	75
E.4.2	Actual dimensions .....	75
E.4.3	Assumed volume .....	75
E.4.4	Additional volume for ventilation .....	75
E.4.5	Deductible volume .....	75
E.4.6	Total surface area of all sides .....	75
E.4.7	Total surface area of all openings .....	76
E.4.8	Area .....	76
E.4.9	Carbon dioxide design quantity .....	76
Bibliography .....		77