

# DIN EN 15004-1:2025-03 (E)

## Fixed firefighting systems - Gas extinguishing systems - Part 1: Design, installation and maintenance (ISO 14520-1:2023, modified)

---

<b>Contents</b>		<b>Page</b>
European foreword .....		9
Introduction .....		11
1 Scope .....		12
2 Normative references .....		13
3 Terms and definitions .....		13
4 Use and limitations .....		17
4.1 General .....		17
4.2 Extinguishants .....		18
4.2.1 General .....		18
4.2.2 Environmental properties .....		18
4.3 Electrostatic discharge .....		18
4.4 Compatibility with other extinguishants .....		18
4.5 Temperature limitations .....		19
5 Safety .....		19
5.1 Hazard to personnel .....		19
5.2 Safety precautions .....		20
5.2.1 General .....		20
5.2.2 For normally occupied areas .....		20
5.2.3 For normally unoccupied areas .....		22
5.2.4 For unoccupiable areas .....		22
5.3 Occupiable areas .....		22
5.4 Electrical hazards .....		23
5.5 Electrical earthing .....		24
5.6 Electrostatic discharge .....		24
6 System design .....		24
6.1 General .....		24
6.2 Extinguishant supply .....		24
6.2.1 Quantity .....		24
6.2.2 Quality .....		25
6.2.3 Container arrangement .....		25
6.2.4 Storage containers .....		25
6.3 Distribution .....		26
6.3.1 General .....		26
6.3.2 Piping .....		27
6.3.3 Fittings .....		28
6.3.4 Pipe and valve supports .....		28
6.3.5 Valves .....		29
6.3.6 Nozzles .....		29
6.3.7 Pressure reducing orifice assembly .....		30
6.4 Detection, actuation and control systems .....		30
6.4.1 General .....		30
6.4.2 Automatic detection .....		30
6.4.3 Operating devices .....		31
6.4.4 Control equipment .....		31

6.4.5	Operating alarms and indicators .....	32
6.4.6	Stop / hold off devices.....	32
7	Extinguishant system design .....	32
7.1	General .....	32
7.2	Specifications, plans and approvals.....	33
7.2.1	Specifications .....	33
7.2.2	Working documents .....	33
7.3	System flow calculations .....	33
7.3.1	General .....	33
7.3.2	Balanced and unbalanced system.....	33
7.3.3	Friction losses .....	35
7.3.4	Pressure drop .....	35
7.3.5	Elevation change .....	36
7.3.6	Valves and fittings .....	36
7.3.7	Piping length .....	36
7.3.8	Drawings.....	36
7.3.9	Liquefied gases — Specific requirements.....	36
7.4	Enclosures .....	36
7.5	Effects of noise .....	37
7.6	Extinguishant concentration requirements .....	37
7.6.1	Flame extinguishment .....	37
7.6.2	Inerting.....	39
7.7	Total flooding quantity.....	39
7.7.1	General .....	39
7.7.2	Liquefied gases .....	39
7.7.3	Non-liquefied gas .....	39
7.8	Altitude adjustment.....	40
7.9	Duration of protection .....	41
7.10	System performance.....	41
7.10.1	Discharge time .....	41
7.10.2	Extended discharge.....	41
8	Commissioning and acceptance .....	42
8.1	General .....	42
8.2	Tests .....	42
8.2.1	General .....	42
8.2.2	Enclosure check.....	42
8.2.3	Review of mechanical components .....	42
8.2.4	Review of enclosure integrity .....	43
8.2.5	Review of electrical components .....	43
8.2.6	Preliminary functional tests .....	45
8.2.7	System functional operational test .....	45
8.2.8	Remote monitoring operations (if applicable) .....	45
8.2.9	Control panel primary power source .....	46
8.2.10	Completion of functional tests .....	46
8.3	Completion certificate and documentation .....	46
9	Inspection, maintenance, testing and training .....	46
9.1	General .....	46
9.2	Inspection.....	46
9.2.1	General .....	46
9.2.2	Container .....	47
9.2.3	Hose .....	47
9.2.4	Enclosures .....	47

9.3	<b>Maintenance</b> .....	47
9.3.1	<b>General</b> .....	47
9.3.2	<b>User's programme of inspection</b> .....	47
9.3.3	<b>Service schedule</b> .....	48
9.4	<b>Training</b> .....	48
<b>Annex A (normative) Working documents</b> .....		49
A.1	<b>General</b> .....	49
A.2	<b>Working documents</b> .....	49
A.3	<b>Specific details</b> .....	50
A.3.1	<b>Pre-engineered systems</b> .....	50
A.3.2	<b>Engineered systems</b> .....	50
<b>Annex B (normative) Determination of flame-extinguishing concentration of gaseous extinguishants by the cup burner method</b> .....		51
B.1	<b>General</b> .....	51
B.2	<b>Principle</b> .....	51
B.3	<b>Requirements for apparatus</b> .....	51
B.3.1	<b>General</b> .....	51
B.3.2	<b>Cup</b> .....	52
B.3.3	<b>Chimney</b> .....	52
B.3.4	<b>Diffuser</b> .....	52
B.3.5	<b>Fuel supply</b> .....	53
B.3.6	<b>Manifold</b> .....	53
B.3.7	<b>Air supply</b> .....	53
B.3.8	<b>Extinguishant supply</b> .....	53
B.3.9	<b>Delivery system</b> .....	53
B.4	<b>Requirements for materials</b> .....	53
B.4.1	<b>Air</b> .....	53
B.4.2	<b>Fuel</b> .....	53
B.4.3	<b>Extinguishant</b> .....	53
B.5	<b>Procedure for flammable liquids</b> .....	53
B.6	<b>Procedure for flammable gases</b> .....	54
B.7	<b>Extinguishant extinguishing concentration</b> .....	55
B.7.1	<b>Preferred method</b> .....	55
B.7.2	<b>Alternative method</b> .....	55
B.8	<b>Reporting of results</b> .....	56
<b>Annex C (normative) Fire extinguishment/area coverage fire test procedure for engineered and pre-engineered extinguishing units</b> .....		58
C.1	<b>Requirements</b> .....	58

<b>C.2</b>	<b>Type of test and report of test results .....</b>	<b>58</b>
<b>C.2.1</b>	<b>Type of test.....</b>	<b>58</b>
<b>C.2.2</b>	<b>Reporting of test results.....</b>	<b>59</b>
<b>C.3</b>	<b>Extinguishing system.....</b>	<b>61</b>
<b>C.4</b>	<b>Extinguishing concentration .....</b>	<b>62</b>
<b>C.4.1</b>	<b>Extinguishing agent concentration .....</b>	<b>62</b>
<b>C.4.2</b>	<b>Cold discharge test .....</b>	<b>63</b>
<b>C.5</b>	<b>Nozzle distribution verification tests.....</b>	<b>64</b>
<b>C.5.1</b>	<b>Nozzle minimum height/maximum area coverage test.....</b>	<b>64</b>
<b>C.5.1.1</b>	<b>Test facility.....</b>	<b>64</b>
<b>C.5.1.2</b>	<b>Fuel specification.....</b>	<b>69</b>
<b>C.5.1.3</b>	<b>Test procedure .....</b>	<b>70</b>
<b>C.5.1.4</b>	<b>Determination of distribution performance of the nozzle .....</b>	<b>71</b>
<b>C.5.1.5</b>	<b>Reporting of test results.....</b>	<b>71</b>
<b>C.5.2</b>	<b>Nozzle maximum height test .....</b>	<b>71</b>
<b>C.5.2.1</b>	<b>Test facility.....</b>	<b>71</b>
<b>C.5.2.2</b>	<b>Fuel specification.....</b>	<b>72</b>
<b>C.5.2.3</b>	<b>Test procedure .....</b>	<b>72</b>
<b>C.5.2.4</b>	<b>Determination of distribution performance of the nozzle .....</b>	<b>72</b>
<b>C.5.2.5</b>	<b>Reporting of test results.....</b>	<b>72</b>
<b>C.6</b>	<b>Extinguishing concentration tests.....</b>	<b>73</b>
<b>C.6.1</b>	<b>Wood crib test.....</b>	<b>73</b>
<b>C.6.1.1</b>	<b>Test facility.....</b>	<b>73</b>
<b>C.6.1.2</b>	<b>Fuel specification.....</b>	<b>76</b>
<b>C.6.1.3</b>	<b>Test procedure .....</b>	<b>78</b>
<b>C.6.1.4</b>	<b>Determination of design extinguishant concentration.....</b>	<b>79</b>
<b>C.6.1.5</b>	<b>Reporting of test results.....</b>	<b>79</b>
<b>C.6.2</b>	<b>Heptane pan test .....</b>	<b>80</b>
<b>C.6.2.1</b>	<b>Test facility.....</b>	<b>80</b>
<b>C.6.2.2</b>	<b>Fuel specification.....</b>	<b>80</b>
<b>C.6.2.3</b>	<b>Test procedure .....</b>	<b>80</b>
<b>C.6.2.4</b>	<b>Determination of design extinguishant concentration.....</b>	<b>80</b>
<b>C.6.2.5</b>	<b>Reporting of test results.....</b>	<b>81</b>
<b>C.6.3</b>	<b>Polymeric sheet fire test .....</b>	<b>81</b>
<b>C.6.3.1</b>	<b>Test facility.....</b>	<b>81</b>
<b>C.6.3.2</b>	<b>Fuel specification.....</b>	<b>81</b>

C.6.3.3	Test procedure.....	85
C.6.3.4	Determination of design extinguishant concentration .....	87
C.6.3.5	Reporting of test results .....	87
<b>Annex D (normative) Method of evaluating inerting concentration of a fire extinguishant.....</b>		<b>88</b>
D.1	General.....	88
D.2	Principle .....	88
D.3	Apparatus .....	88
D.4	Procedure .....	88
D.5	Inerting concentration.....	89
<b>Annex E (normative) Door fan test for determining of minimum hold time.....</b>		<b>90</b>
E.1	General.....	90
E.2	Test for determination of predicted hold time .....	90
E.2.1	Principle .....	90
E.2.2	Apparatus .....	91
E.2.3	Calibration and accuracy of apparatus .....	91
E.2.3.1	Fan unit.....	91
E.2.3.2	Pressure measuring devices .....	91
E.2.3.3	Temperature measuring devices .....	91
E.2.4	Preliminary preparation.....	91
E.2.5	Evaluation of enclosure .....	92
E.2.5.1	General.....	92
E.2.5.2	Mixing during hold time .....	92
E.2.6	Measurement of enclosure .....	92
E.2.6.1	Standard enclosures without continuous mixing .....	92
E.2.6.2	Non-standard enclosures without continuous mixing .....	93
E.2.6.3	Enclosures of any shape with continuous mixing .....	93
E.2.6.4	Opening for mounting the fan unit .....	93
E.2.7	Test procedure.....	93
E.2.7.1	Preparation.....	93
E.2.7.2	Setting up the door fan unit.....	94
E.2.7.3	Measurement of bias pressure during fan testing ( $P_{bt}$ ) .....	94
E.2.7.4	Measurement of leakage rate .....	95
E.2.7.5	Field calibration check.....	95
E.2.7.6	Measurement of bias pressure under hold time conditions ( $P_{bh}$ ) .....	96
E.2.8	Calculation.....	97
E.2.8.1	Selection of appropriate hold time equation .....	97

E.2.8.2	Symbols .....	97
E.2.8.3	Depressurisation and pressurisation leakage characteristics.....	99
E.2.8.4	Column pressures.....	100
E.2.8.5	Average leakage characteristics.....	102
E.2.8.6	Correlation and simplifying constants.....	102
E.2.8.7	Predicted hold time: standard enclosures without continuous mixing.....	103
E.2.8.8	Predicted hold time: enclosures of any shape with continuous mixing.....	104
E.2.8.9	Predicted hold time for non-standard enclosures without continuous mixing.....	104
E.3	Treatment of enclosures with predicted hold times less than the recommended value .....	105
E.3.1	General .....	105
E.3.2	Leakage areas.....	105
E.3.3	Improved sealing of the enclosure .....	106
E.3.4	Quantification and location of leaks .....	106
E.3.4.1	General .....	106
E.3.4.2	Second calculation of hold time.....	106
E.3.4.3	Method of estimating <i>F</i> .....	106
E.3.4.4	Final calculation of hold time .....	107
E.4	Report .....	107
Annex F (informative)	System performance verification.....	109
Annex G (informative)	Safe personnel exposure guidelines .....	110
G.1	General .....	110
G.2	Safety.....	110
G.3	Hazards to personnel — Potential hazards.....	110
G.3.1	Agent itself .....	110
G.3.2	Noise .....	110
G.3.3	Turbulence.....	110
G.3.4	Low temperature .....	110
G.4	Halocarbon agents.....	111
G.4.1	Toxicity of halocarbons (liquefied gases) .....	111
G.4.2	PBPK model .....	112
G.4.3	Safe exposure guidelines for halocarbons.....	113
G.4.3.1	Any unnecessary exposure to halocarbon clean agents, even at NOEL concentrations, and to halocarbon decomposition products shall be avoided. The requirements for pre-discharge alarms and time delays are intended to prevent human exposure to agents.....	113
G.4.4	Effects of impurities on safe use .....	115
G.5	Inert gas (non-liquefied gas) .....	116

<b>G.5.1</b>	<b>Physiological effects of inert gas agents .....</b>	<b>116</b>
<b>G.5.2</b>	<b>Safe exposure guidelines for inert gas agents .....</b>	<b>116</b>
<b>Annex H</b>	<b>(informative) Flow calculation implementation method and flow calculation verification and testing for approvals .....</b>	<b>118</b>
<b>H.1</b>	<b>General.....</b>	<b>118</b>
<b>H.2</b>	<b>Calculation method implementation .....</b>	<b>118</b>
<b>H.3</b>	<b>Minimum accuracy recommendations.....</b>	<b>119</b>
<b>H.4</b>	<b>Recommended testing procedure for system flow calculation method (software) validation.....</b>	<b>119</b>
<b>H.4.1</b>	<b>General.....</b>	<b>119</b>
<b>H.4.1.1</b>	<b>Method 1 .....</b>	<b>119</b>
<b>H.4.1.2</b>	<b>Method 2 — Modular validation process for calculation software .....</b>	<b>120</b>
<b>H.4.2</b>	<b>System design for testing .....</b>	<b>120</b>
<b>H.5</b>	<b>Pass/fail criteria.....</b>	<b>121</b>
<b>Annex I</b>	<b>(informative) Scaling factors for Class B fuels other than heptane.....</b>	<b>122</b>
<b>I.1</b>	<b>Scope.....</b>	<b>122</b>
<b>I.2</b>	<b>Requirements in accordance with Annex C .....</b>	<b>122</b>
<b>I.3</b>	<b>Proposed scaling factor method .....</b>	<b>122</b>
<b>I.4</b>	<b>Procedure .....</b>	<b>122</b>
<b>Annex J</b>	<b>(normative) Criteria for assessment of new extinguishants for inclusion in the EN 15004 series.....</b>	<b>123</b>
<b>J.1</b>	<b>Scope.....</b>	<b>123</b>
<b>J.2</b>	<b>Checklist.....</b>	<b>123</b>
	<b>Bibliography .....</b>	<b>126</b>