

DIN EN 12845:2026-09 (E)

Fixed firefighting systems - Automatic sprinkler systems - Design, installation and maintenance (includes Amendment :2026)

Contents	Page
European foreword.....	10
Introduction	12
1 Scope.....	14
2 Normative references.....	14
3 Terms and definitions	15
4 Contract planning and documentation.....	23
4.1 General.....	23
4.2 Initial considerations.....	23
4.3 Preliminary or estimating stage	23
4.4 Design stage	24
4.4.1 General.....	24
4.4.2 Summary schedule.....	24
4.4.3 Installation layout drawings.....	24
4.4.4 Water supply.....	27
5 Extent of sprinkler protection.....	29
5.1 Buildings and areas to be protected.....	29
5.1.1 General.....	29
5.1.2 Permitted exceptions within a building.....	29
5.1.3 Necessary exceptions.....	29
5.2 Storage in the open air	30
5.3 Fire resistant separation.....	30
5.4 Protection of concealed spaces	30
5.5 Height difference between the highest and lowest sprinklers.....	30
6 Classification of occupancies and fire hazards.....	30
6.1 General.....	30
6.2 Hazard classes	31
6.2.1 General.....	31
6.2.2 Light Hazard – LH	31
6.2.3 Ordinary Hazard – OH.....	31
6.2.4 High Hazard – HH	32
6.3 Storage	33
6.3.1 General.....	33
6.3.2 Storage Configuration.....	33
7 Hydraulic design criteria.....	35
7.1 LH, OH and HHP	35
7.2 High Hazard Storage – HHS.....	36
7.2.1 General.....	36
7.2.2 Ceiling or roof protection only	36
7.2.3 Intermediate level in-rack sprinklers	37
7.3 Pressure and flow requirements for pre-calculated systems.....	39
7.3.1 LH and OH systems	39
7.3.2 HHP and HHS systems without in-rack sprinklers.....	40
8 Water supplies	42

8.1	General	42
8.1.1	Duration	42
8.1.2	Continuity	42
8.1.3	Frost protection.....	42
8.2	Maximum water pressure.....	42
8.3	Connections for other services	43
8.4	Housing of equipment for water supplies	44
8.5	Test facility devices.....	44
8.5.1	General	44
8.5.2	At pump house	45
8.5.3	At control valve sets.....	45
8.6	Water supply test.....	45
8.6.1	General	45
8.6.2	Storage tank and pressure tank supplies	45
8.6.3	Town main, booster pump, elevated private reservoir and gravity tank supplies	46
9	Type of water supply	46
9.1	General	46
9.2	Town mains.....	46
9.3	Storage tanks.....	46
9.3.1	General	46
9.3.2	Water volume.....	47
9.3.3	Refill rates for full capacity tanks	48
9.3.4	Reduced capacity tanks	48
9.3.5	Effective capacity of tanks and dimensions of suction chambers	50
9.3.6	Strainers.....	51
9.4	Inexhaustible sources – settling and suction chambers	51
9.5	Pressure tanks	54
9.5.1	General	54
9.5.2	Housing.....	54
9.5.3	Minimum capacity (water).....	54
9.5.4	Air pressure and contents	54
9.5.5	Charging with air and water	55
9.5.6	Control and safety equipment.....	55
9.6	Choice of water supply.....	55
9.6.1	Single water supplies	55
9.6.2	Superior single water supplies	56
9.6.3	Duplicate water supplies	56
9.6.4	Combined water supplies	56
9.7	Isolation of water supply	57
10	Pumps $\boxed{A_2}$ and pump sets $\langle A_2 \rangle$	57
10.1	General	57
10.2	Multiple pump $\boxed{A_2}$ set $\langle A_2 \rangle$ arrangements	57
10.3	Compartments for pump sets.....	57
10.3.1	General	57
10.3.2	Sprinkler protection.....	58
10.3.3	Temperature	58
10.3.4	Ventilation.....	58
10.4	Maximum temperature of water supply	58
10.5	Valves and accessories.....	58
10.6	Suction conditions	59
10.6.1	General	59
10.6.2	Suction pipe $\boxed{A_2}$ of pump set $\langle A_2 \rangle$	59

10.7	Performance characteristics ^{A2} of pump sets ^{A2}	62
10.7.1	Pre-calculated systems – LH and OH	62
10.7.2	Pre-calculated systems – HHP and HHS with no in-rack sprinklers	63
10.7.3	Calculated systems	63
10.7.4	Pressure and water capacity of boosted town mains	63
10.7.5	Pressure switches	63
10.8	Electrically driven pump sets	64
10.8.1	General	64
10.8.2	Electricity supply	64
10.8.3	Main switchboard	65
10.8.4	Installation between the main switchboard and the ^{A2} electrical pump set ^{A2}	65
^{A2}	deleted text ^{A2}	65
10.8.5	Monitoring of pump ^{A2} set ^{A2} operation	65
10.9	Diesel engine driven pump sets	65
10.9.1	General	65
10.9.2	Starter alarm indication	66
10.9.3	^{A2} Site commissioning test ^{A2}	66
11	Installation type and size	66
11.1	Wet pipe installations	66
11.1.1	General	66
11.1.2	Protection against freezing	66
11.1.3	Size of installations	67
11.2	Dry pipe installations	67
11.2.1	General	67
11.2.2	Size of installations	67
11.3	Alternate installations	68
11.3.1	General	68
11.3.2	Size of installations	68
11.4	Pre-action installations	68
11.4.1	General	68
11.4.2	Automatic detection system	69
11.4.3	Size of installations	69
11.5	Subsidiary dry pipe or alternate extension	69
11.5.1	General	69
11.5.2	Size of subsidiary extensions	69
11.6	Subsidiary water spray extension	69
12	Spacing and location of sprinklers	70
12.1	General	70
12.2	Maximum area of coverage per sprinkler	70
12.3	Minimum distance between sprinklers	72
12.4	Location of sprinklers in relation to building construction	72
12.5	Intermediate sprinklers in HH occupancies	78
12.5.1	General	78
12.5.2	Maximum vertical distance between sprinklers at intermediate levels	78
12.5.3	Horizontal position of sprinklers at intermediate levels	78
12.5.4	Numbers of rows of sprinklers at each level	80
12.5.5	HHS intermediate sprinklers in non-shelved racks	80
12.5.6	HHS intermediate sprinklers below solid or slatted shelves in racks (ST5 and ST6)	81
13	Pipe sizing and layout	82
13.1	General	82
13.2	Calculation of pressure losses in pipework	82
13.2.1	Pipe friction loss	82

13.2.2	Static pressure difference.....	83
13.2.3	Velocity.....	83
13.2.4	Pressure loss through fittings and valves.....	83
13.2.5	Accuracy of calculations.....	84
13.3	Pre-calculated systems.....	85
13.3.1	General.....	85
13.3.2	Location of Design Points.....	85
13.3.3	Light Hazard - LH.....	86
13.3.4	Ordinary Hazard - OH.....	88
13.3.5	High hazard - HHP and HHS (except intermediate level sprinklers).....	89
13.4	Fully calculated systems.....	98
13.4.1	Design density.....	98
13.4.2	Locations of the area of operation.....	99
13.4.3	Shape of the area of operation.....	99
13.4.4	Minimum sprinkler discharge pressure.....	102
13.4.5	Minimum pipe diameters.....	102
14	Sprinkler design characteristics and uses.....	103
14.1	General.....	103
14.2	Sprinkler types and application.....	103
14.2.1	General.....	103
14.2.2	Ceiling, flush, recessed and concealed pattern.....	104
14.2.3	Sidewall pattern.....	104
14.2.4	Flat spray pattern.....	104
14.3	Flow from sprinklers.....	104
14.4	Sprinkler temperature ratings.....	105
14.5	Sprinkler thermal sensitivity.....	106
14.5.1	General.....	106
14.5.2	Interaction with other measures.....	106
14.6	Sprinkler guards.....	106
14.7	Sprinkler water shields.....	106
14.8	Sprinkler rosettes.....	107
14.9	Corrosion protection of sprinklers.....	107
15	Valves.....	107
15.1	Control valve set.....	107
15.2	Stop valves.....	107
15.3	Ring main valves.....	107
15.4	Drain valves.....	107
15.5	Test valves.....	108
15.5.1	Alarm and pump $\boxed{A_2}$ set $\boxed{A_2}$ start test valves.....	108
15.5.2	Remote test valves.....	109
15.6	Flushing connections.....	109
15.7	Pressure gauges.....	109
15.7.1	General.....	109
15.7.2	Water supply connections.....	109
15.7.3	Control valve set.....	109
15.7.4	Removal.....	110
16	Alarms and alarm devices.....	110
16.1	Water flow alarms.....	110
16.1.1	General.....	110
16.1.2	Water motor and gong.....	110
16.1.3	Piping to water motor.....	110
16.2	Electrical water flow and pressure switches.....	110

16.2.1	General.....	110
16.2.2	Water flow alarm switches	110
16.2.3	Dry and pre-action systems.....	111
16.3	Fire brigade and remote central station alarm connection.....	111
17	Pipework.....	111
17.1	General.....	111
17.1.1	Underground piping.....	111
17.1.2	Above ground piping.....	111
17.1.3	Welding of steel pipe.....	111
17.1.4	Flexible pipes and joints.....	112
17.1.5	Concealment.....	112
17.1.6	Protection against fire and mechanical damage.....	112
17.1.7	Painting.....	112
17.1.8	Drainage	112
17.1.9	Copper pipe	113
17.2	Pipe supports.....	113
17.2.1	General.....	113
17.2.2	Spacing and location	113
17.2.3	Design.....	114
17.3	Pipework in concealed spaces.....	114
17.3.1	General.....	114
17.3.2	False ceilings above OH occupancies	114
17.3.3	All other cases	115
18	Signs, notices, and information.....	115
18.1	Block plan	115
18.2	Signs and notices	115
18.2.1	Location plate.....	115
18.2.2	Signs for stop valves.....	115
18.2.3	Control valve set.....	115
18.2.4	Water supply connections to other services	116
18.2.5	Suction and booster pumps.....	116
18.2.6	Electric switches and control panels.....	116
18.2.7	Testing and operating devices.....	117
19	Commissioning.....	117
19.1	Commissioning tests	117
19.1.1	Pipework.....	117
19.1.2	Equipment	117
19.1.3	Water supplies	117
19.2	Completion certificate and documents	118
20	Maintenance.....	118
20.1	General.....	118
20.1.1	Introduction	118
20.1.2	Programmed work.....	118
20.1.3	Precautions while carrying out work	118
20.1.4	Replacement sprinklers	118
20.2	User's programme of inspection and checking	119
20.2.1	General.....	119
20.2.2	Weekly routine.....	119
20.2.3	Monthly routine	120
20.3	Service, testing and maintenance schedule.....	120
20.3.1	General.....	120

20.3.2	Quarterly routine.....	120
20.3.3	Half-yearly routine.....	121
20.3.4	Yearly routine	121
20.3.5	3 Yearly routine.....	122
20.3.6	10 yearly routine	122
21	Ⓐ Periodic system inspection.....	123
	Annex A (normative) Classification of typical hazards.....	124
	Annex B (normative) Methodology for categorizing stored goods.....	127
B.1	General	127
B.2	Material factor (M)	127
B.2.1	General	127
B.2.2	Material Factor 1.....	127
B.2.3	Material factor 2.....	128
B.2.4	Material factor 3.....	128
B.2.5	Material factor 4.....	129
B.3	Storage configuration.....	129
B.3.1	Effect of storage configuration.....	129
B.3.2	Exposed plastic container with non-combustible content	130
B.3.3	Exposed plastic surface – unexpanded	130
B.3.4	Exposed plastic surface – expanded.....	130
B.3.5	Open structure.....	130
B.3.6	Solid block materials.....	131
B.3.7	Granular or powdered materials.....	131
B.3.8	No special configuration	131
	Annex C (normative) Alphabetical listing of stored products and categories.....	132
	Annex D (normative) Zoning of sprinkler installations	136
D.1	General	136
D.2	Zoning of installations	136
D.3	Requirements for zoned installations.....	136
D.3.1	Extent of zones.....	136
D.3.2	Zone subsidiary stop valves.....	136
D.3.3	Flushing Valves.....	136
D.3.4	Monitoring.....	136
D.3.5	Zone test and drainage facilities	137
D.3.6	Installation control valve set.....	137
D.3.7	Installation monitoring and alarms.....	137
D.4	Block plan	137
	Annex E (normative) Special requirements for high rise systems	139

E.1	General.....	139
E.2	Design criteria.....	139
E.2.1	Hazard group	139
E.2.2	Subdivision of high rise sprinkler systems.....	139
E.2.3	Standing water pressures at non-return and alarm valves	139
E.2.4	Calculation of distribution pipework for pre-calculated systems.....	139
E.2.5	Water pressures	139
E.3	Water supplies	140
E.3.1	Types of water supplies	140
E.3.2	Pressure and flow requirements for pre-calculated installations.....	140
E.3.3	Water supply characteristics for pre-calculated installations	140
E.3.4	Pump $\square_{A2}$ set $\square_{A2}$ performance for pre-calculated installations	140
Annex F (normative)	Additional measures to improve system reliability and availability	143
F.1	General.....	143
F.2	Subdivision into zones	143
F.3	Wet pipe installations.....	143
F.4	Sprinkler type and sensitivity	143
F.5	Control valve set.....	143
F.6	Water supplies	143
F.7	Additional measures for theatres	143
F.8	Additional precautions for maintenance	144
Annex G (normative)	Protection of special hazards.....	145
G.1	General.....	145
G.2	Aerosols	145
G.3	Clothes in multiple garment hanging storage.....	145
G.3.1	General.....	145
G.3.2	Categorization	146
G.3.3	Sprinkler protection other than at ceiling.....	146
G.3.4	Sprinklers in operation.....	146
G.3.5	Ceiling sprinklers.....	146
G.3.6	Automatic shutdown.....	146
G.3.7	Control valve set.....	147
G.4	Flammable liquid storage	147
G.5	Idle pallets	149
G.6	Spirit based liquors in wooden barrels.....	150
G.7	Non-woven synthetic fabric.....	150

G.7.1	Free standing storage.....	150
G.7.2	Rack storage	151
G.8	Polypropylene or polyethylene storage bins.....	151
G.8.1	General	151
G.8.2	Classification	151
G.8.3	Palletized rack storage (ST4).....	151
G.8.4	All other storage.....	151
G.8.5	Foam additive.....	152
Annex H	(normative) Sprinkler systems monitoring.....	153
H.1	General	153
H.2	Functions to be monitored.....	153
H.2.1	General	153
H.2.2	Stop valves controlling water flow to sprinklers	153
H.2.3	Other stop valves	153
H.2.4	Liquid levels.....	153
H.2.5	Pressures	153
H.2.6	Electrical power	154
H.2.7	Temperature	154
Annex I	(normative) Transmission of alarms	155
I.1	Functions to be monitored	155
I.2	Alarm levels.....	156
Annex J	(informative) Precautions and procedures when a system is not fully operational.....	157
J.1	Minimizing the effects.....	157
J.2	Planned shut-down.....	157
J.3	Unplanned shut-down.....	158
J.4	Action following sprinkler operation.....	158
J.4.1	General	158
J.4.2	Installations protecting cold storage warehouses (air circulation refrigeration)	158
Annex K	(informative) Twenty-five year inspection.....	159
Annex L	(informative) Special technology.....	160
Annex M	(informative) Independent certification body.....	161
Annex N	(normative) Control Mode Specific Application Sprinklers: CMSA.....	162
Annex O	(informative) Example of P&ID	163
Annex P	(normative) ESFR sprinkler protection.....	164
Annex Q	(informative)  Periodic system inspection	165
Bibliography		166