ISO 15779:2026-08 (E)

Condensed aerosol fire extinguishing systems - Requirements and test methods for components and system design, installation and maintenance - General requirements

Contents

Page

Foreword vi

Introduction vii

1 Scope 1

2 Normative references 1

3 Terms and definitions 1

4 Use and limitations 5
4.1 General 5
4.2 Aerosol agent description 5
4.2.1 Condensed aerosol 5
4.2.2 Physical characteristics 6
4.2.3 Extinguishing mechanism 6
4.3 Application 6
4.4 Activation device 6
4.4.1 General 6
4.4.2 Electrical activation device 6
4.4.3 Thermal activation device 6
4.4.4 Other methods of activation device 7
4.5 Limitation of use 7
4.6 Electrostatic discharge 7
4.7 Potentially explosive atmosphere 7
4.8 Temperature limitations 7
4.9 Compatibility with other extinguishants 8
4.10 Environment 8

5 Safety 8
5.1 General 8
5.2 Toxicity 8
5.2.1 General 8
5.2.2 Condensed aerosols 8
5.3 Reduced visibility 9
5.3.1 General 9
5.3.2 Safety precautions 9
5.4 Turbulence 9
5.5 Thermal hazards 9
5.5.1 Minimum thermal clearance 9
5.5.2 Removal of discharged generators 9
5.5.3 Hot work 10
5.5.4 Casing temperatures for condensed aerosol generators 10
5.6 Safety precautions 10
5.6.1 General 10
5.6.2 Specific requirements 10
5.7 Electrical hazards 11
5.8 Electrical earthing 11
5.9 Electrostatic discharge 11

6 Extinguishant concentrations 11
6.1 General 11
6.2 Design application density requirements 12
6.2.1 Fire classification 12
6.2.2 Class B fire 12
6.2.3 Class A solid burning surface fire 12
6.2.4 EDP (electronic data processing) rooms, telecommunication and electronic risks 12
6.3 Aerosol generator performance requirements 13
6.3.1 Distribution coverage 13
6.3.2 Effective discharge 13
6.3.3 Ambient temperature and humidity operation range 13
6.3.4 Service life 13
6.3.5 Vibration and shock resistance 13
6.3.6 Corrosion 13
6.3.7 Drop impact 13
6.3.8 Actuation element 13
6.3.9 Exposure to fire 14
6.4 Marking 14

7 Specifications, plans and approvals 14
7.1 Specifications 14
7.2 Enclosure 14
7.2.1 Venting and structural strength 14
7.2.2 Loss of extinguishant to adjacent hazards 15
7.2.3 Forced-air ventilating systems 15
7.2.4 Venting requirements 15
7.3 Total flooding quantity 15
7.3.1 General 15
7.3.2 Safety factor 16
7.4 Design application density adjustment 16
7.4.1 Effects of altitude and temperature 16
7.4.2 Effects of ventilation 16
7.4.3 Compensation for leakage through enclosure openings 17
7.5 Unit size and quantity of aerosol generators 17
7.5.1 Maximum or minimum protected height limitations 17
7.5.2 Minimum thermal clearance 17
7.5.3 Several smaller units versus few large units 17
7.5.4 Mounting locations 17
7.5.5 Quantity of aerosol generators 17
7.5.6 Multiple generator systems 18
7.6 Operating conditions 18
7.7 Duration of protection 18
7.8 System discharge 19
7.8.1 Discharge time 19
7.8.2 Effectiveness of discharge 19
7.8.3 Thermal clearance 19
7.8.4 Extended discharge 19
7.9 Detection, actuation and control systems 19
7.9.1 General 19
7.9.2 Automatic detection 19
7.9.3 Operating devices 20
7.9.4 Electric control equipment 20
7.9.5 Operating alarm indicators 20
7.9.6 System isolate switch 21

8 Commissioning and acceptance 21
8.1 General 21
8.2 Tests 21
8.2.1 General 21
8.2.2 Enclosure check 21

8.2.3 Review of design calculations 22
8.2.4 Review of the mechanical components of condensed aerosol generators 22
8.2.5 Review of electrical components 23
8.2.6 Preliminary functional tests 24
8.2.7 System functional operational test 24
8.2.8 Remote monitoring operations 24
8.2.9 Control panel primary power source 24
8.2.10 Completion of functional tests 25
8.2.11 Completion certificate and documentation 25

9 Inspection, maintenance, testing and training 25

9.1 General 25
9.2 Inspection 25
9.2.1 General 25
9.2.2 Enclosures 26
9.3 Maintenance 26
9.3.1 General 26
9.3.2 User's programme of inspection 26
9.3.3 Service schedule 27
9.4 Training 27

Annex A (normative) Documentation requirements 28

Annex B (informative) Toxicity and visibility testing 29

Annex C (normative) Test methods 35

Annex D (normative) Extinguishing density/Coverage test procedure 44

Bibliography 71