DIN EN 54-20:2006-09 (E)

Fire detection and fire alarm systems - Part 20: Aspirating smoke detectors

Contents

Page

Foreword 4

1 Scope 6

2 Normative references 6

3 Terms and definitions 7

4 Symbols and abbreviations 7

5 Requirements 8
5.1 Compliance 8
5.2 Individual visual alarm indication 8
5.3 Connection of ancillary devices 8
5.4 Manufacturer's adjustments 8
5.5 On site adjustment of response behaviour 8
5.6 Response to slowly developing fires 9
5.7 Mechanical strength of the pipework 9
5.8 Hardware components and additional sensing elements in the sampling device 10
5.9 Airflow monitoring 10
5.10 Power supply 11
5.11 Data 11
5.12 Additional requirements for software controlled detectors 12

6 Tests 13
6.1 General 13
6.2 Repeatability 16
6.3 Reproducibility 17
6.4 Variation in supply parameters 17
6.5 Dry heat (operational) 18
6.6 Cold (operational) 19
6.7 Damp heat, steady state (operational) 20
6.8 Damp heat, steady state (endurance) 21
6.9 Sulfer dioxide (SO2) corrosion (endurance) 22
6.10 Shock (operational) 23
6.11 Impact (operational) 24
6.12 Vibration, sinusoidal (operational) 25
6.13 Vibration, sinusoidal (endurance) 26
6.14 Electromagnetic compatibility (EMC) immunity tests 27
6.15 Fire sensitivity 28

7 Classification and designation 31

8 Marking 32

Annex A (informative) Apparatus for Response Threshold Value (RTV) measurements 33

Annex B (normative) Smouldering (pyrolysis) wood fire (TF2) 41

B.1 Fuel 41
B.2 Hotplate 41
B.3 Arrangement 41

B.4 Heating rate 42
B.5 End of test condition 42
B.6 Test validity criteria 42

Annex C (normative) Reduced smouldering pyrolysis wood fires (TF2A and TF2B) 44

C.1 Fuel 44
C.2 Hotplate 44
C.3 Arrangement 44
C.4 Heating rate 45
C.5 End of test condition 45
C.6 Test validity criteria 45

Annex D (normative) Glowing smouldering cotton fire (TF3) 47

D.1 Fuel 47
D.2 Arrangement 47
D.3 Ignition 48
D.4 End of test condition 48
D.5 Test validity criteria 48

Annex E (normative) Reduced glowing smouldering cotton fire (TF3A and TF3B) 50

E.1 Fuel 50
E.2 Arrangement 50
E.3 Ignition 51
E.4 End of test condition 51
E.5 Test validity criteria 52

Annex F (normative) Flaming plastics (polyurethane) fire (TF4) 53

F.1 Fuel 53
F.2 Arrangement 53
F.3 Ignition 53
F.4 End of test condition 53
F.5 Test validity criteria 53

Annex G (normative) Flaming liquid (n-heptane) fire (TF5) 55

G.1 Fuel 55
G.2 Arrangement 55
G.3 Ignition 55
G.4 End of test condition 55
G.5 Test validity criteria 55

Annex H (normative) Reduced flaming liquid (n-heptane) fire (TF5A and TF5B) 57

H.1 Fuel 57
H.2 Arrangement 57
H.3 Ignition 57
H.4 End of test condition 58
H.5 Test validity criteria 58

Annex I (normative) Fire test room and ventilation system 60

I.1 Fire test room 60
I.2 Ventilation system 62

Annex J (informative) Information concerning the requirements for the response to slowly developing fires 64

Annex K (informative) Apparatus for air flow monitoring test 68

K.1 General 68
K.2 Airflow measuring with worst-case sampling device 68
K.3 Airflow monitoring test with test pipe network 69

Annex ZA (informative) Clauses of this European Standard addressing the provisions of the EU Construction Products Directive 71

ZA.1 Scope and relevant clauses 71

ZA.2 Procedures for the attestation of conformity of aspirating smoke detectors covered by this standard 72

ZA.3 CE Marking and labelling and accompanying documentation 77

ZA.4 EC certificate and declaration of conformity 78

Bibliography 80