

DIN EN 54-20:2006-09 (E)

Fire detection and fire alarm systems - Part 20: Aspirating smoke detectors

| Contents | | Page |
|--|---|-------------|
| Foreword | | 4 |
| 1 | Scope | 6 |
| 2 | Normative references | 6 |
| 3 | Terms and definitions | 7 |
| 4 | Symbols and abbreviations | 7 |
| 5 | Requirements | 8 |
| 5.1 | Compliance | 8 |
| 5.2 | Individual visual alarm indication | 8 |
| 5.3 | Connection of ancillary devices | 8 |
| 5.4 | Manufacturer's adjustments | 8 |
| 5.5 | On site adjustment of response behaviour | 8 |
| 5.6 | Response to slowly developing fires | 9 |
| 5.7 | Mechanical strength of the pipework | 9 |
| 5.8 | Hardware components and additional sensing elements in the sampling device | 10 |
| 5.9 | Airflow monitoring | 10 |
| 5.10 | Power supply | 11 |
| 5.11 | Data | 11 |
| 5.12 | Additional requirements for software controlled detectors | 12 |
| 6 | Tests | 13 |
| 6.1 | General | 13 |
| 6.2 | Repeatability | 16 |
| 6.3 | Reproducibility | 17 |
| 6.4 | Variation in supply parameters | 17 |
| 6.5 | Dry heat (operational) | 18 |
| 6.6 | Cold (operational) | 19 |
| 6.7 | Damp heat, steady state (operational) | 20 |
| 6.8 | Damp heat, steady state (endurance) | 21 |
| 6.9 | Sulfur dioxide (SO₂) corrosion (endurance) | 22 |
| 6.10 | Shock (operational) | 23 |
| 6.11 | Impact (operational) | 24 |
| 6.12 | Vibration, sinusoidal (operational) | 25 |
| 6.13 | Vibration, sinusoidal (endurance) | 26 |
| 6.14 | Electromagnetic compatibility (EMC) immunity tests | 27 |
| 6.15 | Fire sensitivity | 28 |
| 7 | Classification and designation | 31 |
| 8 | Marking | 32 |
| Annex A (informative) Apparatus for Response Threshold Value (RTV) measurements | | 33 |
| Annex B (normative) Smouldering (pyrolysis) wood fire (TF2) | | 41 |
| B.1 | Fuel | 41 |
| B.2 | Hotplate | 41 |
| B.3 | Arrangement | 41 |

| | | |
|--|------------------------------|----|
| B.4 | Heating rate | 42 |
| B.5 | End of test condition | 42 |
| B.6 | Test validity criteria | 42 |
| Annex C (normative) Reduced smouldering pyrolysis wood fires (TF2A and TF2B) | | 44 |
| C.1 | Fuel | 44 |
| C.2 | Hotplate | 44 |
| C.3 | Arrangement | 44 |
| C.4 | Heating rate | 45 |
| C.5 | End of test condition | 45 |
| C.6 | Test validity criteria | 45 |
| Annex D (normative) Glowing smouldering cotton fire (TF3) | | 47 |
| D.1 | Fuel | 47 |
| D.2 | Arrangement | 47 |
| D.3 | Ignition | 48 |
| D.4 | End of test condition | 48 |
| D.5 | Test validity criteria | 48 |
| Annex E (normative) Reduced glowing smouldering cotton fire (TF3A and TF3B) | | 50 |
| E.1 | Fuel | 50 |
| E.2 | Arrangement | 50 |
| E.3 | Ignition | 51 |
| E.4 | End of test condition | 51 |
| E.5 | Test validity criteria | 52 |
| Annex F (normative) Flaming plastics (polyurethane) fire (TF4) | | 53 |
| F.1 | Fuel | 53 |
| F.2 | Arrangement | 53 |
| F.3 | Ignition | 53 |
| F.4 | End of test condition | 53 |
| F.5 | Test validity criteria | 53 |
| Annex G (normative) Flaming liquid (n-heptane) fire (TF5) | | 55 |
| G.1 | Fuel | 55 |
| G.2 | Arrangement | 55 |
| G.3 | Ignition | 55 |
| G.4 | End of test condition | 55 |
| G.5 | Test validity criteria | 55 |
| Annex H (normative) Reduced flaming liquid (n-heptane) fire (TF5A and TF5B) | | 57 |
| H.1 | Fuel | 57 |
| H.2 | Arrangement | 57 |
| H.3 | Ignition | 57 |
| H.4 | End of test condition | 58 |
| H.5 | Test validity criteria | 58 |
| Annex I (normative) Fire test room and ventilation system | | 60 |
| I.1 | Fire test room | 60 |
| I.2 | Ventilation system | 62 |
| Annex J (informative) Information concerning the requirements for the response to slowly developing fires | | 64 |
| Annex K (informative) Apparatus for air flow monitoring test | | 68 |

| | | |
|---|--|-----------|
| K.1 | General | 68 |
| K.2 | Airflow measuring with worst-case sampling device | 68 |
| K.3 | Airflow monitoring test with test pipe network | 69 |
| Annex ZA (informative) Clauses of this European Standard addressing the provisions of the EU Construction Products Directive | | 71 |
| ZA.1 Scope and relevant clauses | | 71 |
| ZA.2 Procedures for the attestation of conformity of aspirating smoke detectors covered by this standard | | 72 |
| ZA.3 CE Marking and labelling and accompanying documentation | | 77 |
| ZA.4 EC certificate and declaration of conformity | | 78 |
| Bibliography | | 80 |