

ISO/TS 21364-22:2021 (E)

Domestic gas cooking appliances — Safety — Part 22: Particular requirements for ovens and compartment grills

Contents

	Foreword
	Introduction
1	Scope
2	Normative references
3	Terms and definitions
3.1	Definitions relating to appliances
3.2	Definitions relating to components
4	Components in gas cooking appliances
4.1	General
4.2	Manual gas shut-off valves (Taps)
4.3	Knobs
4.4	Multifunctional controls
4.5	Thermoelectric flame supervision controls
4.6	Thermostats
4.7	Pressure regulators
4.8	Automatic shut-off valves
4.9	Injectors and adjusters
4.10	Ignition systems
4.11	Thermal cut-outs
4.12	Cooling fan
4.13	Forced convection fan
5	General conditions of test
5.1	Reference conditions
5.2	Reference and test gases
5.3	Test pressures
5.4	Temperature conditions
5.5	Adjustment of the burner
5.6	Test installation
5.7	Characteristics of the test pans
5.8	Ovens or compartment grills operated in the forced convection mode
5.9	Portable ovens and compartment grills
6	Heat input
6.1	General
6.2	Obtaining the nominal heat input
6.2.1	Test of oven and compartment grill with a thermostat
6.2.2	Test of oven and compartment grill without a thermostat
6.3	Measurements and calculations
6.4	Obtaining the reduced heat input
6.4.1	Requirement
6.4.2	Test
6.4.3	Test of oven and compartment grill burner
6.5	Total heat input
7	Heating
7.1	General
7.2	Operating conditions

- 7.3 Heating tests
 - 7.3.1 Requirement
 - 7.3.2 Test under normal operation
 - 7.3.2.1 General
 - 7.3.2.2 Hob burner
 - 7.3.2.3 Electric hob elements
 - 7.3.2.4 Oven burner
 - 7.3.2.5 Electric oven
 - 7.3.2.6 Gas compartment grill
 - 7.3.2.7 Electric compartment grill
 - 7.3.2.8 Gas griddle
 - 7.3.2.9 Electric griddle
 - 7.3.2.10 Gas surface grill
 - 7.3.2.11 Electric surface grill
 - 7.3.2.12 Gas warming drawer
 - 7.3.2.13 Electric warming drawer
 - 7.3.2.14 Ovens or compartment grills operated in the forced convection mode
 - 7.3.3 Simultaneous operation of oven burner and compartment gas grill burner
 - 7.3.3.1 Requirement 1
 - 7.3.3.2 Test 1
 - 7.3.3.3 Requirement 2
 - 7.3.3.4 Test 2
 - 7.3.4 Temperatures of accidentally touchable surfaces
 - 7.3.4.1 General
 - 7.3.4.2 Temperatures of accidentally touchable surfaces of ovens and compartment grills
 - 7.3.4.2.1 Requirement
 - 7.3.4.2.2 Test
 - 7.3.4.3 Temperatures of accidentally touchable surfaces of forced convection ovens and compartment grills
 - 7.3.4.3.1 Requirement
 - 7.3.4.3.2 Test
 - 7.3.4.4 Temperatures of accidentally touchable surfaces of pyrolytic-self-cleaning ovens and compartment grills
 - 7.3.4.4.1 Requirement
 - 7.3.4.4.2 Test
 - 7.3.4.5 Temperatures of accidentally touchable surfaces of a portable table-top oven and compartment grill
 - 7.3.4.5.1 Requirement
 - 7.3.4.5.2 Test
- 7.4 Abnormal operation
 - 7.4.1 General
 - 7.4.2 Blocking of the cooling fan
 - 7.4.2.1 Requirement
 - 7.4.2.2 Test
 - 7.4.3 Failure of the thermostat
 - 7.4.3.1 Requirement
 - 7.4.3.2 Test
 - 7.4.4 Temperature of components in abnormal forced convection mode
 - 7.4.4.1 Requirement
 - 7.4.4.2 Test

8 Combustion

- 8.1 Measurement of all burners simultaneously
- 8.2 Blocked combustion products outlet
- 8.3 Analysis of the combustion products
- 8.4 Ovens and compartment grills
 - 8.4.1 General
 - 8.4.2 Combustion with reference gas
 - 8.4.2.1 Requirement
 - 8.4.2.2 Test
 - 8.4.3 Combustion with limit gas
 - 8.4.3.1 Requirement
 - 8.4.3.2 Test
 - 8.4.4 Simultaneous operation of oven and a compartment grill burner

- 8.4.4.1 Requirement
 - 8.4.4.2 Test
 - 8.4.5 Combustion with fluctuation of the electrical supply
 - 8.4.5.1 Requirement
 - 8.4.5.2 Test
 - 8.4.6 Combustion under abnormal operation
 - 8.4.6.1 Grill burner intended to be operated with the compartment door open
 - 8.4.6.1.1 Requirement
 - 8.4.6.1.2 Test
 - 8.5 Forced convection ovens or compartment grills
 - 8.5.1 General
 - 8.5.2 Abnormal forced convection mode of forced convection ovens or compartment grills
- 9 Ignition, cross-lighting and flame stability**
- 9.1 General
 - 9.2 Movement of oven/grill door or cabinet door
 - 9.3 Oven and compartment grill burner
 - 9.3.1 General
 - 9.3.2 Cold conditions
 - 9.3.2.1 Ignition
 - 9.3.2.1.1 Requirement
 - 9.3.2.1.2 Test
 - 9.3.2.2 Light back
 - 9.3.2.2.1 Requirement
 - 9.3.2.2.2 Test
 - 9.3.2.3 Flame lift
 - 9.3.2.3.1 Requirement
 - 9.3.2.3.2 Test
 - 9.3.3 Hot conditions
 - 9.3.3.1 Light back
 - 9.3.3.1.1 Requirement
 - 9.3.3.1.2 Test
 - 9.4 Forced convection ovens or compartment grills
 - 9.4.1 General
 - 9.4.2 Abnormal operation of forced convection ovens or compartment grills
 - 9.5 Simultaneous operation of the oven burner and a compartment grill burner
 - 9.5.1 General
 - 9.5.2 Cold conditions
 - 9.5.2.1 Ignition
 - 9.5.2.1.1 Requirement
 - 9.5.2.1.2 Test
 - 9.5.2.2 Light back
 - 9.5.2.2.1 Requirement
 - 9.5.2.2.2 Tests
 - 9.5.2.2.2.1 Test 1
 - 9.5.2.2.2.2 Test 2
 - 9.5.2.2.2.3 Test 3
 - 9.5.2.3 Flame lift
 - 9.5.2.3.1 Requirement
 - 9.5.2.3.2 Test
 - 9.5.3 Hot conditions
 - 9.5.3.1 Light back
 - 9.5.3.1.1 Requirement
 - 9.5.3.1.2 Tests
 - 9.5.3.1.2.1 Test 1
 - 9.5.3.1.2.2 Test 2
 - 9.5.3.1.2.3 Test 3
 - 9.5.4 Movement of oven door or cabinet door during simultaneous operation
 - 9.6 Ignition test of pyrolytic-self-cleaning oven and compartment grills
 - 9.6.1 Requirement
 - 9.6.2 Test
- 10 Accumulation of unburnt gas and leak tightness**
- 10.1 Accumulation of unburnt gas

10.2	Leakage
10.3	Leak tightness of the appliance
10.4	Spillage of un-burnt gas inside the appliance
10.4.1	Requirement
10.4.2	Test
10.4.3	Accumulation of unburnt LPG
11	Construction
11.1	General
11.2	Materials
11.3	Gas inlet connections
11.4	Conversion to different gases
11.5	Pull forces of knobs for manual gas shut-off valves (taps)
11.6	Appliances that enable the user to program the start or the end of the cooking cycle
11.7	Compartment for one gas cylinder
11.8	Touch controls
11.9	Door lock at high temperature
11.9.1	Requirement
11.9.2	Test
11.10	Appliances having pyrolytic-self-cleaning ovens and compartment grills
11.10.1	Door locking means for pyrolytic-self-cleaning oven and compartment grills
11.10.2	Temperature limiting means for pyrolytic-self-cleaning ovens and compartment grills
11.10.2.1	General
11.10.2.2	Requirement
11.10.2.3	Test
11.10.3	Vapour combustion or flash-out during the pyrolytic-self-cleaning cycle
11.10.3.1	Requirement
11.10.3.2	Test
11.10.4	Flue gas temperatures of pyrolytic-self-cleaning ovens and compartment grills
11.10.4.1	Requirement 1
11.10.4.2	Test 1
11.10.4.3	Requirement 2
11.10.4.4	Test 2
11.11	Ignition with an external lighter
12	Mechanical strength
12.1	Parts made of glass and glass-ceramic
12.1.1	General
12.1.2	Spring hammer test
12.1.3	Punch test
12.1.4	Appliance door
12.1.4.1	Requirement
12.1.4.2	Test
12.2	Appliance body of freestanding appliances
12.2.1	Requirement
12.2.2	Test
12.3	Oven door strength
12.3.1	Requirement
12.3.2	Test
12.4	Tilting of freestanding ovens and compartment grills
12.4.1	Tilting
12.4.1.1	Requirement
12.4.1.2	Test
12.4.2	Tilting under special conditions
12.4.2.1	Requirement
12.4.2.2	Test
12.5	Strength and stability of oven and grill accessories
12.5.1	Requirement
12.5.2	Test
12.6	Portable ovens and compartment grills
12.6.1	General
12.6.2	Tilting of portable ovens and compartment grills
12.6.2.1	Requirement
12.6.2.2	Test

- 13 Electrical safety**
- 14 Marking and instructions**
 - 14.1 Marking**
 - 14.1.1 Marking on the appliance**
 - 14.1.1.1 Data plate**
 - 14.1.1.2 Warning**
 - 14.2 Instructions**
- Annex A (informative) National deviations in various countries**
 - A.1 Japan**

Page count: 32