

ISO/TS 21364-22:2021 (E)

Domestic gas cooking appliances — Safety — Part 22: Particular requirements for ovens and compartment grills

Contents

	Foreword
	Introduction
1	Scope
2	Normative references
3	Terms and definitions
3.1	Definitions relating to appliances
3.2	Definitions relating to components
4	Components in gas cooking appliances
4.1	General
4.2	Manual gas shut-off valves (Taps)
4.3	Knobs
4.4	Multifunctional controls
4.5	Thermoelectric flame supervision controls
4.6	Thermostats
4.7	Pressure regulators
4.8	Automatic shut-off valves
4.9	Injectors and adjusters
4.10	Ignition systems
4.11	Thermal cut-outs
4.12	Cooling fan
4.13	Forced convection fan
5	General conditions of test
5.1	Reference conditions
5.2	Reference and test gases
5.3	Test pressures
5.4	Temperature conditions
5.5	Adjustment of the burner
5.6	Test installation
5.7	Characteristics of the test pans
5.8	Ovens or compartment grills operated in the forced convection mode
5.9	Portable ovens and compartment grills
6	Heat input
6.1	General
6.2	Obtaining the nominal heat input
6.2.1	Test of oven and compartment grill with a thermostat
6.2.2	Test of oven and compartment grill without a thermostat
6.3	Measurements and calculations
6.4	Obtaining the reduced heat input
6.4.1	Requirement
6.4.2	Test
6.4.3	Test of oven and compartment grill burner
6.5	Total heat input
7	Heating
7.1	General
7.2	Operating conditions

- 7.3 Heating tests
 - 7.3.1 Requirement
 - 7.3.2 Test under normal operation
 - 7.3.2.1 General
 - 7.3.2.2 Hob burner
 - 7.3.2.3 Electric hob elements
 - 7.3.2.4 Oven burner
 - 7.3.2.5 Electric oven
 - 7.3.2.6 Gas compartment grill
 - 7.3.2.7 Electric compartment grill
 - 7.3.2.8 Gas griddle
 - 7.3.2.9 Electric griddle
 - 7.3.2.10 Gas surface grill
 - 7.3.2.11 Electric surface grill
 - 7.3.2.12 Gas warming drawer
 - 7.3.2.13 Electric warming drawer
 - 7.3.2.14 Ovens or compartment grills operated in the forced convection mode
 - 7.3.3 Simultaneous operation of oven burner and compartment gas grill burner
 - 7.3.3.1 Requirement 1
 - 7.3.3.2 Test 1
 - 7.3.3.3 Requirement 2
 - 7.3.3.4 Test 2
 - 7.3.4 Temperatures of accidentally touchable surfaces
 - 7.3.4.1 General
 - 7.3.4.2 Temperatures of accidentally touchable surfaces of ovens and compartment grills
 - 7.3.4.2.1 Requirement
 - 7.3.4.2.2 Test
 - 7.3.4.3 Temperatures of accidentally touchable surfaces of forced convection ovens and compartment grills
 - 7.3.4.3.1 Requirement
 - 7.3.4.3.2 Test
 - 7.3.4.4 Temperatures of accidentally touchable surfaces of pyrolytic-self-cleaning ovens and compartment grills
 - 7.3.4.4.1 Requirement
 - 7.3.4.4.2 Test
 - 7.3.4.5 Temperatures of accidentally touchable surfaces of a portable table-top oven and compartment grill
 - 7.3.4.5.1 Requirement
 - 7.3.4.5.2 Test
- 7.4 Abnormal operation
 - 7.4.1 General
 - 7.4.2 Blocking of the cooling fan
 - 7.4.2.1 Requirement
 - 7.4.2.2 Test
 - 7.4.3 Failure of the thermostat
 - 7.4.3.1 Requirement
 - 7.4.3.2 Test
 - 7.4.4 Temperature of components in abnormal forced convection mode
 - 7.4.4.1 Requirement
 - 7.4.4.2 Test

8 Combustion

- 8.1 Measurement of all burners simultaneously
- 8.2 Blocked combustion products outlet
- 8.3 Analysis of the combustion products
- 8.4 Ovens and compartment grills
 - 8.4.1 General
 - 8.4.2 Combustion with reference gas
 - 8.4.2.1 Requirement
 - 8.4.2.2 Test
 - 8.4.3 Combustion with limit gas
 - 8.4.3.1 Requirement
 - 8.4.3.2 Test
 - 8.4.4 Simultaneous operation of oven and a compartment grill burner

- 8.4.4.1 Requirement
 - 8.4.4.2 Test
 - 8.4.5 Combustion with fluctuation of the electrical supply
 - 8.4.5.1 Requirement
 - 8.4.5.2 Test
 - 8.4.6 Combustion under abnormal operation
 - 8.4.6.1 Grill burner intended to be operated with the compartment door open
 - 8.4.6.1.1 Requirement
 - 8.4.6.1.2 Test
 - 8.5 Forced convection ovens or compartment grills
 - 8.5.1 General
 - 8.5.2 Abnormal forced convection mode of forced convection ovens or compartment grills
- 9 Ignition, cross-lighting and flame stability**
- 9.1 General
 - 9.2 Movement of oven/grill door or cabinet door
 - 9.3 Oven and compartment grill burner
 - 9.3.1 General
 - 9.3.2 Cold conditions
 - 9.3.2.1 Ignition
 - 9.3.2.1.1 Requirement
 - 9.3.2.1.2 Test
 - 9.3.2.2 Light back
 - 9.3.2.2.1 Requirement
 - 9.3.2.2.2 Test
 - 9.3.2.3 Flame lift
 - 9.3.2.3.1 Requirement
 - 9.3.2.3.2 Test
 - 9.3.3 Hot conditions
 - 9.3.3.1 Light back
 - 9.3.3.1.1 Requirement
 - 9.3.3.1.2 Test
 - 9.4 Forced convection ovens or compartment grills
 - 9.4.1 General
 - 9.4.2 Abnormal operation of forced convection ovens or compartment grills
 - 9.5 Simultaneous operation of the oven burner and a compartment grill burner
 - 9.5.1 General
 - 9.5.2 Cold conditions
 - 9.5.2.1 Ignition
 - 9.5.2.1.1 Requirement
 - 9.5.2.1.2 Test
 - 9.5.2.2 Light back
 - 9.5.2.2.1 Requirement
 - 9.5.2.2.2 Tests
 - 9.5.2.2.2.1 Test 1
 - 9.5.2.2.2.2 Test 2
 - 9.5.2.2.2.3 Test 3
 - 9.5.2.3 Flame lift
 - 9.5.2.3.1 Requirement
 - 9.5.2.3.2 Test
 - 9.5.3 Hot conditions
 - 9.5.3.1 Light back
 - 9.5.3.1.1 Requirement
 - 9.5.3.1.2 Tests
 - 9.5.3.1.2.1 Test 1
 - 9.5.3.1.2.2 Test 2
 - 9.5.3.1.2.3 Test 3
 - 9.5.4 Movement of oven door or cabinet door during simultaneous operation
 - 9.6 Ignition test of pyrolytic-self-cleaning oven and compartment grills
 - 9.6.1 Requirement
 - 9.6.2 Test
- 10 Accumulation of unburnt gas and leak tightness**
- 10.1 Accumulation of unburnt gas

- 10.2 Leakage
- 10.3 Leak tightness of the appliance
- 10.4 Spillage of un-burnt gas inside the appliance
 - 10.4.1 Requirement
 - 10.4.2 Test
 - 10.4.3 Accumulation of unburnt LPG
- 11 Construction
 - 11.1 General
 - 11.2 Materials
 - 11.3 Gas inlet connections
 - 11.4 Conversion to different gases
 - 11.5 Pull forces of knobs for manual gas shut-off valves (taps)
 - 11.6 Appliances that enable the user to program the start or the end of the cooking cycle
 - 11.7 Compartment for one gas cylinder
 - 11.8 Touch controls
 - 11.9 Door lock at high temperature
 - 11.9.1 Requirement
 - 11.9.2 Test
 - 11.10 Appliances having pyrolytic-self-cleaning ovens and compartment grills
 - 11.10.1 Door locking means for pyrolytic-self-cleaning oven and compartment grills
 - 11.10.2 Temperature limiting means for pyrolytic-self-cleaning ovens and compartment grills
 - 11.10.2.1 General
 - 11.10.2.2 Requirement
 - 11.10.2.3 Test
 - 11.10.3 Vapour combustion or flash-out during the pyrolytic-self-cleaning cycle
 - 11.10.3.1 Requirement
 - 11.10.3.2 Test
 - 11.10.4 Flue gas temperatures of pyrolytic-self-cleaning ovens and compartment grills
 - 11.10.4.1 Requirement 1
 - 11.10.4.2 Test 1
 - 11.10.4.3 Requirement 2
 - 11.10.4.4 Test 2
 - 11.11 Ignition with an external lighter
 - 12 Mechanical strength
 - 12.1 Parts made of glass and glass-ceramic
 - 12.1.1 General
 - 12.1.2 Spring hammer test
 - 12.1.3 Punch test
 - 12.1.4 Appliance door
 - 12.1.4.1 Requirement
 - 12.1.4.2 Test
 - 12.2 Appliance body of freestanding appliances
 - 12.2.1 Requirement
 - 12.2.2 Test
 - 12.3 Oven door strength
 - 12.3.1 Requirement
 - 12.3.2 Test
 - 12.4 Tilting of freestanding ovens and compartment grills
 - 12.4.1 Tilting
 - 12.4.1.1 Requirement
 - 12.4.1.2 Test
 - 12.4.2 Tilting under special conditions
 - 12.4.2.1 Requirement
 - 12.4.2.2 Test
 - 12.5 Strength and stability of oven and grill accessories
 - 12.5.1 Requirement
 - 12.5.2 Test
 - 12.6 Portable ovens and compartment grills
 - 12.6.1 General
 - 12.6.2 Tilting of portable ovens and compartment grills
 - 12.6.2.1 Requirement
 - 12.6.2.2 Test

- 13 Electrical safety**
- 14 Marking and instructions**
 - 14.1 Marking**
 - 14.1.1 Marking on the appliance**
 - 14.1.1.1 Data plate**
 - 14.1.1.2 Warning**
 - 14.2 Instructions**
- Annex A (informative) National deviations in various countries**
 - A.1 Japan**

Page count: 32