

DIN EN 14785:2006-09 (E)

Residential space heating appliances fired by wood pellets - Requirements and test methods

| Contents | | Page |
|-----------------|--|-------------|
| Foreword | | 5 |
| 1 | Scope | 6 |
| 2 | Normative references | 6 |
| 3 | Terms and definitions | 7 |
| 3.1 | Appliances | 7 |
| 3.2 | Functional characteristics | 8 |
| 3.3 | Characteristics | 10 |
| 3.4 | Fuels | 12 |
| 4 | Materials, design and construction | 12 |
| 4.1 | Production documentation | 12 |
| 4.2 | General construction requirements | 13 |
| 4.3 | Flue spigot or socket | 13 |
| 4.4 | Combustion control device | 14 |
| 4.5 | Flueways | 14 |
| 4.6 | Cleaning tools | 14 |
| 4.7 | Firedoors | 14 |
| 4.8 | Combustion air supply | 14 |
| 4.8.1 | Primary air inlet control | 14 |
| 4.8.2 | Secondary air inlet control | 15 |
| 4.9 | Internal flue gas diverter | 15 |
| 4.10 | Retort | 15 |
| 4.11 | Ashpan and ash removal | 15 |
| 4.12 | Integral boiler | 15 |
| 4.12.2 | Nominal minimum wall thickness (steels) | 18 |
| 4.12.3 | Welding seams and welding fillers | 18 |
| 4.12.4 | Minimum wall thicknesses (cast iron) | 18 |
| 4.12.5 | Cast iron parts subject to water pressure | 19 |
| 4.12.6 | Venting of the water sections | 19 |
| 4.12.7 | Water tightness | 19 |
| 4.12.8 | Water side connections | 19 |
| 4.12.9 | Boiler internal waterways | 20 |
| 4.13 | Control of flue gas | 21 |
| 4.14 | Cleaning of heating surfaces | 21 |
| 5 | Safety | 21 |
| 5.1 | Temperatures of adjacent combustible materials | 21 |
| 5.2 | Operating tools | 21 |
| 5.3 | Safety test for spillage of combustion gas and discharge of embers | 21 |
| 5.4 | Temperature in the fuel hopper | 22 |
| 5.5 | Safety against back burning through the fuel conveyor system | 22 |
| 5.6 | Safety against overheating the boiler water | 22 |
| 5.7 | Thermal discharge control | 22 |
| 5.8 | Strength and leaktightness of boiler shells | 22 |
| 5.9 | Electrical safety | 22 |
| 6 | Performance | 22 |
| 6.1 | Flue draught | 22 |

| | | |
|---------------------|--|----|
| 6.2 | Flue gas temperature | 23 |
| 6.3 | Carbon monoxide emission for pellet stoves | 23 |
| 6.4 | Efficient energy utilization | 23 |
| 6.4.1 | General | 23 |
| 6.4.2 | Efficiency at nominal heat output and at reduced heat output | 23 |
| 6.5 | Nominal heat output | 23 |
| 6.6 | Reduced heat output | 23 |
| 6.7 | Water heating output | 23 |
| 6.8 | Space heating output | 23 |
| 6.9 | Hopper capacity | 24 |
| 6.10 | User operations | 24 |
| 7 | Appliance instructions | 24 |
| 7.1 | General | 24 |
| 7.2 | Installation instructions | 24 |
| 7.3 | User operating instructions | 25 |
| 8 | Marking | 26 |
| 9 | Evaluation of conformity | 27 |
| 9.1 | General | 27 |
| 9.2 | Type testing | 27 |
| 9.2.1 | Initial type testing | 27 |
| 9.2.2 | Further type testing | 28 |
| 9.3 | Factory production control (FPC) | 31 |
| 9.3.1 | General | 31 |
| 9.3.2 | Raw materials and components | 31 |
| 9.3.3 | Control of inspection, measuring and test equipment | 31 |
| 9.3.4 | Process control | 31 |
| 9.3.5 | Product inspection, testing and evaluation | 32 |
| 9.3.6 | Non conforming products | 33 |
| 9.3.7 | Corrective and preventive action | 33 |
| 9.3.8 | Handling, storage, packaging, preservation and delivery | 33 |
| Annex A (normative) | Test methods | 34 |
| A.1 | Test environment | 34 |
| A.1.1 | Ambient room temperature | 34 |
| A.1.2 | Cross-draught | 34 |
| A.1.3 | External sources | 34 |
| A.2 | Test assembly | 34 |
| A.2.1 | General | 34 |
| A.2.2 | Trihedron | 35 |
| A.2.3 | Measurement section | 35 |
| A.2.4 | Connection of appliance to measurement section | 36 |
| A.2.5 | Water circuit for appliances with boilers | 37 |
| A.3 | Measurement equipment | 37 |
| A.4 | Test procedures | 38 |
| A.4.1 | Appliance installation | 38 |
| A.4.2 | Calculation of fuel load | 38 |
| A.4.3 | Fuelling and de-ashing the fire | 38 |
| A.4.4 | Flue gas losses | 38 |
| A.4.5 | Water heating output | 39 |
| A.4.6 | Combustible heat losses in the residue | 39 |
| A.4.7 | Performance test at nominal heat output | 39 |
| A.4.8 | Reduced heat output test | 41 |
| A.4.9 | Safety tests | 42 |
| A.5 | Test results | 44 |
| A.6 | Calculation methods | 45 |
| A.6.1 | Notations and units used | 45 |
| A.6.2 | Formulae | 46 |
| A.7 | Test report | 49 |

| | |
|---|-----------|
| Annex B (normative) Test fuels and recommended fuels | 62 |
| B.1 General | 62 |
| B.2 Test fuel | 62 |
| B.2.1 Selection of test fuel | 62 |
| B.2.2 Storage, preparation and analysis | 62 |
| B.3 Tests for recommended fuels | 63 |
| B.3.1 Basis of testing | 63 |
| B.3.2 Test methods and criteria | 64 |
| Annex ZA (informative) Clauses of this European Standard addressing the provisions of the EU Construction Products Directive | 66 |
| ZA.1 Scope and relevant characteristics | 66 |
| ZA.2 Procedure for attestation of conformity of residential space heating appliances fired by wood pellets | 68 |
| ZA.2.1 System of attestation of conformity | 68 |
| ZA.2.2 EC Certificate and Declaration of conformity | 69 |
| ZA.3 CE marking and labelling | 70 |
| Bibliography | 72 |