

ISO 9080:2012-10 (E)

Plastics piping and ducting systems - Determination of the long-term hydrostatic strength of thermoplastics materials in pipe form by extrapolation

| Contents | | Page |
|------------------------------|--|-------------|
| Foreword | | iv |
| Introduction | | v |
| 0.1 | General | v |
| 0.2 | Principles | v |
| 0.3 | Use of the methods | vi |
| 1 | Scope | 1 |
| 2 | Normative references | 1 |
| 3 | Terms and definitions | 1 |
| 4 | Acquisition of test data | 3 |
| 4.1 | Test conditions | 3 |
| 4.2 | Distribution of internal pressure levels and time ranges | 3 |
| 5 | Procedure | 3 |
| 5.1 | Data gathering and analysis | 3 |
| 5.2 | Extrapolation time factors for polyolefins (semi-crystalline polymers) | 6 |
| 5.3 | Extrapolation time factors for glassy, amorphous vinyl chloride based polymers | 7 |
| 5.4 | Extrapolation time factors for polymers other than those covered in 5.2 and 5.3 | 7 |
| 6 | Example of calculation, software validation | 7 |
| 7 | Test report | 8 |
| Annex A (normative) | Methods of analysis | 9 |
| Annex B (normative) | Automatic knee detection | 13 |
| Annex C (informative) | Application of SEM to stress rupture data of a semi-crystalline polymer | 14 |
| Annex D (informative) | Application of SEM to stress rupture data of a vinyl chloride based polymer | 22 |
| Bibliography | | 29 |