

# DIN EN ISO 178:2013-09 (E)

Plastics - Determination of flexural properties (ISO 178:2010 + Amd.1:2013) (includes Amendment :2013)

---

<b>Contents</b>		<b>Page</b>
<b>1</b>	<b>Scope .....</b>	<b>5</b>
<b>2</b>	<b>Normative references .....</b>	<b>6</b>
<b>3</b>	<b>Terms and definitions .....</b>	<b>6</b>
<b>4</b>	<b>Principle .....</b>	<b>9</b>
<b>5</b>	<b>Test machine .....</b>	<b>9</b>
<b>5.1</b>	<b>General .....</b>	<b>9</b>
<b>5.2</b>	<b>Test speed .....</b>	<b>9</b>
<b>5.3</b>	<b>Supports and loading edge .....</b>	<b>10</b>
<b>5.4</b>	<b>Force- and deflection-measuring systems .....</b>	<b>10</b>
<b>5.5</b>	<b>Equipment for measuring the width and thickness of the test specimens .....</b>	<b>11</b>
<b>6</b>	<b>Test specimens .....</b>	<b>12</b>
<b>6.1</b>	<b>Shape and dimensions .....</b>	<b>12</b>
<b>6.2</b>	<b>Anisotropic materials .....</b>	<b>13</b>
<b>6.3</b>	<b>Preparation of test specimens .....</b>	<b>13</b>
<b>6.4</b>	<b>Specimen inspection .....</b>	<b>14</b>
<b>6.5</b>	<b>Number of test specimens .....</b>	<b>14</b>
<b>7</b>	<b>Atmosphere for conditioning and testing .....</b>	<b>14</b>
<b>8</b>	<b>Procedure .....</b>	<b>14</b>
<b>9</b>	<b>Calculation and expression of results .....</b>	<b>17</b>
<b>9.1</b>	<b>Flexural stress .....</b>	<b>17</b>
<b>9.2</b>	<b>Flexural strain .....</b>	<b>17</b>
<b>9.3</b>	<b>Flexural modulus .....</b>	<b>18</b>
<b>9.4</b>	<b>Statistical parameters .....</b>	<b>18</b>
<b>9.5</b>	<b>Significant figures .....</b>	<b>18</b>
<b>10</b>	<b>Precision .....</b>	<b>19</b>
<b>11</b>	<b>Test report .....</b>	<b>19</b>
<b>Annex A (informative) Precision statement .....</b>		<b>20</b>
<b>Annex B (informative) Influence of changes in test speed on the measured values of flexural properties .....</b>		<b>22</b>
<b>Bibliography .....</b>		<b>23</b>