DIN EN 13967:2017-08 (E)

Flexible sheets for waterproofing - Plastic and rubber damp proof sheets including plastic and rubber basement tanking sheet - Definitions and characteristics (includes Amendment :2017)

Contents

Page

European foreword 4

1 Scope 5

2 Normative references 5

3 Terms and definitions 6

4 Product designation 7

5 Product characteristics 8
5.1 General 8
5.2 Deviation from test sample dimensions 8
5.3 Visible defects 8
5.4 Dimensions and tolerances 8
5.5 Thickness and mass per unit area 8
5.6 Water tightness 8
5.7 Resistance to impact 8
5.8 !Durability of water tightness" 9
5.9 Compatibility with bitumen 9
5.10 Resistance to tearing (nail shank) 9
5.11 Joint strength 9
5.12 Water vapour transmission properties 9
5.13 Resistance to static loading 9
5.14 Tensile properties 9
5.15 Resistance to deformation under load 10
5.16 Reaction to fire 10
5.17 Dangerous substances 11

6 Assessment and verification of constancy of performance - AVCP 11
6.1 General 11
6.2 Type testing 11
6.3 Factory production control (FPC) 15

7 Product data sheet and designation 20

8 Marking, labelling and packaging 20

Annex A (informative) Product designation, typical materials and structure of sheets 21

A.1 Typical materials 21
A.1.1 General 21
A.1.2 Plastics 21
A.1.3 Rubbers 21
A.1.4 Thermoplastic rubbers 22

Annex B (normative) Method of measuring the resistance of ventilating and draining damp-proof sheets to deformation under load 23

B.1 Principle 23
B.2 Apparatus 24
B.3 Preparation of test samples and test specimens 25
B.3.1 Sampling 25
B.3.2 Preparation of test specimens 25
B.4 Procedure 26
B.5 Expression of results 26
B.6 Test report 26

Annex ZA (informative) !Relationship of this European Standard with Regulation (EU) No.305/2011" 28

ZA.1 Scope and relevant characteristics 28

ZA.2 System of Assessment and Verification of Constancy of Performance (AVCP) 29

ZA.3 Assignment of AVCP tasks 29

Bibliography 32