ISO 20568-2:2017-05 (E)

Plastics - Fluoropolymer dispersions and moulding and extrusion materials - Part 2: Preparation of test specimens and det ermination of properties

Contents

Page

Foreword iv

1 Scope 1

2 Normative references 1

3 Termsanddefinitions 2

4 Preparation of test specimens 2

5 Conditioning and test conditions 2

6 Determination of properties 2

7 Testing of PTFE 2
7.1 Testing of polytetrafluoroethylene (PTFE) granular moulding and ram extrusion materials, and for PTFE resin produced from coagulation of dispersion 2
7.1.1 Standard specific gravity (SSG) 2
7.1.2 Bulk density 4
7.1.3 Particle size and size distribution 8
7.2 Testing of polytetrafluoroethylene (PTFE) dispersion 15
7.2.1 Preparation of test samples 15
7.2.2 Percentage PTFE and surfactant in aqueous dispersion 15

8 Testingofmeltprocessablefluoropolymers 16
8.1 Testing of CPT, ECTFE, EFEP, ETFE, FEP, PFA, PVDF, PVF, VDF/CTFE, VDF/HFP, VDF/TFE, VDF/TFE/HFP 16
8.1.1 Melting-peak temperature 16
8.1.2 Melt mass-flow rate (MFR) 16
8.2 Testing of PCTFE 18
8.2.1 Zero-strength time 18
8.3 Testing of TFE/PDD 18
8.3.1 Glass transition temperature 18
8.4 Testing of melt processable fluoropolymers dispersion 19

Bibliography 20