DIN EN 438-2:2019-03 (E)

High-pressure decorative laminates (HPL) - Sheets based on thermosetting resins (usually calle d laminates) - Part 2: Determination of properties (includes Amendment A1:2018)

Contents

Page

European foreword 10

1 Scope 11

2 Normative references 11

3 Terms and definitions 12

4 Assessment of appearance 12
4.1 Principle 12
4.2 Apparatus 12
4.3 Test specimen 12
4.4 Procedure 12
4.5 Test report 13

5 Determination of thickness 13
5.1 Principle 13
5.2 Apparatus 13
5.3 Test specimen 13
5.4 Procedure 13
5.5 Test report 14

6 Determination of length and width 14
6.1 Principle 14
6.2 Apparatus 14
6.3 Test specimen 14
6.4 Procedure 14
6.5 Expression of results 14
6.6 Test report 14

7 Determination of edge straightness 15
7.1 Principle 15
7.2 Apparatus 15
7.3 Test specimen 15
7.4 Procedure 15
7.5 Expression of results 15
7.6 Test report 16

8 Determination of edge squareness 16
8.1 Principle 16
8.2 Apparatus 16
8.3 Test specimen 16
8.4 Procedure 16
8.5 Expression of results 17
8.6 Test report 17

9 Determination of flatness 17
9.1 Principle 17

9.2 Apparatus 17
9.3 Test specimens 18
9.4 Procedure 18
9.5 Expression of results 18
9.6 Test report 18

10 Resistance to surface wear 18
10.1 Principle 18
10.2 Materials 18
10.3 Apparatus 19
10.3.1 Abrasion resistance testing machine 19
10.4 Test specimens 21
10.5 Preparation of specimens and abrasive paper 21
10.6 Procedure 21
10.6.1 Preparation of abrasive wheels 21
10.6.2 Calibration of abrasive paper 21
10.6.3 Abrasion of specimen 21
10.7 Expression of results 22
10.8 Test report 22

11 Resistance to abrasion (flooring grade laminates) 23

12 Resistance to immersion in boiling water 23
12.1 Principle 23
12.2 Apparatus 23
12.3 Test specimens 23
12.4 Procedure 24
12.5 Expression of results 24
12.5.1 Calculation 24
12.5.2 Surface rating scale 25
12.5.3 Edge rating scale 25
12.6 Test report 25

13 Substrate protection against water vapour 25
13.1 Principle 25
13.2 Apparatus 26
13.3 Test specimens 26
13.4 Procedure 26
13.5 Expression of results 27
13.6 Test report 27

14 Resistance to water vapour 27
14.1 Principle 27
14.2 Apparatus 28
14.3 Test specimen 28
14.4 Procedure 28
14.5 Expression of results 28
14.6 Test report 28

15 Resistance to wet conditions (Exterior grade laminates) 30
15.1 Principle 30
15.2 Apparatus 30
15.3 Test specimens 30
15.4 Procedure 30
15.5 Expression of results 30
15.5.1 Calculation 30
15.5.2 Visual examination 31
15.6 Test report 31

16 Resistance to dry heat 32
16.1 Principle 32

16.2 Apparatus and materials 32
16.3 Test specimen 34
16.4 Test procedure 34
16.5 Examination of the test specimen 34
16.6 Expression of results 34
16.7 Test report 35

17 Dimensional stability at elevated temperature 35
17.1 Principle 35
17.2 Apparatus 35
17.3 Test specimens 36
17.4 Procedure 36
17.5 Expression of results 36
17.6 Test report 37

18 Resistance to wet heat 37
18.1 Principle 37
18.2 Apparatus and materials 38
18.3 Test specimens 38
18.4 Procedure 39
18.5 Expression of results 39
18.6 Test report 40

19 Resistance to climatic shock (exterior grade laminates) 40
19.1 Principle 40
19.2 Apparatus 40
19.3 Test specimens 41
19.4 Procedure 41
19.5 Expression of results 42
19.5.1 Flexural strength and modulus of elasticity in flexure 42
19.5.2 Appearance 42
19.6 Test report 42

20 Resistance to impact by small-diameter ball 42
20.1 Principle 42
20.2 Materials 43
20.3 Apparatus 43
20.4 Test specimens 46
20.5 Calibration of the impact tester 46
20.6 Procedure 47
20.7 Expression of results 48
20.8 Test report 48

21 Resistance to impact by large diameter ball 48
21.1 Principle 48
21.2 Materials 49
21.3 Apparatus 49
21.4 Test specimens 49
21.5 Procedure 49
21.6 Expression of results 51
21.7 Test report 52

22 Resistance to impact by large diameter ball (flooring grade laminates) 52
22.1 Principle 52
22.2 Materials 52
22.3 Apparatus 52
22.4 Test specimens 53
22.5 Procedure 53
22.6 Expression of results 53
22.7 Test report 53

23 Resistance to cracking under stress (laminates 2 mm thick) 54
23.1 Principle 54
23.2 Apparatus 54
23.3 Test specimens 54
23.4 Procedure 56
23.5 Expression of results 56
23.6 Test report 57

24 Resistance to crazing (Compact laminates) 58
24.1 Principle 58
24.2 Apparatus 58
24.3 Test specimens 58
24.4 Procedure 58
24.5 Expression of results 58
24.6 Test report 59

25 Resistance to scratching 60
25.1 Principle 60
25.2 Materials 60
25.3 Apparatus 60
25.4 Calibration of apparatus 62
25.5 Test specimen 62
25.6 Procedure 62
25.7 Expression of results 66
25.8 Test report 66

26 Resistance to staining 66
26.1 Principle 66
26.2 Staining agents 66
26.3 Apparatus and Materials 68
26.3.1 Discs 68
26.3.2 Glass Petri dish 68
26.3.3 Tweezers 68
26.3.4 Absorbent paper or tissue 68
26.3.5 Cleaning cloth 68
26.3.6 Diffuse light source 68
26.4 Test specimens 69
26.5 Test procedure 69
26.6 Examination of the test panel 70
26.7 Assessment of results 70
26.8 Test report 71

27 Light fastness (Xenon arc) 71
27.1 Principle 71
27.2 Apparatus 71
27.3 Test specimen 72
27.4 Procedure 72
27.5 Assessment and expression of results 73
27.6 Test report 73

28 Resistance to UV light (Exterior grade laminates) 73
28.1 Principle 73
28.2 Apparatus 73
28.3 Test specimens 73
28.4 Procedure 74
28.5 Evaluation and expression of results 74
28.5.1 General 74
28.5.2 Contrast 74
28.5.3 Appearance 74
28.6 Test report 74

29 Resistance to artificial weathering (Exterior grade laminates) 75
29.1 Principle 75
29.2 Apparatus 75
29.3 Test specimens 76
29.4 Procedure 76
29.5 Examination and expression of results 76
29.5.1 General 76
29.5.2 Contrast 77
29.5.3 Appearance 77
29.6 Test report 77

30 Determination of the microscratch resistance 77
30.1 Principle 77
30.2 Terms and definitions 77
30.3 Apparatus and materials 78
30.3.1 Martindale tester 78
30.3.2 Holder for scrub material 78
30.3.3 Diffuse light source 78
30.3.4 Reflectometer 78
30.3.5 Positioning device 79
30.4 Assembly and maintenance of the Martindale tester 80
30.5 Method for checking the Lissajous figure 80
30.6 Preparation and conditioning 81
30.6.1 Preparation 81
30.6.2 Test surface 81
30.7 Test procedure 81
30.7.1 General 81
30.7.2 Testing 81
30.8 Classification of the image after scratching according to procedure B 83
30.9 Test report 84

31 Formability (Method A) 84
31.1 Principle 84
31.2 Apparatus 84
31.3 Test specimens 85
31.4 Procedure 85
31.4.1 Calibration of test apparatus 85
31.4.2 Test procedure 86
31.5 Test report 87

32 Formability (Method B) 87
32.1 Principle 87
32.2 Apparatus 88
32.3 Test specimens 88
32.4 Procedure 89
32.5 Test report 90

33 Resistance to blistering (Method A) 91
33.1 Principle 91
33.2 Apparatus 91
33.3 Test specimens 91
33.4 Procedure 91
33.4.1 Calibration of test apparatus 91
33.4.2 Test procedure 91
33.5 Test report 91

34 Resistance to blistering (Method B) 92
34.1 Principle 92
34.2 Apparatus 92

34.3 Test specimens 92
34.4 Procedure 92
34.4.1 General 92
34.4.2 Calibration of test apparatus 92
34.4.3 Test procedure 92
34.5 Test report 92

Annex A (informative) Surface finish and colour influence on surface evaluations 94

Annex B (informative) Calibration and maintenance of abrasion equipment 95

Annex C (normative) Measurement of shore A hardness 99