

Contents

| | |
|---------|--|
| | Foreword |
| | Introduction |
| 1 | Scope |
| 2 | Normative references |
| 3 | Terms and definitions |
| 4 | Calculation of heat flow rate and heat capacity |
| 4.1 | Temperature modulation, $T(t)$ |
| 4.2 | Heating rate |
| 4.3 | Heat flow rate $\Phi(t)$ and heat capacity |
| 4.3.1 | General |
| 4.3.2 | Heat capacity with no processes |
| 4.3.3 | Heat capacity with additional processes |
| 4.3.4 | Time dependent heat capacity |
| 5 | Principles |
| 5.1 | General |
| 5.2 | Mode of temperature modulation |
| 5.2.1 | Variable heating rate of periodic modulation |
| 5.2.2 | Variable temperature modulated mode |
| 5.3 | Heat capacity determined with the temperature modulation — Complex heat capacity |
| 5.4 | Reversing and non-reversing heat capacity |
| 5.5 | Advantage of the temperature modulation applied to DSC |
| 6 | Apparatus and materials |
| 6.1 | General |
| 6.2 | Temperature control of modulated differential scanning calorimeter |
| 7 | Calibration |
| 7.1 | General |
| 7.2 | Calibration of modulation amplitude |
| 7.3 | Calibration of phase |
| 8 | Procedure |
| 8.1 | General |
| 8.2 | Experimental conditions |
| 8.3 | Interpretation of results |
| 9 | Test report |
| Annex A | (informative) Generalized theory of temperature modulated DSC[7] |