

DIN EN ISO 14851:2019-07 (E)

Determination of the ultimate aerobic biodegradability of plastic materials in an aqueous medium - Method by measuring the oxygen demand in a closed respirometer (ISO 14851:2019)

Contents

	Page
EN ISO 14851:2019 (E) European foreword	3
Foreword	4
Introduction	6
1 Scope	7
2 Normative references	7
3 Terms and definitions	7
4 Principle	9
5 Test environment	9
6 Reagents	9
6.1 Distilled or deionized water	10
6.2 Test medium	10
6.2.1 Standard test medium	10
6.2.2 Optimized test medium	10
6.3 Pyrophosphate solution	12
6.4 Carbon dioxide absorber	12
7 Apparatus	12
8 Procedure	12
8.1 Test material	12
8.2 Reference material	13
8.3 Preparation of the inoculum	13
8.4 Test	14
9 Calculation and expression of results	15
9.1 Calculation	15
9.2 Expression and interpretation of results	16
10 Validity of results	16
11 Test report	17
Annex A (informative) Theoretical oxygen demand (ThOD)	18
Annex B (informative) Correction of BOD values for interference by nitrification	19
Annex C (informative) Principle of a closed manometric respirometer	21
Annex D (informative) Two-phase closed-bottle version of the respirometric test	23
Annex E (informative) Example of the determination of a carbon balance	26

Annex F (informative) Example of a determination of the amount of water-insoluble polymer remaining at the end of a biodegradation test and the molecular mass of the polymer	28
Annex G (informative) Example of the determination of the CO₂ absorbed in the absorbent	29
Bibliography	31