

ISO 21309-2:2019 (E)

Plastics — Ethylene/vinyl alcohol (EVOH) copolymer moulding and extrusion materials — Part 2: Preparation of test specimens and determination of properties

Contents

	Foreword
1	Scope
2	Normative references
3	Terms and definitions
4	Preparation of test specimens
4.1	General
4.2	Treatment of the material before moulding
4.3	Injection moulding
4.4	Preparation of film specimens
5	Conditioning of test specimens
5.1	General
5.2	Dry-as-moulded (DAM) state
5.3	Moist state
5.4	Film conditioning
6	Determination of properties
Annex A	(normative) Determination of volatile matter (including water)
A.1	General
A.2	Principle
A.3	Apparatus
A.4	Procedure
A.5	Expression of results
A.6	Precision
A.7	Test report
Annex B	(normative) Determination of ethylene content
B.1	General
B.2	Principle
B.3	Reagents
B.4	Apparatus
B.5	Procedure
B.5.1	Acetylation
B.5.2	Determination
B.5.3	Blank test
B.5.4	Number of determinations
B.6	Expression of results
B.7	Test report
Annex C	(normative) Determination of steady-state rate of transmission of oxygen gas through ethylene/vinyl alcohol copolymer in the form of film using a coulometric sensor
C.1	General
C.2	Principle
C.3	Materials
C.4	Apparatus
C.5	Test specimens
C.6	Procedure

C.6.1	Test conditions
C.6.2	Insertion of specimen
C.6.3	Purging the system
C.6.4	Baseline adjustment
C.6.5	Determination
C.6.6	Calibration
C.7	Expression of results
C.8	Test report

Page count: 16