ISO 14852:2021 (E)

Determination of the ultimate aerobic biodegradability of plastic materials in an aqueous medium — Method by analysis of evolved carbon dioxide

Contents

Foreword

Introduction

1 Scope

2 Normative references

3 Terms and definitions

4 Principle

5 Test environment

6 Reagents

7 Apparatus

8 Procedure

- 8.1 Test material
- 8.2 Reference material
- 8.3 Preparation of the inoculum
- 8.3.1 General
- 8.3.2 Inoculum from wastewater-treatment plants
- 8.4 Test

9 Calculation and expression of results

- 9.1 Calculation
- 9.1.1 Theoretical amount of carbon dioxide evolved by the test material
- 9.1.2 Percentage biodegradation from CO2 evolution
- 9.2 Expression and interpretation of results

10 Validity of results

11 Test report

Annex A (informative) Principle of a system for measuring evolved carbon dioxide (example)

Annex B (informative) Examples of methods for the determination of evolved carbon dioxide

- B.1 CO2 determination by DIC measurement
- B.2 Titrimetric method using a barium hydroxide solution

Annex C (informative) Example of the determination of a carbon balance

- C.1 Principle
- C.2 Test procedure
- C.3 Calculation of the carbon balance
- C.4 Example: Carbon balance of poly(β-hydroxybutyrate)

Annex D (informative) Example of a determination of the amount of water insoluble polymer remaining at the end of a biodegradation test and the molecular mass of the polymer