

ISO 5148:2022-06 (E)

Plastics - Determination of specific aerobic biodegradation rate of solid plastic materials and disappearance time (DT50) under mesophilic laboratory test conditions

| Contents | | Page |
|-----------------------|--|-------------|
| Foreword | | iv |
| Introduction | | v |
| 1 | Scope | 1 |
| 2 | Normative references | 1 |
| 3 | Terms and definitions | 1 |
| 4 | Principle | 3 |
| 5 | Apparatus | 3 |
| 5.1 | Sieves | 3 |
| 5.2 | Sieve shaker | 4 |
| 5.3 | Laser particle size analyser (i.e. laser diffraction instrument) | 4 |
| 5.4 | Micropore and chemisorption analyser | 4 |
| 6 | Determination of the specific surface area (SSA) of test sample | 4 |
| 6.1 | General | 4 |
| 6.2 | Powder test sample | 4 |
| 6.2.1 | Sample preparation | 4 |
| 6.2.2 | Specific surface area determination | 4 |
| 6.3 | Film/sheet test sample | 6 |
| 6.3.1 | Sample preparation | 6 |
| 6.3.2 | Specific surface area determination | 6 |
| 7 | Determination of the net CO ₂ evolution | 7 |
| 8 | Determination of the specific aerobic biodegradation rate and disappearance time | 8 |
| 8.1 | Determination of CR disappearance | 8 |
| 8.2 | Determination of specific aerobic biodegradation rate | 9 |
| 8.3 | Determination of DT50 | 9 |
| 9 | Test report | 10 |
| Annex A (informative) | Example for the determination of rSAB and DT50 | 11 |
| Bibliography | | 16 |