

ISO 20200:2023-08 (E)

Plastics - Determination of the degree of disintegration of plastic materials under composting conditions in a laboratory-scale test

| Contents | | Page |
|--------------------|---|-------------|
| Foreword | | iv |
| Introduction | | v |
| 1 | Scope | 1 |
| 2 | Normative references | 1 |
| 3 | Terms and definitions | 1 |
| 4 | Principle | 2 |
| 5 | Synthetic solid waste | 2 |
| 6 | Composting reactor | 3 |
| 7 | Procedure | 3 |
| 7.1 | Test material preparation | 3 |
| 7.2 | Start-up of the test | 4 |
| 7.3 | Incubation | 4 |
| 7.3.1 | General | 4 |
| 7.3.2 | Type 1: constant thermophilic incubation | 4 |
| 7.3.3 | Type 2: two-stages incubation | 5 |
| 7.3.4 | Mesophilic incubation (optional) | 5 |
| 8 | Monitoring the composting process | 5 |
| 9 | Diagnostic parameters | 5 |
| 9.1 | Odour | 5 |
| 9.2 | Visual appearance | 5 |
| 9.3 | Chemical analysis | 6 |
| 9.4 | Determination of dry mass and volatile solids | 6 |
| 10 | Termination of the test and measurement of the degree of disintegration | 6 |
| 11 | Calculation of degree of disintegration | 6 |
| 12 | Expression of results | 7 |
| 13 | Validity of the test | 7 |
| 14 | Test report | 7 |
| Bibliography | | 9 |