

# DIN EN ISO 2411:2024-12 (E)

## Rubber- or plastics-coated fabrics - Determination of coating adhesion (ISO 2411:2024)

---

<b>Contents</b>		<b>Page</b>
<b>European foreword</b>	.....	<b>3</b>
<b>Foreword</b>	.....	<b>4</b>
<b>Introduction</b>	.....	<b>5</b>
<b>1 Scope</b>	.....	<b>6</b>
<b>2 Normative references</b>	.....	<b>6</b>
<b>3 Terms and definitions</b>	.....	<b>6</b>
<b>4 Atmosphere for conditioning and testing</b>	.....	<b>7</b>
4.1 For conditioning	.....	7
4.2 For testing	.....	7
<b>5 Time-interval between manufacture and testing</b>	.....	<b>7</b>
<b>6 Preparation of test specimens</b>	.....	<b>7</b>
6.1 General	.....	7
6.2 Method of preparation 1	.....	7
6.3 Method of preparation 2	.....	8
6.4 Determination of wet coating adhesion	.....	8
6.4.1 End-use	.....	8
6.4.2 Preparation of test specimens	.....	8
6.4.3 Conducting the test	.....	9
<b>7 Apparatus</b>	.....	<b>9</b>
<b>8 Procedure</b>	.....	<b>9</b>
<b>9 Calculation and expression of results</b>	.....	<b>9</b>
9.1 General	.....	9
9.2 Determination of mid-point value	.....	10
9.3 Calculation of mean result	.....	10
9.4 Coating adhesion strength	.....	10
9.5 Type of failure	.....	10
<b>10 Test report</b>	.....	<b>11</b>
<b>Annex A (informative) Comments on interpretation of the autographic traces</b>	.....	<b>16</b>