ISO 899-2:2024-10 (E)

Plastics - Determination of creep behaviour - Part 2: Flexural creep by three-point loading

Contents

Page

Foreword ... **iv**

1 Scope ... **1**

2 Normative references ... **1**

3 Terms and definitions ... **1**

4 Apparatus ... **3**

5 Test specimens ... **4**
5.1 Shape and dimensions ... 4
5.2 Preferred specimen type ... 4
5.3 Other test specimens ... 5

6 Procedure ... **5**
6.1 General ... 5
6.2 Conditioning and test atmosphere ... 5
6.3 Measurement of test-specimen dimensions and distance between supports ... 5
6.4 Mounting the test specimens ... 6
6.5 Selection of stress value ... 6
6.6 Loading procedure ... 6
6.6.1 Preloading ... 6
6.6.2 Loading ... 6
6.7 Deflection-measurement schedule ... 6
6.8 Time measurement ... 7
6.9 Temperature and humidity control ... 7
6.10 Measurement of recovery rate (optional) ... 7

7 Expression of results ... **7**
7.1 Method of calculation ... 7
7.1.1 Flexural-creep modulus ... 7
7.1.2 Flexural-creep compliance ... 7
7.1.3 Flexural stress ... 8
7.1.4 Flexural-creep strain ... 8
7.1.5 Time to rupture ... 8
7.1.6 Creep-strength limit ... 8
7.2 Presentation of results ... 9
7.2.1 Creep curves ... 9
7.2.2 Creep-modulus/time curves ... 9
7.2.3 lsochronous stress-strain curves ... 10
7.2.4 Three-dimensional representation ... 10
7.2.5 Creep-to-rupture curves ... 10
7.3 Precision ... 11

8 Test report ... **11**

Annex A (informative) **Physical-ageing effects on the creep of polymers** ... **12**

Bibliography ... **16**