

ISO 10838-3:2001-04 (E)

Mechanical fittings for polyethylene piping systems for the supply of gaseous fuels - Part 3: Thermoplastics fittings for pipes of nominal outside diameter less than or equal to 63 mm

Contents		Page
Foreword		iv
1	Scope	1
2	Normative references	1
3	Terms and definitions	2
4	Symbols and abbreviated terms	3
5	Materials	4
5.1	General	4
5.2	Metal components	4
5.3	Plastics materials	4
5.4	Elastomers	5
5.5	Other materials	5
6	Individual fittings	5
6.1	Design and construction	5
6.2	Appearance	5
6.3	Fittings with socket fusion ends	5
6.4	Fittings with spigot ends	5
6.5	Fittings with electrofusion sockets	6
6.6	Minimum wall thickness of body	6
6.7	Minimum bore	6
7	Test pieces	6
8	Test requirements	6
8.1	Leaktightness test	6
8.2	Leaktightness with bending and temperature cycling	6
8.3	Leaktightness after tensile testing	6
8.4	Hydrostatic strength	7
8.5	Determination of gas flow rate/pressure drop relationship	7
9	Test methods	7
9.1	Leaktightness testing	7
9.2	Leaktightness with bending and temperature cycling	7
9.3	Leaktightness after tensile testing	8
9.4	Hydrostatic strength at 80 °C	10
9.5	Determination of gas flow rate/pressure drop relationship	10
10	Marking	11
10.1	General	11
10.2	Permanent marking (e.g. by moulding or indent marking on the body of the fitting)	11
10.3	Permanent marking on the fitting or on a label	11
11	Packaging and storage	11

Annex A (informative) Material specifications for mechanical fittings	12
Annex B (informative) Typical arrangement for applying a tensile force to a lateral connection	14