

ISO 16241:2005-02 (E)

Notch tensile test to measure the resistance to slow crack growth of polyethylene materials for pipe and fitting products (PENT)

| Contents | | Page |
|---|--|-------------|
| Foreword | | iv |
| Introduction | | v |
| 1 | Scope | 1 |
| 2 | Normative references | 1 |
| 3 | Terms and definitions | 1 |
| 4 | Principle | 2 |
| 5 | Apparatus | 2 |
| 6 | Test piece preparation | 4 |
| 6.1 | Test piece geometry | 4 |
| 6.2 | Test piece preparation | 5 |
| 6.3 | Test piece notching | 5 |
| 6.4 | Number of test pieces | 6 |
| 7 | Preconditioning | 6 |
| 8 | Procedure | 6 |
| 8.1 | Calculation of test mass | 6 |
| 8.2 | Loading the test piece | 6 |
| 8.3 | Checking temperature | 7 |
| 8.4 | Recording time to failure | 7 |
| 8.5 | Examination of failed test piece | 7 |
| 9 | Test report | 7 |
| Annex A (informative) Application of the test | | 8 |
| Annex B (informative) Measurement of extension | | 9 |
| Annex C (informative) Notch depth | | 10 |
| Annex D (informative) Recommended minimum requirements for polyethylene | | 11 |
| Annex E (informative) Precision | | 12 |
| Bibliography | | 13 |