

# ISO 21367:2007-05 (E)

## Plastics - Reaction to fire - Test method for flame spread and combustion product release from vertically oriented specimens

---

<b>Contents</b>		<b>Page</b>
Foreword .....		iv
1	Scope .....	1
2	Normative references .....	1
3	Terms and definitions .....	2
4	Symbols .....	3
5	General principles .....	3
6	Test apparatus .....	4
7	Test specimen .....	13
7.1	Surface characteristics .....	13
7.2	Exposed surface .....	13
7.3	Number and size of specimen .....	13
7.4	Construction of specimen .....	14
7.5	Conditioning of specimens .....	14
7.6	Preparation .....	14
8	Test environment .....	16
9	Calibration .....	16
9.1	Preliminary calibration .....	16
9.2	Operating calibrations .....	17
9.3	Less frequent calibrations .....	18
10	Test procedure .....	19
10.1	Warning .....	19
10.2	Initial preparation .....	19
10.3	Procedure .....	20
11	Calculation .....	21
11.1	Calibration constant for oxygen consumption analysis .....	21
11.2	Heat release rate .....	21
11.3	Exhaust duct flow rate .....	22
11.4	Smoke production rate (SPR) .....	22
12	Test report .....	23
Annex A (normative) Additional calculations .....		24
Annex B (informative) Simplified version of the apparatus .....		26
Annex C (informative) Repeatability of the test method .....		28
Annex D (informative) Calibration of the working heat flux meter .....		32
Bibliography .....		33