

DIN EN 16825:2016-12 (E)

Refrigerated storage cabinets and counters for professional use - Classification, requirements and test conditions

Contents	Page
European foreword	5
1 Scope	6
2 Normative references	6
3 Terms and definitions	6
4 Requirements	10
4.1 Condensate drainage	10
4.2 Operating characteristics	11
4.2.1 Classification according to temperature	11
4.2.2 Defrosting	11
4.2.3 Water vapour condensation	11
4.2.4 Electrical energy consumption	11
5 Test conditions	11
5.1 General	11
5.2 Tests outside test room	12
5.3 Tests inside test room	12
5.3.1 General	12
5.3.2 Test conditions	12
5.3.3 Preparation of test cabinet	19
5.3.4 Temperature test	33
5.3.5 Water vapour condensation test	35
5.3.6 Electrical energy consumption test	36
6 Test procedures	36
6.1 Calculation of net volume	36
6.2 Load line and cabinet label marking durability	37
6.3 Tests outside test room - Linear dimensions, areas and volumes	37
6.4 Tests inside test room	38
6.4.1 Test conditions	38
6.4.2 Cabinet preparation	38
6.4.3 Temperature test	38
6.4.4 Water vapour condensation test	39
6.4.5 Electrical energy consumption test	39
7 Template for information to be declared	40
8 Load limit marking	40
Annex A (informative) Information and accessories to be provided by the manufacturer for the correct performance and reproducibility of tests	42
Annex ZA (informative) Relationship between this European Standard and the Ecodesign requirements of Commission Regulation (EU) No 2015/1095 aimed to be covered	43
Annex ZB (informative) Relationship between this European Standard and the energy labelling requirements of Commission Delegated Regulation (EU) No 2015/1094 aimed to be covered	44

Bibliography	45
Figures	
Figure 1 -- Environmental measuring points within the climate chamber	14
Figure 2 -- Thermal characteristics of test packages	16
Figure 3 -- M-Package	18
Figure 4 -- Positioning of the cabinet within the climate chamber	20
Figure 5 -- Loading of shelves, front view	22
Figure 6 -- Loading of shelves, top view	23
Figure 7 -- Examples of loading configurations	25
Figure 8 -- Loading scheme for vertical cabinets	26
Figure 9 -- Position of M packages with reference to air flow	27
Figure 10 -- Door/drawers opening scheme	32
Figure 11 -- Warmest and coldest M-package temperatures (curves a and b)	34
Figure 12 -- Arithmetic mean temperature of M-packages (curve c)	34
Figure 13 -- Condensation code	36
Figure 14 -- Examples of recessed areas	37
Figure 15 -- Load limit markings	41
Figure 16 -- Load limit individual markings dimensions	41
Tables	
Table 1 -- M-package temperature classes	11
Table 2 -- Test summary	12
Table 3 -- Climate classes	13
Table 4 -- Dimensions and mass of test packages	15
Table 5 -- Temperature and specific enthalpy of test packages	17
Table 6 -- Temperature and increase in specific enthalpy of test packages	17
Table 7 -- Linear dimensions, areas and volumes	38
Table 8 -- Conditions for tests inside test room	38
Table 9 -- Cabinet preparation for tests inside test room	38
Table 10 -- Temperature test for tests inside test room	38
Table 11 -- Water vapour condensation test	39
Table 12 -- Electrical energy consumption test	39
Table 13 -- Template for Information to be declared	40

Table ZA.1 -- Correspondence between this European Standard and Commission Regulation (EU) No 2015/1095 of 5 May 2015 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to Ecodesign requirements for professional refrigerated storage cabinets, blast cabinets, condensing units and process chillers and Commission's standardization request M/495 EN and its Amendment No. 1 Technical Update (ANNEX B OF M/495)	43
Table ZB.1 -- Correspondence between this European Standard and Commission Delegated Regulation (EU) No 2015/1094 of 5 May 2015 supplementing Directive 2010/30/EU of the European Parliament and of the Council with regard to energy labelling of energy labelling of professional refrigerated storage cabinets	44