

# DIN EN 16902:2017-04 (E)

## Commercial beverage coolers - Classification, requirements and test conditions

---

Contents	Page
European foreword .....	6
1 Scope .....	7
2 Normative references .....	7
3 Terms and definitions .....	7
3.1 Types of commercial beverage cooler .....	7
3.2 Parts of commercial beverage cooler .....	8
3.3 Physical aspects and dimensions .....	9
3.4 Definitions relating to performance characteristics .....	10
3.5 Definition related to test environment .....	12
4 Symbols .....	13
5 Classification and requirements .....	13
5.1 Classification according to temperature .....	13
Table 1 -- Classification according to temperature .....	14
5.2 Construction .....	14
5.2.1 General .....	14
5.2.2 Materials .....	14
5.2.3 Thermal insulation .....	15
5.2.4 Refrigerating system .....	15
5.2.5 Electrical components .....	16
6 Tests .....	16
6.1 General .....	16
Table 2 -- Test summary .....	16
6.2 Tests outside test room .....	17
6.2.1 General .....	17
6.2.2 Seal test for doors and lids .....	17
6.2.3 Test on durability of door and lid .....	17
Figure 1 -- Durability of lids and doors .....	18
6.2.4 Linear dimensions, areas and volumes .....	18
6.3 Tests inside test room .....	18
6.3.1 General .....	18
6.3.2 Test room condition .....	19
Table 3 -- Test room climate classes and half reload test .....	20
Figure 2 -- Climate measuring point for horizontal commercial beverage cooler .....	20
Figure 3 -- Climate measuring point for semi vertical commercial beverage cooler .....	21
Figure 4 -- Climate measuring point for vertical open commercial beverage cooler .....	22
Figure 5 -- Climate measuring point for vertical closed commercial beverage cooler .....	22
6.3.3 M-can .....	23
6.3.4 Preparation of test commercial beverage cooler and general test procedures .....	23

<b>Figure 6 -- Cabinet location within test room .....</b>	<b>24</b>
<b>Figure 7 -- Air movement .....</b>	<b>25</b>
<b>6.3.5      Loading the commercial beverage cooler .....</b>	<b>26</b>
<b>Figure 8 -- Commercial beverage cooler sectional view .....</b>	<b>26</b>
<b>Figure 9 -- Commercial beverage cooler front view: loading phase 1 .....</b>	<b>27</b>
<b>Figure 10 -- Commercial beverage cooler front view: loading phase 2 .....</b>	<b>27</b>
<b>Figure 11 -- Commercial beverage cooler front view glass door merchandiser shelf .....</b>	<b>28</b>
<b>Figure 12 -- Commercial beverage cooler: single-door merchandiser bottom shelf top view .....</b>	<b>28</b>
<b>Figure 13 -- Commercial beverage cooler: double-door merchandiser bottom shelf top view .....</b>	<b>28</b>
<b>Figure 14 -- Commercial beverage cooler: double-door merchandiser second and fourth shelves top view .....</b>	<b>29</b>
<b>Figure 15 -- Commercial beverage cooler: triple-door merchandiser bottom shelf top view .....</b>	<b>29</b>
<b>Figure 16 -- Commercial beverage cooler: triple-door merchandiser second and fourth shelves top view .....</b>	<b>30</b>
<b>Figure 17 -- Horizontal commercial beverage cooler: single-door front view .....</b>	<b>30</b>
<b>Figure 18 -- Horizontal commercial beverage cooler top view .....</b>	<b>31</b>
<b>Figure 19 -- Horizontal commercial beverage cooler double door top view .....</b>	<b>31</b>
<b>Figure 20 -- Horizontal commercial beverage cooler triple door top view .....</b>	<b>31</b>
<b>Figure 21 -- Horizontal commercial beverage cooler double door, with less than 8 cans across, top view .....</b>	<b>32</b>
<b>Figure 22 -- Round barrel commercial beverage cooler top view .....</b>	<b>32</b>
<b>Figure 23 -- Round barrel commercial beverage cooler front view .....</b>	<b>33</b>
<b>6.3.6      Running in period .....</b>	<b>33</b>
<b>6.3.7      Stable conditions .....</b>	<b>33</b>
<b>6.3.8      Lighting and night-covers .....</b>	<b>34</b>
<b>Figure 24 -- Beverage coolers with lighting and night-cover test procedure .....</b>	<b>34</b>
<b>6.3.9      Power supply .....</b>	<b>34</b>
<b>6.3.10     Testing several commercial beverage coolers in the same room .....</b>	<b>34</b>
<b>6.3.11     Temperature test .....</b>	<b>35</b>
<b>Figure 25 -- Relevant temperature curves of M-cans .....</b>	<b>36</b>
<b>Figure 26 -- Arithmetic mean temperature of M-cans (curve d) .....</b>	<b>36</b>
<b>Table 4 -- Door or night cover opening time related to the cooler total capacity .....</b>	<b>38</b>
<b>Figure 27 -- Commercial beverage cooler fitted with energy management device (EMD) test procedure .....</b>	<b>40</b>
<b>Figure 28 -- EMD test .....</b>	<b>41</b>
<b>6.3.12     Water vapour condensation test .....</b>	<b>41</b>

<b>Figure 29 -- Condensation code .....</b>	<b>42</b>
<b>6.3.13 Electrical energy consumption test .....</b>	<b>42</b>
<b>6.3.14 Calculation of specific energy consumption (SEC) .....</b>	<b>43</b>
<b>6.4 Test report .....</b>	<b>43</b>
<b>Table 5 -- Details of the cabinet under test, test conditions and preparation for test .....</b>	<b>43</b>
<b>Table 6 -- Results of electrical energy consumption test .....</b>	<b>45</b>
<b>Table 7 -- Results of other tests .....</b>	<b>45</b>
<b>7 Marking .....</b>	<b>45</b>
<b>7.1 Load limit .....</b>	<b>45</b>
<b>Figure 30 -- Load limit markings .....</b>	<b>46</b>
<b>Figure 31 -- Dimensions of load limit line .....</b>	<b>46</b>
<b>Figure 32 -- Different positions for the load limit .....</b>	<b>46</b>
<b>7.2 Marking plate .....</b>	<b>47</b>
<b>7.3 Information to be supplied by the manufacturer .....</b>	<b>47</b>
<b>Annex A (informative) Commercial beverage cooler family .....</b>	<b>48</b>
<b>Table A.1 -- Commercial beverage cooler family .....</b>	<b>48</b>
<b>Annex B (normative) Net volume calculation .....</b>	<b>49</b>
<b>B.1 General .....</b>	<b>49</b>
<b>B.2 Calculation of net volume .....</b>	<b>49</b>
<b>Figure B.1 -- Net volume calculation .....</b>	<b>49</b>
<b>Annex C (normative) Equivalent volume calculation .....</b>	<b>50</b>
<b>C.1 General .....</b>	<b>50</b>
<b>C.2 Calculation of equivalent volume .....</b>	<b>50</b>
<b>C.3 Gross volume measurements .....</b>	<b>50</b>
<b>Annex D (normative) TDA calculation .....</b>	<b>52</b>
<b>D.1 General .....</b>	<b>52</b>
<b>D.2 Measurement of TDA in a refrigerated display cabinet - Calculation of TDA .....</b>	<b>52</b>
<b>Figure D.1 -- Vertical, multi-deck and semi-vertical cabinets .....</b>	<b>53</b>
<b>Figure D.2 -- Combined, glass door top, open bottom, cabinet .....</b>	<b>54</b>
<b>Figure D.3 -- Horizontal, open, island cabinets .....</b>	<b>55</b>
<b>Figure D.4 -- Vertical, glass door, cabinet .....</b>	<b>56</b>
<b>Annex E (informative) Test for absence of odour and taste .....</b>	<b>57</b>
<b>E.1 Preparation and testing .....</b>	<b>57</b>
<b>E.1.1 Ambient temperature .....</b>	<b>57</b>
<b>E.1.2 Cleaning .....</b>	<b>57</b>
<b>E.1.3 Thermostat setting .....</b>	<b>57</b>
<b>E.1.4 Samples .....</b>	<b>57</b>
<b>E.1.5 Test period .....</b>	<b>57</b>
<b>E.2 Examination of samples .....</b>	<b>58</b>

E.2.1	<b>Conditions .....</b>	58
E.2.2	<b>Evaluation .....</b>	58
<b>Annex F (normative) Performance and energy rating of commercial beverage cooler .....</b>		59
F.1	<b>Scope .....</b>	59
F.2	<b>Standard rating conditions for commercial beverage cooler .....</b>	59
F.3	<b>Specific energy consumption (SEC) for commercial beverage coolers .....</b>	59
<b>Annex ZA (informative) Relationship between this European Standard and the ecodesign requirements of Commission DRAFT Ecodesign Regulation DG ENER LOT12 aimed to be covered .....</b>		60
<b>Table ZA.1 -- Correspondence between this European Standard and Commission Draft Ecodesign Regulation DG ENER LOT12 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for refrigerated commercial display cabinets and Commission's standardization request 'M/495' .....</b>		60
<b>Bibliography .....</b>		61