DIN EN 14825:2019-07 (E)

Air conditioners, liquid ch illing packages and heat pumps, with electrically driven compressors, for space heating and cooling - Testing and rating at part load conditions and calculation of seasonal performance

Contents

Page

European foreword 7

Introduction 9

1 Scope 10

2 Normative references 10

3 Terms, definitions, symbols, abbreviated terms and units 11
3.1 Terms and definitions 11
3.2 Symbols, abbreviated terms and units 23

4 Part load conditions for space cooling 28
4.1 General 28
4.2 Air-to-air units 28
4.3 Water(brine)-to-air units 28
4.4 Air-to-water(brine) units 29
4.5 Water(brine)-to-water(brine) units 29

5 Calculation methods for seasonal space cooling efficiency s,c, SEER and SEERon 30
5.1 General 30
5.2 Calculation of the seasonal space cooling efficiency s,c 31
5.3 General formula for calculation of SEER 31
5.4 Calculation of the reference annual cooling demand QC 31
5.5 Calculation of the reference annual energy consumption for cooling QCE 32
5.6 Calculation of SEERon 32
5.7 Calculation procedure for determination of EERbin values at part load conditions A, B, C, D 33
5.7.1 General 33
5.7.2 Calculation procedure for fixed capacity units 33
5.7.3 Calculation procedure for staged and variable capacity units 34

6 Part load conditions for space heating 34
6.1 General 34
6.2 Air-to-air units 35
6.3 Water(brine)-to-air-units 36
6.4 Air-to-water(brine) units 37
6.4.1 General 37
6.4.2 Low temperature application 38
6.4.3 Intermediate temperature application 39
6.4.4 Medium temperature application 40
6.4.5 High temperature application 41
6.5 DX-to-water(brine) and water(brine)-to-water(brine) units 41
6.5.1 General 41
6.5.2 Low temperature application 42
6.5.3 Intermediate temperature application 43
6.5.4 Medium temperature application 44
6.5.5 High temperature application 45

7 Test methods for hybrid heat pumps 46
7.1 General 46
7.2 Separated test method 46
7.3 Combined test method 46
7.3.1 General 46
7.3.2 Calculation of gas input 46
7.3.3 Calculation of liquid fuel input 47
7.3.4 Calculation of annual fossil fuel consumption 47

8 Calculation methods for seasonal space heating efficiency s,h, SCOP, SCOPon and SCOPnet 47
8.1 General 47
8.2 Calculation of the seasonal space heating efficiency s,h 48
8.3 General formula for calculation of SCOP 48
8.4 Calculation of the reference annual heating demand QH 48
8.5 Calculation of the annual energy consumption for heating QHE 49
8.6 Calculation of SCOPon and SCOPnet 49
8.6.1 Calculation for all systems except hybrid heat pumps 49
8.6.2 Calculation for hybrid heat pumps 51
8.7 Calculation procedure for determination of COPbin values at part load conditions A to G 54
8.7.1 General 54
8.7.2 Calculation procedure for fixed capacity units 54
8.7.3 Calculation procedure for staged and variable capacity units 55

9 Part load conditions for process cooling 55

10 Calculation method for SEPR 57
10.1 General formula for calculation of SEPR 57
10.2 Calculation procedure for determination of EERbin values at part load conditions A, B, C, D 58
10.2.1 General 58
10.2.2 Calculation procedure for fixed capacity process chillers 58
10.2.3 Calculation procedure for variable capacity process chillers 59

11 Test methods for testing capacities, EERbin and COPbin values during active mode at part load conditions 59
11.1 General 59
11.2 Refrigerant piping 59
11.3 Basic principles 60
11.4 Uncertainties of measurement 62
11.5 Test procedures for units with fixed capacity 62
11.5.1 General 62
11.5.2 Air-to-air and water(brine)-to-air units - Determination of the degradation coefficient Cd . 64
11.5.3 Air-to-water(brine), water(brine)-to-water(brine) and DX-to-water(brine) units - Determination of the degradation coefficient Cd 65
11.6 Test procedure for staged and variable capacity units 66
11.6.1 General 66
11.6.2 Settings for the required capacity ratio 66
11.6.3 Compensation method 67

12 Test methods for electric power input during thermostat-off mode, standby mode and crankcase heater mode and off mode 67
12.1 Uncertainties of measurement 67
12.2 Measurement of electric power input during thermostat-off mode 67
12.3 Measurement of the electric power input during standby mode 68
12.4 Measurement of the electric power input during crankcase heater mode 68
12.5 Measurement of the electric power input during off mode 68

13 Test report 68

14 Technical documentation 69

Annex A (normative) Applicable climate bins and hours for air conditioners with rated capacity of 12 kW for cooling, or heating if the product has no cooling function 70

A.1 Climate bins 70
A.1.1 Bin limit temperature 70
A.1.2 Cooling 70
A.1.3 Heating 70
A.2 Hours for active mode, thermostat-off, standby, off mode 72
A.2.1 Cooling 72
A.2.2 Heating 72
A.3 Hours used for crankcase heater mode 73
A.3.1 Cooling 73
A.3.2 Heating 73

Annex B (normative) Applicable climate bins and hours for air/water(brine)/DX-to- water(brine) heat pumps with a rated heat output 400kW 74

B.1 Climate bins 74
B.1.1 Bin limit temperature 74
B.1.2 Heating 74
B.2 Hours for active, thermostat-off, standby and off modes - Heating 75
B.3 Hours used for crankcase heater mode - Heating 76

Annex C (normative) Applicable climate bins and hours for process chillers 77

C.1 Climate bins 77

Annex D (normative) Applicable climate bins and hours for air-to-air units > 12 kW, water(brine)-to-air units and comfort chillers 79

D.1 Climate bins 79
D.1.1 Bin limit temperature 79
D.1.2 Cooling 79
D.1.3 Heating 80
D.2 Hours for active, thermostat-off, standby and off modes 81
D.2.1 Cooling 81
D.2.2 Heating 82
D.3 Hours used for crankcase heater mode 82
D.3.1 Cooling 82
D.3.2 Heating 82

Annex E (normative) Templates for technical documentation 83

E.1 General 83
E.2 Air-to-air units 12 kW 83
E.3 Space heaters: air-to-water(brine), water(brine)-to-water(brine) and DX-to- water(brine) units 400kW 86
E.4 Hybrid heat pumps 89
E.5 Process Chillers 91
E.6 Comfort chillers, air-to-air (>12 kW) and water(brine)-to-air air conditioners not exceeding 2 MW 92
E.7 Air-to-air and water(brine)-to-air heat pumps not exceeding 1 MW 93

Annex F (informative) Determination of water(brine) temperature for fixed capacity units with variable outlet temperature 95

F.1 General 95
F.2 Test procedure for an air-to-water unit with fixed water flow rate 95
F.3 Test procedure for an air-to-water unit with variable water flow rate 97

Annex G (informative) Calculation example for SEERon and SEER - Application to a reversible air-to-air unit with variable capacity 99

G.1 Calculation of SEERon 99
G.2 Calculation of SEER 101
G.2.1 Calculation of reference annual cooling demand (QC) according to Formula (3) 101
G.2.2 Calculation of SEER according to Formula (6) 101

Annex H (informative) Calculation example for SCOPon and SCOPnet - Application to a fixed capacity air-to-water(brine) heat pump used for low temperature application 102

Annex I void 107

Annex J (informative) Calculation example for SCOPon and SCOPnet - Application to a fixed capacity brine-to-water(brine) heat pump used for medium temperature application 108

Annex K (informative) Calculation examples for SCOPon for hybrid heat pumps 115

K.1 Calculation example for SCOPon for variable speed hybrid heat pump based on heat pump and boiler separated tests 115
K.2 Calculation example for SCOPon for hybrid heat pump using combined test method 117

Annex L (informative) Calculation example for SEPR - Application to a process chiller with staged capacity 119

L.1 Rating performance 119

Annex M (informative) Compensation methods for air-to-water(brine) and water(brine)- to-water(brine) units 122

M.1 General 122
M.2 Compensation system for reduced capacity test in cooling mode 122
M.3 Compensation system for reduced capacity test in heating mode 122

Annex N (normative) Rating of outdoor units of multi-split air conditioners and heat pumps 124

N.1 General 124
N.2 Terms and definitions 124
N.3 Rating of outdoor units 124
N.3.1 General 124
N.3.2 Test procedure 125
N.4 Calculation of the SEER based on the EERoutdoor 125
N.5 Calculation of the SCOP based on the COPoutdoor 125

Annex ZA (informative) Relationship between this European Standard and the ecodesign requirements of Commission Regulation (EU) No 206/2012 aimed to be covered 126

Annex ZB (informative) Relationship between this European Standard and the ecodesign requirements of Commission Regulation (EU) No 813/2013 aimed to be covered 128

Annex ZC (informative) Relationship between this European Standard and the energy labelling requirements of Commission Delegated Regulation (EU) No 811/2013 aimed to be covered 130

Annex ZD (informative) Relationship between this European Standard and the ecodesign requirements of Commission Regulation (EU) 2015/1095 aimed to be covered 132