DIN EN 15193-1:2021-11 (E)

Energy performance of buildings - Energy requirements for lighting - Part 1: Specifications, Module M9 (includes Amendment A1:2021)

Contents

Page

European foreword 5

Introduction 6

1 Scope 9

2 Normative references 11

3 Terms and definitions 11

4 Symbols and abbreviations 12
4.1 Symbols and units 12
4.2 Subscripts 18
4.3 Abbreviations 18

5 Brief description of the method(s) and routing 18
5.1 Output of the method 1 - Comprehensive method 18
5.2 Optional methods 19
5.2.1 Method 2 - Quick calculation method 19
5.2.2 Method 3 - Direct metering method 19
5.3 Selection criteria between the methods 19

6 Method 1 - Calculation of the energy required for lighting 20
6.1 Output data 20
6.2 Calculation time interval and calculation period 20
6.3 Input data 21
6.3.1 Lighting system data 21
6.3.2 Product data 21
6.3.3 System design data 22
6.3.4 Operating conditions 23
6.3.5 Constants and physical data 23
6.4 Calculation procedure 23
6.4.1 Applicable time step 23
6.4.2 Operating conditions calculation 23
6.4.3 Energy for lighting calculation 23
6.5 Expenditure factors for lighting systems 27

7 Method 2 - Quick calculation of the energy required for lighting 30
7.1 Output data 30
7.2 Calculation time steps 30
7.3 Input data 30
7.3.1 Lighting system data 30
7.3.2 Luminaire data 31
7.3.3 System design data 31
7.3.4 Operating conditions 31
7.3.5 Constants and physical data 31
7.4 Calculation procedure 31
7.4.1 Applicable time step 31
7.4.2 Operating conditions calculation 31
7.4.3 Energy calculation 31
7.5 Expenditure factors for lighting systems 34

8 Method 3 - Metered energy used for lighting 34
8.1 Output data 34
8.2 Calculation time steps 35
8.3 Input data 35
8.4 Calculation procedure of annual energy 35

9 Quality control 36
9.1 Method 1 36
9.2 Method 2 36
9.3 Method 3 36

10 Compliance check 36
10.1 General 36
10.2 Method 1 36
10.3 Method 2 37
10.4 Method 3 37

Annex A (normative) Input and method selection data sheet -- Template 38

A.1 General 38
A.2 System design data 38
A.2.1 General 38
A.2.2 Standby energy density 39
A.2.3 Annual operating hours 39
A.2.4 Daylight supply factor for vertical façades 39
A.2.5 Daylight supply factor for roof lights 39
A.2.6 Absence factor (FA) for rooms in building types 39
A.2.7 Example constant illuminance dependency factors (FC) 40
A.2.8 Installed power for residential buildings 40
A.2.9 Useful areas in residential buildings 41

Annex B (informative) Input and method selection data sheet -- Default choices 42

B.1 General 42
B.2 Method 1 42
B.2.1 Luminaire description data 42
B.2.2 Luminaire technical data tables 42
B.2.3 System design data 43
B.3 Method 2 43
B.3.1 Luminaire description data 43
B.3.2 Luminaire technical data tables 43
B.3.3 System design data 43
B.4 Method 3 49

Annex C (normative) Simplified Method for Installed Power Estimation 50

C.1 General 50
C.2 Installed power assessment for non-residential buildings 50
C.3 Installed power assessment for residential buildings 52

Annex D (normative) Assessment of the installed power for lighting systems in existing buildings . 53

Annex E (normative) Occupancy estimation 54

Annex F (normative) Daylight availability 59

F.1 General 59
F.2 Building segmentation: Spaces benefiting from daylight 61
F.3 Daylight supply factor for vertical façades 63
F.3.1 Daylight factor classification 63
F.3.2 Daylight supply factor 69

F.4 Daylight supply factor for roof lights 81
F.4.1 General 81
F.4.2 Daylight availability factor 81
F.4.3 Daylight supply factor 86
F.4.4 Relative times, shading activated/ not activated for roof lights 87
F.4.5 Daylight supply factors as function of the daylight availability classification 89
F.5 !Daylight supply factor for windows in sloped roofs" 93
F.6 Daylight Responsive Control Systems 95
F.7 Monthly evaluation method 97
F.8 Determination of daytime and night time hours 98
F.9 Comprehensive calculation 101
F.10 Collection of input data required for daylight calculations 102

Annex G (normative) Constant illuminance 103

G.1 General 103
G.2 Constant illuminance factor (Fc) 103
G.3 Constant lumen output system (CLO) 104

Annex H (normative) Standby system energy requirements 105

H.1 Emergency lighting luminaire standby charging power (Pem) 105
H.2 Lighting controls standby power (Ppc) 105

Bibliography 106