

ISO 648:2008-10 (E)

Laboratory glassware - Single-volume pipettes

| Contents | | Page |
|--------------------|---|-------------|
| Foreword | | iv |
| 1 | Scope | 1 |
| 2 | Normative references | 1 |
| 3 | Terms and definitions | 1 |
| 4 | Basis of adjustment | 2 |
| 4.1 | Unit of volume | 2 |
| 4.2 | Delivery volume | 2 |
| 4.3 | Reference temperature | 2 |
| 5 | Types and classes of accuracy | 2 |
| 5.1 | Classes of accuracy | 2 |
| 5.2 | Types of single-volume pipette | 2 |
| 6 | Maximum permissible errors | 3 |
| 7 | Construction | 3 |
| 7.1 | Material | 3 |
| 7.2 | Shape | 3 |
| 7.3 | Bulb | 3 |
| 7.4 | Dimensions | 4 |
| 7.5 | Top of pipette | 5 |
| 7.6 | Delivery jet | 5 |
| 7.7 | Delivery time | 5 |
| 7.8 | Waiting time | 6 |
| 8 | Graduation line(s) | 6 |
| 9 | Setting of the meniscus | 6 |
| 10 | Marking | 6 |
| 11 | Visibility of graduation lines, figures and inscriptions | 7 |
| 12 | Colour coding | 7 |
| Bibliography | | 8 |