

DIN EN 1057:2010-06 (E)

Copper and copper alloys - Seamless, round copper tubes for water and gas in sanitary and heating applications (includes Amendment A1:2010)

| Contents | | Page |
|--------------------|---|-------------|
| Foreword | | 4 |
| Introduction | | 6 |
| 1 | Scope | 7 |
| 2 | Normative references | 7 |
| 3 | Terms and definitions | 8 |
| 4 | Designations | 9 |
| 4.1 | Material | 9 |
| 4.1.1 | General | 9 |
| 4.1.2 | Symbol | 9 |
| 4.1.3 | Number | 9 |
| 4.2 | Material condition | 9 |
| 4.3 | Product | 9 |
| 5 | Ordering information | 10 |
| 6 | Material characteristics | 11 |
| 6.1 | Safety in case of fire - Reaction to fire | 11 |
| 6.2 | Properties at high temperature | 11 |
| 6.3 | Weldability | 11 |
| 7 | Requirements | 11 |
| 7.1 | Composition | 11 |
| 7.2 | Mechanical properties | 11 |
| 7.3 | Dimensions and tolerances | 14 |
| 7.3.1 | General | 14 |
| 7.3.2 | Nominal dimensions | 14 |
| 7.3.3 | Tolerances on outside diameter | 15 |
| 7.3.4 | Tolerances on wall thickness | 16 |
| 7.3.5 | Tolerances on length | 16 |
| 7.4 | Freedom from defects | 17 |
| 7.5 | Surface quality | 17 |
| 7.6 | Bending | 17 |
| 7.7 | Drift expanding | 17 |
| 7.8 | Flanging | 17 |
| 8 | Evaluation of conformity | 18 |
| 8.1 | General | 18 |
| 8.2 | Type testing | 18 |
| 8.2.1 | Initial type testing | 18 |
| 8.2.2 | Sampling, testing and conformity criteria | 19 |
| 8.3 | Factory production control (FPC) | 19 |
| 8.3.1 | General | 19 |
| 8.3.2 | General FPC requirements | 20 |
| 8.3.3 | Manufacturer-specific FPC system requirements | 20 |
| 9 | Sampling | 21 |

| | | |
|--|---|----|
| 10 | Test methods | 22 |
| 10.1 | Analysis | 22 |
| 10.2 | Tensile test | 22 |
| 10.3 | Hardness test | 22 |
| 10.4 | Carbon content test | 22 |
| 10.5 | Carbon film test | 22 |
| 10.6 | Bending test | 22 |
| 10.7 | Drift-expanding test | 23 |
| 10.8 | Flanging test | 23 |
| 10.9 | Freedom from defects tests | 23 |
| 10.10 | Retests | 23 |
| 11 | Inspection documentation | 24 |
| 12 | Marking and form of delivery | 24 |
| 12.1 | Marking | 24 |
| 12.2 | Form of delivery | 24 |
| Annex A (normative) Standardized dimensions for reconsideration at a future revision | | 25 |
| Annex B (normative) Carbon film test | | 26 |
| B.1 | Preparation of the test piece | 26 |
| B.2 | Procedure | 26 |
| B.3 | Detection and assessment of films | 26 |
| Annex C (normative) Freedom from defects tests | | 27 |
| C.1 | Eddy current test | 27 |
| C.2 | Hydrostatic test | 27 |
| C.3 | Pneumatic test | 27 |
| Annex ZA (informative) Clauses of this European Standard addressing the provisions of the EU Construction Products Directive (CPD) 89/106/EEC | | 29 |
| ZA.1 | Scope and relevant characteristics | 29 |
| ZA.2 | Procedure(s) for attestation of conformity of pipes | 31 |
| ZA.2.1 | System(s) of attestation of conformity | 31 |
| ZA.2.2 | EC Certificate and Declaration of conformity | 32 |
| ZA.3 | CE marking and labelling | 33 |
| Annex ZB (informative) Relationship between this European Standard and the Essential Requirements of the EU Pressure Equipment Directive (PED) 97/23/EC | | 35 |
| Bibliography | | 36 |
| Tables Table 1 -- Mechanical properties | | 12 |
| Table 2 -- Minimal elongation values for R250 (half hard) material condition tubes | | 13 |
| Table 3 -- Standardized dimensions | | 15 |
| Table 4 -- Tolerances on outside diameter | | 16 |
| Table 5 -- Tolerances on wall thickness | | 16 |
| Table 6 -- Quantitative and qualitative specification for carbon residues | | 17 |

| | |
|---|-----------|
| Table 7 -- Testing of bending, drift expanding and flanging | 18 |
| Table 8 -- Sampling rate | 21 |
| Table 9 -- Minimum radius of curvature | 23 |
| Table 10 -- Recommended form of delivery | 24 |
| Table A.1 -- Standardized dimensions for reconsideration at a future revision | 25 |
| Table C.1 -- Maximum drill diameters for the reference standard tube | 27 |
| Table C.2 -- Hydraulic pressure test | 27 |
| Table ZA.1 -- Relevant clauses | 30 |
| Table ZA.2 -- Systems of attestation of conformity | 31 |
| Table ZA.3.1 -- Assignment of evaluation of conformity tasks for pipes under system 3 -- 1/5 | 32 |
| Table ZA.3.2 -- Assignment of evaluation of conformity tasks for pipes under system 4 -- 2/5 | 32 |
| Table ZB.1 -- Correspondence between this European Standard and Directive 97/23/EC | 35 |