

# DIN EN 12168:2011-08 (E)

## Copper and copper alloys - Hollow rod for free machining purposes

---

<b>Contents</b>		<b>Page</b>
Foreword .....		4
Introduction .....		6
1	Scope .....	7
2	Normative references .....	7
3	Terms and definitions .....	7
4	Designations .....	8
4.1	Material .....	8
4.1.1	General .....	8
4.1.2	Symbol .....	8
4.1.3	Number .....	9
4.2	Material condition .....	9
4.3	Product .....	9
5	Ordering information .....	10
6	Requirements .....	12
6.1	Composition .....	12
6.2	Mechanical properties .....	12
6.3	Resistance to dezincification .....	12
6.4	Residual stress level .....	12
6.5	Dimensions and tolerances .....	12
6.5.1	Diameter or width across-flats .....	12
6.5.2	Tolerance on wall thickness .....	12
6.5.3	Eccentricity .....	12
6.5.4	Shape tolerances .....	13
6.5.5	Straightness .....	13
6.5.6	Length .....	13
6.5.7	Corner radii .....	13
6.5.8	Twist of polygonal hollow rod .....	13
7	Sampling .....	14
7.1	General .....	14
7.2	Analysis .....	14
7.3	Mechanical tests .....	14
7.4	Dezincification resistance and stress corrosion resistance tests .....	14
8	Test methods .....	15
8.1	Analysis .....	15
8.2	Tensile test .....	15
8.2.1	General .....	15
8.2.2	Location of test pieces .....	15
8.2.3	Shape and size of test pieces .....	15
8.2.4	Procedure for testing .....	15
8.2.5	Determination of results .....	15
8.3	Hardness test .....	16
8.4	Dezincification resistance test .....	16
8.5	Stress corrosion resistance test .....	16

8.6	Retests .....	16
8.6.1	Analysis, tensile, hardness and dezincification resistance tests .....	16
8.6.2	Stress corrosion resistance test .....	16
8.7	Rounding of results .....	16
9	Declaration of conformity and inspection documentation .....	17
9.1	Declaration of conformity .....	17
9.2	Inspection documentation .....	17
10	Marking, packaging, labelling .....	17
Annex A (normative) Determination of mean depth of dezincification .....		28
A.1	Introduction .....	28
A.2	Procedure .....	28
A.3	Expression of results .....	28
Bibliography .....		30
Figures Figure 1 -- Examples of hollow rod cross-sections .....		8
Figure 2 -- Measurement of twist of polygonal hollow rod .....		14
Figure A.1 -- Example of contiguous fields .....		29
Tables Table 1 -- Composition of low alloyed copper alloys .....		17
Table 2 -- Composition of copper-zinc alloys .....		18
Table 3 -- Composition of copper-zinc-lead alloys .....		19
Table 4 -- Composition of complex copper-zinc alloys .....		20
Table 5 -- Mechanical properties of low alloyed copper alloys .....		21
Table 6 -- Mechanical properties of copper-zinc alloys .....		22
Table 7 -- Mechanical properties of copper-zinc-lead alloys .....		23
Table 8 -- Mechanical properties of complex copper-zinc alloys .....		24
Table 9 -- Tolerances on external diameter or width across-flats .....		25
Table 10 -- Tolerances on wall thickness .....		25
Table 11 -- Tolerances on diameter of the bore .....		25
Table 12 -- Tolerances on eccentricity .....		26
Table 13 -- Tolerances on straightness of hollow rod .....		26
Table 14 -- Tolerances on length of hollow rod .....		26
Table 15 -- Corner radii for hollow rod with square, hexagonal or octagonal external shape .....		26
Table 16 -- Maximum twist for hollow rod with square, hexagonal or octagonal external shape .....		27
Table 17 -- Sampling rate .....		27