ISO 12743:2018 (E)

Copper, lead, zinc and nickel concentrates — Sampling procedures for determination of metal and moisture content

Contents

Foreword

1 Scope

2 Normative references

3 Terms and definitions

4 Sampling theory

4.1 General
4.2 Total variance
4.3 Sampling-stage method of estimating sampling and total variance
4.4 Simplified method of estimating sampling and total variance
4.5 Interleaved sample method of measuring total variance

5 Establishing a sampling scheme

6 Mass of increment

6.1 General
6.2 Mass of increment for falling-stream samplers
6.3 Mass of increment for cross-belt samplers
6.4 Mass of increment for manual sampling from stationary lots
6.4.1 Primary increments
6.4.2 Mass of secondary and subsequent increments
6.5 Mass of increment for stopped-belt reference sampling

7 Methods of sampling from concentrate streams

7.1 General
7.2 Mass-basis systematic sampling
7.2.1 General
7.2.2 Sampling interval
7.2.3 Sample cutter
7.2.4 Taking of primary increments
7.2.5 Constitution of subsamples and lot samples
7.2.6 Types of division
7.2.7 Division of increments
7.2.8 Division of subsamples
7.2.9 Division of lot samples
7.3 Time-basis systematic sampling
7.3.1 General
7.3.2 Sampling interval
7.3.3 Sample cutter
7.3.4 Taking of primary increments
7.3.5 Constitution of subsamples and lot samples
7.3.6 Types of division
7.3.7 Division of increments and subsamples
7.3.8 Division of lot samples
7.4 Stratified random sampling
7.4.1 Fixed mass intervals
7.4.2 Fixed time intervals

8 Mechanical sampling of concentrate streams

8.1 General

8.2 Design of the sampling system
8.2.1 Safety of operators
8.2.2 Location of sample cutters
8.2.3 Provision for interleaved sampling
8.2.4 Provision for stratified random sampling
8.2.5 Checking precision and bias
8.2.6 Avoiding bias
8.2.7 Minimizing bias
8.2.8 Configuration of the sampling system
8.3 Sample cutters
8.3.1 General
8.3.2 Design criteria
8.3.2.1 General
8.3.2.2 Falling-stream cutters
8.3.2.3 Cross-belt cutters
8.3.3 Cutter speed
8.3.3.1 General
8.3.3.2 Falling-stream cutters
8.3.3.3 Cross-belt cutters
8.4 Mass of increments
8.5 Number of increments
8.6 Sampling interval
8.7 Routine checking

9 Manual sampling of concentrate streams

9.1 General
9.2 Choosing the sampling location
9.3 Sampling implements
9.4 Mass of increments
9.5 Number of increments
9.6 Sampling interval
9.7 Sampling procedures
9.7.1 General
9.7.2 Full stream cut from a falling stream
9.7.3 Partial stream cuts from a falling stream
9.7.4 Sampling from moving conveyor belts

10 Stopped-belt reference sampling

11 Sampling from grabs

11.1 General
11.2 Mass of primary increments
11.3 Number of primary increments
11.4 Method of sampling
11.5 Constitution of subsamples and lot samples

12 Sampling from trucks, railway wagons and sampling hoppers

12.1 General
12.2 Mass of primary increments
12.3 Number of primary increments
12.4 Method of sampling
12.5 Constitution of subsamples and lot samples

13 Sampling of concentrate in bags or drums

13.1 General
13.2 Mass of primary increments
13.3 Number of primary increments
13.4 Method of sampling
13.4.1 General
13.4.2 Sampling during filling or emptying
13.4.3 Spear sampling
13.5 Constitution of subsamples and lot samples

14 Sampling of stockpiles

15 Methods of comminution, mixing and division

15.1 General
15.2 Comminution
15.2.1 General
15.2.2 Mills
15.3 Mixing
15.3.1 General
15.3.2 Methods of mixing
15.4 Division
15.4.1 Chemical analysis samples
15.4.2 Moisture samples
15.4.3 Number of increments for division
15.4.4 Minimum mass of divided sample
15.4.5 Rotary sample division
15.4.6 Cutter-type division
15.4.7 Manual increment division
15.4.8 Spear division
15.4.9 Fractional shovelling
15.4.10 Ribbon division
15.4.11 Riffle division

16 Sample requirements

16.1 Moisture samples
16.1.1 Mass of test portion
16.1.2 Processing of samples
16.2 Chemical analysis samples
16.3 Physical test samples

17 Packing and marking of samples

Annex A (normative) Sampling stage method of estimating sampling and total variance

A.1 Components of sampling error and sampling variance
A.2 Estimation of fundamental variance
A.3 Segregation and grouping variance
A.4 Long-range quality fluctuation variance
A.5 Practical estimation of total variance

Annex B (informative) Estimation of total variance — Barge unloading using a grab

B.1 Definition of example
B.2 Estimation of total variance
B.2.1 Determination of mass fraction of metal
B.2.2 Determination of moisture content
B.3 Summary

Annex C (informative) Mechanical sample cutters

C.1 Scope
C.2 Types of mechanical sample cutters

Annex D (informative) Checklist for mechanical sampling systems

Annex E (normative) Manual sampling devices

E.1 Scope
E.2 Manual cutters
E.3 Sampling scoops

Annex F (informative) Apparatus for manual sampling of concentrates from stopped belts

Annex G (informative) Sampling of stockpiles

G.1 General
G.2 Selection of sampling points
G.3 Mass of primary increments
G.4 Number of primary increments
G.5 Sampling procedure

G.6 Constitution of lot samples or subsamples

Annex H (normative) Increment division scoops for conducting manual increment division

Page count: 79