

DIN EN 15273-1:2014-06 (E)

Railway applications - Gauges - Part 1: General - Common rules for infrastructure and rolling stock

Contents		Page
Foreword		6
Introduction		12
1	Scope	13
2	Normative references	13
3	Terms and definitions	14
4	Symbols and abbreviations	21
5	Specific considerations for determination of parameters	36
5.1	Geometric overthrow	36
5.1.1	Geometric overthrow between the vehicle body	36
5.1.2	Additional geometric overthrow due to the bogies	37
5.2	Flexibility coefficient	37
5.3	Dissymmetry	38
5.4	Clearance between the wheelsets and the track	39
5.5	Additional overthrow	40
5.6	Roll centre	41
6	Gauges and gauging methods	42
6.1	General	42
6.1.1	Introduction	42
6.1.2	Static gauge	43
6.1.3	Kinematic gauge	44
6.1.4	Dynamic gauge	44
6.1.5	Uniform structure gauge	45
6.1.6	Gauges and interoperability	45
6.1.7	Illustration and comparison of static and kinematic gauges in the transverse direction ...	46
6.1.8	Illustration of the dynamic gauge	49
6.2	Other gauging methods: General	50
6.3	Absolute gauging method	50
6.4	Comparative gauging method	52
7	Elements involved in the determination of a gauge	52
7.1	Introduction	52
7.2	General	52
7.2.1	In the transverse direction	52
7.2.2	In the vertical direction	55
7.3	Detailed analysis of the details to be shared between rolling stock and infrastructure depending of the method of determination of each of the gauges	56
7.3.1	In the transverse direction	56
7.3.2	In the vertical direction	81
7.3.3	Contact ramps	92
7.3.4	Rail and rail brake zone	93
8	Pantograph gauge	97
8.1	Pantograph kinematic gauge	97
8.1.1	General principle	97

8.1.2	Elements to be taken into account by the infrastructure	101
8.1.3	For the rolling stock	102
8.2	Pantograph dynamic gauge	106
8.2.1	Values taken into account by the rolling stock	106
8.2.2	Values taken into account by the infrastructure	106
Annexe A (normative) Catalogue of gauges		107
A.1	Static gauges	107
A.2	Kinematic gauges	108
A.3	Dynamic gauges	109
A.4	Uniform gauges	109
Annexe B (normative) Reference profiles and associated rules for static gauges		110
B.1	Static gauges G1 and G2	110
B.1.1	Upper parts of static gauges G1 and G2	110
B.1.2	Lower parts of static gauges G1 and G2	112
B.2	Static gauges GA, GB and GC	115
B.2.1	Lateral part	115
B.2.2	Static reference profiles for the upper parts	115
B.2.3	Associated rules	116
B.3	Static gauge GB1 and GB2	120
B.3.1	Lateral part	120
B.3.2	Static reference profiles for the upper parts	120
B.3.3	Associated rules	121
B.4	Static gauges OSJD	123
B.4.1	General comment	123
B.4.2	Static reference profiles for the upper parts	123
B.4.3	Associated rules	126
B.4.4	Static reference profiles for the lower parts	127
B.5	Static gauge FIN 1	128
B.5.1	General comment	128
B.5.2	Static reference profile for the upper parts	128
B.5.3	Associated rules	130
B.5.4	Position of the platforms	130
B.6	Spanish static gauges GHE16, GEA16, GEB16, GEC16, GEE10 and GED10	131
B.6.1	Reference profiles for static gauges	131
B.6.2	Basic rules	137
Annexe C (normative) Reference profiles and associated rules for kinematic gauges		141
C.1	Kinematic gauges G1 and G2	141
C.1.1	Upper part of gauges G1 and G2	141
C.1.2	Gauges of the lower parts of G1, G2	143
C.2	Kinematic gauges GA, GB, and GC	146
C.2.1	Lateral part	146
C.2.2	Kinematic reference profiles for the upper parts	146
C.2.3	Associated rules	147
C.3	Kinematic gauges GB1 and GB2	149
C.3.1	Lateral part	149
C.3.2	Kinematic reference profiles for the upper parts	149
C.3.3	Associated rules	150
C.4	Kinematic gauge GI3	151
C.4.1	Upper parts	151
C.4.2	Reference profile for the lower parts	152
C.4.3	Associated rules	153
C.5	Kinematic gauge FR3.3	153
C.5.1	Lateral part	153
C.5.2	Kinematic reference profile for upper parts	153
C.5.3	Associated rules	154
C.6	Kinematic gauges BE1, BE2 and BE3	156

C.6.1	Lateral part	156
C.6.2	Kinematic reference profiles for the upper parts	156
C.6.3	Associated rules	158
C.6.4	Kinematic reference profiles for the lower parts	159
C.7	Kinematic gauges NL1 and NL2	160
C.7.1	Reference profiles of kinematic gauges NL1 and NL2	160
C.7.2	Associated rules	161
C.8	Kinematic gauges PTb, PTb+ and PTc	162
C.8.1	Lateral part	162
C.8.2	Associated rules	164
C.8.3	Taking the roll into account	165
C.8.4	Vertical geometric overthrow upwards and vertical allowance of the infrastructure	165
C.8.5	Kinematic reference profiles for the lower parts	165
C.8.6	Vertical geometric overthrow downwards and vertical allowance of the infrastructure	166
C.9	Kinematic gauge DE1	166
C.9.1	General	166
C.9.2	Kinematic reference profiles	167
C.9.3	Associated rules	168
C.9.4	Taking the roll into account	168
C.9.5	Vertical geometric overthrow downwards and vertical allowance of the infrastructure	169
C.10	Kinematic gauge DE2	169
C.10.1	General	169
C.10.2	Kinematic reference profiles	169
C.10.3	Associated rules	170
C.10.4	Taking the roll into account	170
C.10.5	Vertical geometric overthrow downwards and vertical allowance of the infrastructure	171
C.11	Kinematic gauge DE3	171
C.11.1	Kinematic reference profiles	171
C.11.2	Associated rules	171
C.12	Spanish kinematic gauges GHE16, GEA16, GEB16, GEC16, GEC14, GEE10 and GED10 ..	172
C.12.1	Reference profiles for kinematic gauges	172
C.12.2	Associated rules	181
Annexe D (normative) Reference profiles and associated rules for dynamic gauges		184
D.1	General	184
D.2	Dynamic gauge SEa and SEc	184
D.2.1	Dynamic reference profile SEa	184
D.2.2	Dynamic reference profile SEc	186
D.2.3	Associated rules	186
Annexe E (normative) Uniform gauges		188
E.1	General information on gauges GUC, GU1, GU2 and Z-GCD	188
E.2	Uniform gauge GU1	188
General	188
E.2.1	Basic data	189
E.3	Uniform gauge Z -GCD	190
E.3.1	Uniform reference profile	190
E.3.2	Basic data	191
Annexe F (normative) Specific rules in the vertical direction		192
F.1	General	192
F.2	Passing over link spans onto ferries	192
F.3	Marshalling humps	193
F.3.1	Convention for gauges in groups G1, G2, GA, GB, GB1, GB2, GC, FR3.3, BE1, BE2, BE3, GHE16, GEA16, GEB16, GEC16, GEC14, GEE10 AND GED10, etc	193
F.3.2	Other agreements	196
Annexe G (normative) Rules relating to pantographs		197

G.1	Catalogue of standard heads	197
G.2	Reference vehicle parameters	197
G.3	Electrical insulating allowances	198
G.4	Characteristics of the collection system	198
G.5	Specific cases	199
G.5.1	Pantograph gauges linked to gauges BE1, BE2 and BE3, 3kV network	199
G.5.2	Pantograph gauges linked to gauges BE1, BE2 and BE3, 25 kV network	200
Annexe H (normative) Rules relating to access steps and platform installation		201
H.1	Actual and conventional gap between step and platform: general	201
H.2	Actual and conventional gap between step and platform: position of the platforms	203
H.2.1	Actual position of the platforms	203
H.2.2	Conventional position of the platforms	204
H.3	Actual and conventional gap between step and platform: position of the steps	206
Annexe I (informative) Widening of the vehicles according to the possibilities offered by the infrastructure		208
I.1	General	208
I.2	Possible gain on the track centre side	208
I.2.1	Basic principle	208
I.2.2	Application	210
I.3	Possible gain on the structure side	211
Annexe J (normative) Application of the probability theory in conjunction with the limit values taking into account the oscillations and dissymmetry in the determination of allowance M1		212
J.1	General	212
J.2	Reminder of some principles of the probability theory	212
J.3	Taking into account oscillations and dissymmetry in the determination of allowance M1	213
J.3.1	General	213
J.3.2	Additional comments	214
Annexe K (informative) A-deviations		216
Bibliography		218