

# DIN EN 16207:2014-11 (E)

## Railway applications - Braking - Functional and performance criteria of Magnetic Track Brake systems for use in railway rolling stock

---

<b>Contents</b>		<b>Page</b>
Foreword .....		4
<b>1</b>	<b>Scope .....</b>	<b>5</b>
<b>2</b>	<b>Normative references .....</b>	<b>5</b>
<b>3</b>	<b>Terms, definitions and abbreviations .....</b>	<b>6</b>
<b>3.1</b>	<b>Terms and definitions .....</b>	<b>6</b>
<b>3.2</b>	<b>Abbreviations .....</b>	<b>7</b>
<b>4</b>	<b>Task and purpose of the MTB .....</b>	<b>8</b>
<b>5</b>	<b>Design requirements .....</b>	<b>10</b>
<b>5.1</b>	<b>Space envelope to be observed by the MTB .....</b>	<b>10</b>
<b>5.2</b>	<b>Retardation force .....</b>	<b>10</b>
<b>5.3</b>	<b>Guidance of the activated magnet when applied to the rails .....</b>	<b>11</b>
<b>5.4</b>	<b>Rest position of the magnet above the rail surface .....</b>	<b>11</b>
<b>5.5</b>	<b>Magnet elements .....</b>	<b>11</b>
<b>5.5.1</b>	<b>End pieces .....</b>	<b>11</b>
<b>5.5.2</b>	<b>Pole shoes .....</b>	<b>12</b>
<b>5.6</b>	<b>Clearance for wheel lathe machines and wheel skates .....</b>	<b>12</b>
<b>5.7</b>	<b>Strength requirements .....</b>	<b>13</b>
<b>5.8</b>	<b>Mechanical fastening of the MTB parts to the bogie .....</b>	<b>15</b>
<b>5.9</b>	<b>Additional requirements for permanent magnets .....</b>	<b>15</b>
<b>5.10</b>	<b>Control of the MTB .....</b>	<b>15</b>
<b>6</b>	<b>Load combinations for component tests .....</b>	<b>16</b>
<b>6.1</b>	<b>MTB performance considered in the emergency brake performance .....</b>	<b>16</b>
<b>6.2</b>	<b>MTB performance not considered in the emergency brake performance .....</b>	<b>17</b>
<b>7</b>	<b>MTB diagnostics .....</b>	<b>17</b>
<b>8</b>	<b>EMC and interfaces .....</b>	<b>17</b>
<b>8.1</b>	<b>Compatibility with train detection systems .....</b>	<b>17</b>
<b>8.2</b>	<b>Bogie components in the area of MTB .....</b>	<b>18</b>
<b>8.3</b>	<b>EMC-proof in accordance with EN 50121-3-2 .....</b>	<b>18</b>
<b>9</b>	<b>Type and series production tests .....</b>	<b>18</b>
<b>9.1</b>	<b>Type test .....</b>	<b>18</b>
<b>9.1.1</b>	<b>General .....</b>	<b>18</b>
<b>9.1.2</b>	<b>Magnetic test .....</b>	<b>18</b>
<b>9.1.3</b>	<b>Electric test .....</b>	<b>18</b>
<b>9.1.4</b>	<b>Thermal test .....</b>	<b>19</b>
<b>9.1.5</b>	<b>Mechanical test .....</b>	<b>19</b>
<b>9.1.6</b>	<b>Other tests and proofs .....</b>	<b>19</b>
<b>9.2</b>	<b>Series production testing .....</b>	<b>20</b>
<b>10</b>	<b>Vehicle implementation tests .....</b>	<b>20</b>
<b>Annex A (normative)</b>	<b>Design loads (load assumptions) of the MTB .....</b>	<b>21</b>

<b>A.1</b>	<b>General .....</b>	<b>21</b>
<b>A.2</b>	<b>Rest position .....</b>	<b>21</b>
<b>A.3</b>	<b>Working position (brake application position) .....</b>	<b>23</b>
<b>A.4</b>	<b>Rail brakes .....</b>	<b>26</b>
<b>A.5</b>	<b>FME(C)A .....</b>	<b>27</b>
<b>A.6</b>	<b>Load collective for operational safety proof .....</b>	<b>27</b>
<b>A.7</b>	<b>Load collective for component tests on the example of 10 000 brake applications .....</b>	<b>29</b>
<b>A.8</b>	<b>Test procedure .....</b>	<b>29</b>
<b>A.9</b>	<b>Test result .....</b>	<b>29</b>
<b>Annex B (normative)</b>	<b>Measurement of the magnetic attractive force -- Functional test of brake magnets .....</b>	<b>30</b>
<b>B.1</b>	<b>Measurement of the magnetic attractive force of MTB magnets .....</b>	<b>30</b>
<b>B.2</b>	<b>Formation of the mean magnetic attractive force for rigid magnets .....</b>	<b>31</b>
<b>B.3</b>	<b>Formation of the mean magnetic attractive force for articulated magnets .....</b>	<b>31</b>
<b>Annex C (normative)</b>	<b>End pieces of MTB .....</b>	<b>33</b>
<b>Annex ZA (informative)</b>	<b>Relationship between this European Standard and the Essential Requirements of EU Directive 2008/57/EC .....</b>	<b>37</b>
<b>Bibliography .....</b>		<b>40</b>