

DIN EN 16452:2015-11 (E)

Railway applications - Braking - Brake blocks

Contents		Page
Foreword		7
Introduction		8
1	Scope	9
2	Normative references	9
3	Terms and definitions	10
4	Abbreviations	11
5	Overall requirements	12
5.1	Deviations from requirements	12
5.2	Functions	12
5.3	Operational criteria	13
5.3.1	Friction material performance	13
5.3.2	Service performance	13
5.3.3	Brake block characteristics	14
6	Acceptance procedure	14
6.1	Brake block performance requirements	14
6.1.1	General	14
6.1.2	Category A	14
6.1.3	Category B	15
6.1.4	Category C	15
6.2	Approval test requirements	15
6.3	Dynamometer specification	18
7	Category A requirements	18
7.1	Brake block characteristics	18
7.1.1	Standard design	18
7.1.2	Brake block characterization test	18
7.1.3	Brake block mechanical characteristics for service operation	18
7.2	Dynamic friction performance	19
7.2.1	Generic requirements for assessment process	19
7.2.2	Bedded and non bedded performance	19
7.2.3	Variation in mean coefficient of friction in dry condition for a brake to rest	19
7.2.4	Mean friction coefficient variation under wet conditions	19
7.2.5	Mean friction coefficient variation at high initial temperature	20
7.2.6	Mean friction coefficient variation after simulation of a downhill brake application	20
7.2.7	Instantaneous friction coefficient variation during simulation of a downhill brake application	20
7.2.8	Variation in instantaneous friction for a brake to rest	22
7.3	Static friction coefficient	22
7.4	Extreme winter conditions (freight wagons)	22
7.4.1	General	22
7.4.2	Dynamometer test	23
7.4.3	Train brake test	23
7.5	Locked brake (fusibility)	23
7.5.1	Generic prescriptions	23
7.5.2	Specific prescriptions for freight wagons	24

8	Category B requirements	24
8.1	Vehicle brake test	24
8.2	Dynamometer wear test (friction couple)	25
8.3	Dynamic friction performance	25
8.4	In service assessment	25
9	Category C requirements	25
9.1	Metal pick up	25
9.2	Influence on track circuit operation (shuntage)	26
10	Environmental issues	26
10.1	General	26
10.2	Noise	26
10.3	Odour	26
10.4	Smoke, fumes and sparking	26
10.5	Recycling and disposal	26
11	Marking	27
Annex A (normative) Summary of Dynamometer test programs and acceptance criteria		28
Annex B (normative) General requirements for conducting dynamometer test programmes		30
B.1	General	30
B.2	Rotation and ventilation conditions	30
B.3	Brake application timing ts	30
B.4	Bedding	30
B.5	Wear	30
B.6	Roughness index of the wheel tread	31
B.7	Interruption of the tests	31
B.8	Temperatures	31
B.9	Wet conditions	31
B.10	Test of simulation of downhill	32
B.11	Test wheels	32
Annex C (normative) Composite brake blocks (K) (2Bg - 2Bgu)- Demonstration of friction properties for S and SS (S/SS) - braked freight wagons (vmax = 120 km/h)		33
C.1	Program for performance tests	33
C.2	Program for simulation brake assessment	38
C.3	Dispersion range of mean friction coefficients	39
C.4	Dispersion range of instantaneous friction coefficients	42
Annex D (normative) Composite brake blocks (LL) - Demonstration of friction properties for S and SS (S/SS) - braked freight wagons (vmax = 120 km/h)		44
D.1	Program for performance tests	44
D.2	Program for simulation brake assessment	48
D.3	Dispersion range of mean friction coefficients	50
D.4	Dispersion range of instantaneous friction coefficients	52
Annex E (normative) Composite brake blocks (K) (1Bg)- Demonstration of friction properties for S and SS (S/SS) - braked freight wagons (vmax = 120 km/h)		53
E.1	Program for performance tests	53
E.2	Dispersion range of mean friction coefficients	56
E.3	Dispersion range of instantaneous friction coefficients	58
Annex F (normative) Composite brake blocks (L) - Demonstration of friction properties for extra tread brake of coach		59

F.1	Program for performance tests	59
F.2	Program for simulation brake assessment	62
F.3	Dispersion range of mean friction coefficients in dry condition	63
F.4	Dispersion range of mean friction coefficients in wet condition	64
F.5	Dispersion range of instantaneous friction coefficients	65
Annex G (normative) Composite brake blocks (K) - Demonstration of friction properties for locomotives		67
G.1	Program for performance tests	67
G.2	Program for simulation brake assessment	70
G.3	Dispersion range of mean friction coefficients in dry condition	71
G.4	Dispersion range of mean friction coefficients in wet condition	72
G.5	Dispersion range of instantaneous friction coefficients	73
Annex H (normative) Composite brake blocks (K) - Demonstration of friction properties for EMU - DMU		75
H.1	Program for performance tests	75
H.2	Program for simulation brake assessment	80
H.3	Dispersion range of mean friction coefficients in dry condition	81
H.4	Dispersion range of mean friction coefficients in wet condition	82
H.5	Dispersion range of instantaneous friction coefficients	83
Annex I (normative) Composite brake blocks (K) - Demonstration of friction properties for High speed train (motor bogie)		85
I.1	Program for performance tests	85
I.2	Program for simulation brake assessment	88
I.3	Dispersion range of mean friction coefficients in dry condition	89
I.4	Dispersion range of mean friction coefficients in wet condition	91
I.5	Dispersion range of instantaneous friction coefficients	92
Annex J (informative) Dynamometer test program - Generic test program		94
J.1	General	94
J.2	Generic test program	94
J.3	Definitions	97
J.4	Principle of assessment and pass/fail criteria	98
Annex K (normative) Dynamometer Test program to detect the formation of metal pick-up at the brake block		99
K.1	Test program for freight wagons with brake blocks type K and LL	99
K.2	Test program for locomotives with brake blocks type K	101
K.3	Test program for EMU - DMU with brake blocks type K	103
K.4	Test program for High speed train with brake blocks type K	106
Annex L (normative) Dynamometer test program to demonstrate the extreme winter braking properties		109
L.1	Test program for freight wagons with brake blocks type K	109
L.2	Test program for freight wagons with brake blocks type LL	111
L.3	Specific requirements for conducting Test Programs L.1 and L.2	112
L.4	Process of assessment and pass fail criteria for test programs L.1 and L.2	113
L.5	Generic flow chart to perform test program	114
L.6	Detailed flow chart to perform test program (example brake block K)	115
Annex M (normative) Test run to demonstrate the extreme winter braking properties brake blocks K - LL for freight wagons		118
M.1	General	118

M.2	Test conditions	118
M.3	Bases for assessment	119
M.4	Assessment of measurement data and pass/fail criteria	121
Annex N (normative) Dynamometer Test program to simulate "Locked brake"		123
N.1	Test program for freight wagons with brake blocks type K and LL	123
N.2	Test program for locomotives with brake blocks type K	124
N.3	Test program for EMU - DMU with brake blocks type K	125
N.4	Test program for High speed train with brake blocks type K	126
Annex O (normative) Dynamometer test program to demonstrate the compatibility with track circuits		127
O.1	General	127
O.2	Short description of the measuring method used	127
O.3	Schematic diagram of test set up	127
O.4	Flow chart to perform test program	129
O.5	Preparation of the disc and the rollers	129
O.6	Preparation of the samples of brake block	129
O.7	Contamination of disc	130
O.8	Measurements	131
O.9	Assessment of the results	132
Annex P (informative) Vehicle test to demonstrate the compatibility with track circuits		134
P.1	General	134
P.2	Test conditions	134
P.3	Assessment of results	135
P.4	Pass/fail criteria	136
Annex Q (informative) Dynamometer test program - Determination of static friction coefficient		138
Q.1	Test program for freight wagons with brake blocks type K and LL	138
Q.2	Test program for EMU - DMU and Locomotive with brake blocks type K	139
Q.3	Test program for High speed train with brake blocks type K	140
Q.4	Specific Requirements for conducting dynamometer test programmes Q.1 to Q.3	140
Annex R (informative) Dynamometer test program - Simulation of service conditions for freight wagons		143
R.1	Simulation freight wagon with brake block type K 2Bgu	143
R.2	Simulation freight wagon with brake block type LL 2Bgu	145
Annex S (normative) Interchangeability, rejection lugs and critical dimensions		148
Annex T (normative) Brake block shear and flexural strength tests		151
T.1	General	151
T.2	Shear strength test	151
T.3	Flexural strength test	152
Annex U (normative) Limitation of permissible mechanical damage of brake block		154
U.1	General	154
U.2	Cracked through to back-plate	154
U.3	Crumbling of the friction material	155
U.4	Metal pick-up	155
U.5	Detachment from back-plate	156
U.6	Cracks in the direction of wheel circumference	156
U.7	Detachment of the friction material	156
U.8	Interface with the brake block holder	156

Annex V (normative) In service assessment of brake block	158
V.1 General	158
V.2 Freight wagon	158
V.3 Coach	159
V.4 Locomotive	159
V.5 EMU-DMU	160
V.6 High speed train	160
V.7 Description of areas to be monitored and additional measures	161
V.8 Pass/fail criteria	162
Annex W (informative) Complementary definitions and abbreviations	163
Annex X (informative) Brake block characterization test	165
Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2008/57/EC	166
Bibliography	169