

DIN EN 14730-1:2017-06 (E)

Railway applications - Track - Aluminothermic welding of rails - Part 1: Approval of welding processes

Contents		Page
European foreword		5
Introduction		6
1	Scope	7
2	Normative references	7
3	Terms and definitions	7
4	Information to be supplied by the railway authority	8
5	Approval procedure	8
5.1	General	8
5.2	Process identification	8
5.3	General requirements	9
5.4	Documents to be submitted with the request for approval	9
5.4.1	The process manual	9
5.4.2	Drawing with the required measurements	10
Figure 1 -- Dimensions taken from mould pattern		10
5.4.3	Chemical analysis ranges and tolerances	11
5.5	Initial compliance testing	11
Table 1 -- Rail profile groups		11
Table 2 -- Testing scheme		11
5.6	Extension of initial compliance testing	12
5.7	Preparation and allocation of test welds	12
6	Re-approval following process changes	13
6.1	Changes requiring approval	13
6.1.1	Geometric parameters	13
6.1.2	Crucible system	13
6.1.3	Tapping system	13
6.1.4	Pre-heating system	13
6.1.5	Portion	13
6.1.6	Welding gap	14
6.2	Test requirements for re-approval following process changes	14
Table 3 process changes		15
7	Laboratory tests	17
7.1	Visual surface examination	17
7.1.1	As-cast weld surface	17
Table 4 -- Maximum dimensions of slag or sand defects		17
7.1.2	Ground weld surface	17
7.1.3	Visible heat affected zone	17
7.2	Running surface hardness test	17

Table 5 -- Ranges for running surface hardness tests	18
7.3 Slow bend test	18
7.4 Internal examination	18
7.4.1 Weld soundness	18
Figure 2 -- Transverse section of head, web and foot of the rail	19
Figure 3 -- Sectioning of Welds	20
7.4.2 Fusion zone - Shape and dimension	21
Figure 4 -- Shape of fusion zone on the etched longitudinal vertical section	21
7.4.3 Fusion zone	21
7.4.4 Heat softened zone width	22
Table 6 -- Ranges of heat softened zone	22
7.5 Fatigue test	22
7.6 Chemical analysis	22
Table 7 -- Chemical composition	23
Annex A (informative) Steps in approval	24
Annex B (informative) Suggested sequence of laboratory test	25
Annex C (normative) Procedure for Fry etching	26
Annex D (informative) Procedure for measurement of surface hardness	27
Figure D.1 -- Location of surface hardness tests	27
Annex E (normative) Procedure for slow bend test	28
Figure E.1 -- Slow bend test schematic	28
Annex F (normative) Procedure for recording test weld fracture face defects	29
Figure F.1 -- Rail profile grid	30
Annex G (normative) Ultrasonic inspection procedure on aluminothermic welds to be sectioned	31
G.1 General	31
G.2 Test equipment	31
G.3 Preparation of samples	31
G.4 Adjustment	31
G.5 Testing	32
G.6 Reporting	32
Annex H (normative) Procedure for microscopic examination of the visible heat affected zone and fusion zone of welds	33
Figure H.1 -- Scheme for taking samples for microscopic examination	33
Annex I (normative) Procedure for measurement of the heat softened zone width	34
I.1 Measurement of hardness	34
Figure I.1 -- Longitudinal hardness measurement	34
I.2 Evaluation of hardness data	34
I.2.1 General	34
Figure I.2 -- Typical hardness profile	35
I.2.2 Mean hardness of parent rail	35

I.2.3	Measurement hardness line	35
I.2.4	Heat softened zone width measurement	35
I.2.5	Parent rail hardness variation	35
Annex J (normative) Fatigue test methods for aluminothermic welds		36
J.1	General	36
J.2	Test equipment	36
Figure J.1 -- Fatigue test arrangement		36
J.3	Calibration procedure	37
J.4	Fatigue test results	37
J.4.1	General	37
J.4.2	Staircase testing method	37
J.4.2.1	Test pieces	37
J.4.2.2	Procedure	37
J.4.2.3	Data analysis	38
J.4.2.4	Acceptance criteria	39
J.4.3	Example of the data analysis of a fatigue strength determination by the staircase method	39
Table J.1 -- Experimental results		39
J.4.4	Past-the-post testing method	40
J.4.4.1	Test pieces	40
J.4.4.2	Procedure	40
J.4.4.3	Information to be reported	40
J.4.4.4	Acceptance criterion	40
Annex K (informative) A-deviations		41
Bibliography		42