DIN EN 15551:2017-05 (E)

Railway applications - Railway rolling stock - Buffers

Contents

Page

European foreword 7

Introduction 9

1 Scope 10

2 Normative references 10

3 Terms and definitions 11

4 Classification and designation 14
4.1 General 14
4.2 Buffers with buffer stroke 105 mm (Categories A, B and C) 14
4.3 Buffers with buffer stroke 110 mm 14
4.4 Long stroke buffer 150 mm 14
4.5 Crashworthy Buffers 15
4.6 Interaction coupling/buffer 15

5 Requirements 15
5.1 General 15
5.2 Fixing on vehicle and interchangeability 17
5.3 Buffer dimensions 18
5.4 Mechanical characteristics of buffers 19
5.5 Elastic systems 20
5.5.1 Types of elastic systems 20
5.5.2 Static characteristics 21
5.5.3 Dynamic characteristics 22
5.5.4 Type testing 22
5.6 Marking 22

6 Housing 24
6.1 Plunger and base 24
6.2 Buffer head 24
6.2.1 Materials 24
6.2.2 Boundary dimensions 24
6.2.3 Standard dimensions of buffer head 25
6.3 Type and series tests 26

7 Crashworthy buffers 28
7.1 On wagons 28
7.2 On other vehicles 28

Annex A (normative) Maximum space envelope of buffer 29

A.1 Requirements for space envelope of buffer 29
A.1.1 Buffers for freight wagons 29
A.1.2 Buffers for coaches 32
A.2 Notes on the definition of envelopes for overall dimensions of Buffers for freight wagons 33
A.2.1 General 33
A.2.2 Study relating to definition of the envelope 34

Annex B (normative) Mechanical characteristics of buffers - Test methods 36

B.1 General 36
B.2 Test methodology 36
B.2.1 General 36
B.2.2 Force F1 37
B.2.3 Force F2 37
B.2.4 Force F3 37
B.2.5 Force F4 37
B.2.6 Force F5 37
B.2.7 Force F6 38
B.3 Test documentation 38

Annex C (normative) Requirements for elastic systems 40

C.1 Rubber elastomer or other elastomer elastic systems 40
C.1.1 General 40
C.1.2 Metal inserts 40
C.1.3 Constituents of rubber elastomer and/or other elastomer systems 40
C.1.4 Static characteristics of the sets 42
C.1.5 Dynamic characteristics of the sets 42
C.1.6 Bonding 42
C.1.7 Marking 42
C.1.8 Inspection and tests 42
C.2 Friction spring/ring spring 44
C.2.1 Manufacturer's marks 44
C.2.2 Flexibility test 44
C.2.3 Endurance test 45
C.2.4 Static characteristics for friction spring/ring spring 45
C.2.5 Dynamic characteristics for friction spring/ring spring 45
C.3 Hydrodynamic or hydrostatic systems 45
C.3.1 General 45
C.3.2 Absorbing energy medium 46
C.3.3 Static tests of capsules 46
C.4 Combined elastic systems 46

Annex D (normative) Testing of static characteristics of buffers 47

D.1 Test principle 47
D.2 Test procedure 47
D.3 Measurements 47

Annex E (normative) Dynamic testing 48

E.1 Dynamic testing of buffer 48
E.1.1 General 48
E.1.2 Temperature effects 50
E.2 Dynamic characteristics of 105 mm stroke buffer 50
E.2.1 Test programme 50
E.2.2 Category A 52
E.2.3 Category B 52
E.2.4 Category C 53
E.2.5 Comments on the test conditions 53
E.3 Dynamic characteristics of 150 mm stroke buffer 53
E.3.1 General 53
E.3.2 Comments on test conditions 54
E.4 Dynamic characteristics of 110 mm stroke buffer 55

Annex F (normative) Endurance testing under service load for elastic system 56

F.1 Aim of the test 56
F.2 Test principle 56

F.3 Test results to be obtained 56
F.4 Test procedure 57
F.4.1 Endurance test assembly 57
F.4.2 Preliminary static test 57
F.4.3 Endurance test 58
F.4.4 Final static test 58

Annex G (normative) Endurance testing under buffing load for life-cycle simulation 59

G.1 Endurance tests for elastic systems for wagons 59
G.1.1 Aim of the test 59
G.1.2 Test principle 59
G.1.3 Test results to be obtained 59
G.1.4 Test procedure 59
G.1.5 Delivery of elastic systems 61
G.2 Endurance tests for elastic systems for coaches 62
G.2.1 General 62
G.2.2 Tests under alternating loads 62
G.2.3 Repeated buffing tests 63
G.2.4 Conditions to be observed 63

Annex H (informative) Guidelines for buffer head materials 64

H.1 Example of test program requirements for verification of buffer head materials 64
H.2 Buffer head materials 65

Annex I (normative) Calculation of the width of buffer heads 67

I.1 General 67
I.1.1 Introduction 67
I.1.2 Comments on the preparation of the formulae in this annex 67
I.1.3 Track 67
I.1.4 Vehicle 67
I.2 Data used in the calculation 68
I.3 Calculation 68

Annex J (normative) Crashworthy buffers for tank wagons 72

J.1 Requirements on crashworthy buffers 72
J.1.1 Objectives 72
J.1.2 Additional requirements 72
J.2 Test procedure for crashworthy buffers 72

Annex K (normative) Maximum space envelope of crashworthy buffers 74

Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2008/57/EC 77

Bibliography 80

Figures Figure 1 -- Force-stroke diagram for stored and absorbed energy 13

Figure 2 -- Mounting of buffers with non-metallic insert or head (top view for freight wagons) 17

Figure 3 -- Fixing dimensions of 105 mm and 150 mm stroke buffers for interchangeability 18

Figure 4 -- Points of application of forces 20

Figure 5 -- Location of the mark 22

Figure 6 -- Marking 23

Figure 7 -- Boundary dimensions and minimum surface of buffer heads 25

Figure A.1 -- Dimension of the maximum space envelope of buffer - Side view 29

Figure A.2 -- Cross section A - A 30

Figure A.3 -- Cross section B - B 30

Figure A.4 -- Cross section C - C 30

Figure A.5 -- Cross section D - D 31

Figure A.6 -- Cross section E - E 31

Figure A.7 -- Cross section F - F 32

Figure A.8 -- Dimension of the buffer: Cross sections G - G, H - H, K - K and L - L 32

Figure A.9 -- Dimension of the maximum space envelope of buffer for coaches - Side view 33

Figure B.1 -- Location of measurement 36

Figure B.2 -- Tool for application of force F3 37

Figure F.1 -- Definition of heights 56

Figure F.2 -- Representation of the stored energy 57

Figure F.3 -- Endurance test under service load 58

Figure G.1 -- Determination of the buffer strokes for endurance test 60

Figure I.1 -- The position of the bogie vehicles in the track 70

Figure I.2 -- The position of the other vehicles (non bogie vehicles) in the track 71

Figure K.1 -- Dimension of the maximum space of the buffer 74

Figure K.2 -- Cross section A - A 75

Figure K.3 -- Cross section B - B 75

Figure K.4 -- Cross section C - C 75

Figure K.5 -- Cross section D - D 76

Figure K.6 -- Dimension of the buffer: Cross section E - E, F - F, G - G and H - H 76

Tables Table 1 -- Buffer stroke 105 mm 14

Table 2 -- Testing on buffers or their components 16

Table 3 -- Buffer dimensional characteristics 18

Table 4 -- Proof loads for buffers 19

Table 5 -- Static characteristics 21

Table 6 -- Standard widths of buffer heads 26

Table 7 -- Type and series tests 27

Table B.1 -- Measurement protocol (example) 39

Table C.1 -- Characteristics of the constituents 40

Table C.2 -- Nature of inspections and tests 43

Table C.3 -- Number of flexibility tests per batch of springs 45

Table C.4 -- Characteristics of absorbing energy medium 46

Table E.1 -- Standard high-sided open wagon 48

Table E.2 -- Characteristics and requirements with regard to both the test set-up and measuring and technical assessment 49

Table E.3 -- Wagons - Buffers with a stroke of 105 mm, Definition of dynamic tests 51

Table E.4 -- Definition of dynamic tests 54

Table E.5 -- Dynamic characteristics of 110 mm stroke buffers 55

Table G.1 -- Hydrodynamic buffers 62

Table G.2 -- Hydrostatic buffers 62

Table H.1 -- Verification of buffer head materials 64

Table H.2 -- List of selection of existing buffer head materials 66

Table I.1 -- Vehicle specification and valid methodology 69

Table ZA.1 -- Correspondence between this European Standard, the Commission Regulation concerning the technical specification for interoperability relating to the subsystem `rolling stock - freight wagons' of the rail system in the European Union and repealing Commission Decision 2006/861/EC, as amended by Commission Regulation (EU) 2015/924 (published in the Official Journal L 150, 17.06.2015, p.10); and Directive 2008/57/EC 78

Table ZA.2 -- Correspondence between this European Standard, the Commission regulation (EU) No 1302/2014 of 18 November 2014 concerning the technical specification for interoperability relating to the `rolling stock locomotives and passenger rolling stock' of the rail system in the European Union (published in the Official Journal L 356, 12.12.2014, p.228) and Directive 2008/57/EC 79