

# DIN EN 16834:2019-07 (E)

## Railway applications - Braking - Brake performance

---

<b>Contents</b>		<b>Page</b>
European foreword .....		5
<b>1</b>	<b>Scope .....</b>	<b>6</b>
<b>2</b>	<b>Normative references .....</b>	<b>6</b>
<b>3</b>	<b>Terms and definitions .....</b>	<b>7</b>
<b>4</b>	<b>Symbols and abbreviations .....</b>	<b>8</b>
<b>5</b>	<b>Principles of determining the brake performance .....</b>	<b>9</b>
<b>5.1</b>	<b>General .....</b>	<b>9</b>
<b>5.2</b>	<b>Brake assessment with braked weights .....</b>	<b>10</b>
<b>5.3</b>	<b>Brake assessment with deceleration's method .....</b>	<b>11</b>
<b>6</b>	<b>Execution of tests .....</b>	<b>11</b>
<b>6.1</b>	<b>Test methods .....</b>	<b>11</b>
<b>6.1.1</b>	<b>General .....</b>	<b>11</b>
<b>6.1.2</b>	<b>Freight wagons and coaches .....</b>	<b>11</b>
<b>6.1.3</b>	<b>Locomotives .....</b>	<b>12</b>
<b>6.1.4</b>	<b>EMU/DMU and high speed trainsets .....</b>	<b>12</b>
<b>6.1.5</b>	<b>Testing of vehicles/trains with additional brake equipment .....</b>	<b>12</b>
<b>6.2</b>	<b>Load conditions for tests .....</b>	<b>12</b>
<b>6.2.1</b>	<b>Freight wagons .....</b>	<b>12</b>
<b>6.2.2</b>	<b>Locomotives .....</b>	<b>13</b>
<b>6.2.3</b>	<b>Passenger vehicles .....</b>	<b>13</b>
<b>6.3</b>	<b>Speeds to be used for testing .....</b>	<b>14</b>
<b>6.4</b>	<b>Method of execution of the test .....</b>	<b>15</b>
<b>6.4.1</b>	<b>General .....</b>	<b>15</b>
<b>6.4.2</b>	<b>Atmospheric conditions .....</b>	<b>16</b>
<b>6.4.3</b>	<b>Condition of brake equipment .....</b>	<b>16</b>
<b>6.4.4</b>	<b>Number and validity of individual tests .....</b>	<b>16</b>
<b>6.5</b>	<b>Test in degraded mode and degraded conditions .....</b>	<b>17</b>
<b>6.6</b>	<b>Determination of brake performance for the ETCS system .....</b>	<b>17</b>
<b>6.7</b>	<b>Evaluating the test results for stopping distance .....</b>	<b>18</b>
<b>6.7.1</b>	<b>Correcting the stopping distances for each test .....</b>	<b>18</b>
<b>6.7.2</b>	<b>Determining the mean stopping distance .....</b>	<b>19</b>
<b>6.7.3</b>	<b>Correction of the mean stopping distance .....</b>	<b>22</b>
<b>6.8</b>	<b>Parking and holding brake testing .....</b>	<b>25</b>
<b>7</b>	<b>Assessment for deceleration method .....</b>	<b>25</b>
<b>7.1</b>	<b>General .....</b>	<b>25</b>
<b>7.2</b>	<b>Physical principles .....</b>	<b>25</b>
<b>7.3</b>	<b>Determining the parameters required for brake performance .....</b>	<b>26</b>
<b>7.3.1</b>	<b>General .....</b>	<b>26</b>
<b>7.3.2</b>	<b>Method for determining decelerations .....</b>	<b>27</b>
<b>7.4</b>	<b>Assessment of performance under degraded conditions .....</b>	<b>30</b>
<b>7.4.1</b>	<b>Coefficient of friction reduced due to moisture .....</b>	<b>30</b>
<b>7.4.2</b>	<b>Effect of reduced adhesion .....</b>	<b>30</b>
<b>7.4.3</b>	<b>Determining degraded deceleration .....</b>	<b>31</b>
<b>8</b>	<b>Assessment of the braked weight .....</b>	<b>31</b>

8.1	General .....	31
8.1.1	Determining braked weight percentage .....	31
8.1.2	Determining braked weight .....	32
8.2	Coaches and EMU/DMU's .....	33
8.3	Additional assessment for Coaches operating with a speed above 160 km/h from vehicles test .....	33
8.4	Freight wagons in P .....	34
8.5	Freight wagons in G .....	34
8.6	Locomotives .....	34
8.7	Magnetic track brake and eddy current brake .....	35
8.7.1	General .....	35
8.7.2	Assessment using train test .....	35
8.7.3	Assessment using single vehicle test .....	35
8.8	ep brake (ep-direct and ep-assist) .....	35
8.9	Brake pipe accelerators valves .....	35
9	Recommendations for the use of braked weight percentage in operation .....	36
9.1	General .....	36
9.2	Principles of use for trains operating in P mode .....	36
9.3	Adjustment for trains comprising a locomotive and coaches .....	37
9.3.1	Variation in braked weight taking into account the length of the train .....	37
9.3.2	Braked weight of trains fitted with brake accelerators .....	37
9.3.3	Rules of use for train operation: Braked weight of trains fitted with ep assist .....	38
9.3.4	Variation in braked weight taking into account supplementary dynamic brake .....	38
9.4	Adjustments for Freight trains braked in the P mode .....	38
9.4.1	Variation in braked weight taking into account the length of the train .....	38
9.4.2	Reduction in the braked weight of a G-braked vehicle in a P-braked train .....	39
9.4.3	Variation in braked weight taking into account Brake accelerators and ep assist .....	39
9.5	Principles of use for trains operating in G mode .....	39
9.5.1	General .....	39
9.5.2	Freight trains .....	39
10	Operation with the ETCS system .....	40
11	Assessment of maximum utilization of adhesion .....	40
12	Assessment of gradient capability of parking/holding brake .....	41
Annex A (normative)	Brake assessment for trains .....	42
A.1	Assessment sheet for trains using brake positions P, R, R+Mg .....	42
A.2	Overview of the mathematical formulae for the assessment curves for trains using brake positions P, R, R+Mg .....	44
Annex B (normative)	Brake assessment for single vehicles .....	45
B.1	Assessment sheet for single vehicles .....	45
B.2	Overview of the mathematical formulae for the assessment curves for single vehicles .....	47
Annex C (normative)	Checking of the friction pairing of disc-braked single vehicles .....	48
C.1	Diagram for checking the friction pairing of disc-braked single vehicles .....	48
C.2	Overview of the mathematical formulae for the assessment curves for checking the friction pairing of disc-braked single vehicles .....	50
Annex D (normative)	Determining the brake performance of freight wagons fitted with cast iron brake blocks (P10) or fully certified and exchangeable LL-blocks .....	51
Annex E (normative)	Determining the equivalent brake response time .....	54
E.1	General .....	54

E.2	Determining the equivalent brake response time based on train deceleration .....	54
E.3	Determining the equivalent brake response time based on brake cylinder filling times .....	55
E.3.1	General .....	55
E.3.2	Assessment .....	55
<b>Annex F (normative) Conversion model for ERTMS/ETCS .....</b>		<b>57</b>
F.1	Introduction .....	57
F.2	Symbols for this Annex .....	57
F.3	Scope of validity of model .....	59
F.4	Brake model .....	60
F.4.1	General principles .....	60
F.4.2	Calculating the equivalent emergency brake development time .....	62
F.4.3	Calculating the equivalent full brake development time .....	63
F.4.4	Calculating the basic decelerations .....	64
F.4.5	Calculating the decelerations during emergency braking .....	66
F.5	Example of calculation of the stopping or slowing distance .....	67
<b>Annex G (normative) Assessment sheet for individual vehicles running at speeds of less than 100 km/h using brake positions P and R .....</b>		<b>68</b>
G.1	Assessment sheet for individual vehicles fitted with cast iron blocks (P10) at speeds below 100 km/h .....	68
G.2	Overview of the mathematical formulae used in assessment curves for individual vehicles fitted with cast iron blocks (P10) at speeds below 100 km/h .....	70
G.3	Assessment sheet for individual vehicles fitted with EN-UIC brake system and disc brakes or K blocks at speeds below 100 km/h .....	71
G.4	Overview of the mathematical formulae used in assessment curves for individual vehicles fitted with EN-UIC disc brakes or composite brake blocks at speeds below 100 km/h .....	73
<b>Annex H (normative) Procedure for verifying the maximum utilization of adhesion between wheel and rail .....</b>		<b>74</b>
H.1	Symbols and abbreviations for this Annex .....	74
H.2	General .....	74
H.3	Prerequisites .....	74
H.4	Determination of the maximum equivalent mean deceleration based on distance relevant for adhesion max, .....	75
H.5	Calculation of the mean friction coefficient for the friction brake $\mu_m$ of the test .....	75
H.6	Calculation of the maximum utilization of adhesion between wheel and rail max .....	75
<b>Annex I (informative) Example for verifying the maximum utilization of adhesion between wheel and rail for non-homogenous friction brake equipment .....</b>		<b>77</b>
I.1	Non-homogenous friction brake equipment .....	77
I.2	Variation of brake cylinder pressure during brake application .....	77
<b>Annex J (informative) Example for correction and validation of test results exceeding mandatory test conditions -- Treatment of curve radii lower than 1 000 m .....</b>		<b>80</b>
<b>Annex ZA (informative) Relationship between this European Standard and the essential requirements of EU Directive 2008/57/EC aimed to be covered .....</b>		<b>82</b>
<b>Bibliography .....</b>		<b>84</b>