DIN EN 16452:2019-06 (E)

Railway applications - Braking - Brake blocks (includes Amendment :2019)

Contents

Page

Foreword 8

Introduction 9

1 Scope 10

2 Normative references 10

3 Terms and definitions 11

4 Abbreviations 13

5 Overall requirements 13
5.1 Deviations from requirements 13
5.2 Functions 13
5.3 Operational criteria 14
5.3.1 Friction material performance 14
5.3.2 Service performance 14
5.3.3 Brake block characteristics 15

6 Acceptance procedure 15
6.1 Brake block performance requirements 15
6.1.1 General 15
6.1.2 Category A 16
6.1.3 Category B 16
6.1.4 Category C 16
6.2 Approval test requirements 16
6.3 Dynamometer specification 19

7 Category A requirements 19
7.1 Brake block characteristics 19
7.1.1 Standard design 19
7.1.2 Brake block characterization test 19
7.1.3 Brake block mechanical characteristics for service operation 20
7.2 Dynamic friction performance 20
7.2.1 Generic requirements for assessment process 20
7.2.2 Bedded and non bedded performance 21
7.2.3 Variation in mean coefficient of friction in dry condition for a brake to rest 21
7.2.4 Mean friction coefficient variation under wet conditions 21
7.2.5 Mean friction coefficient variation at high initial temperature 21
7.2.6 Mean friction coefficient variation after simulation of a downhill brake application 21
7.2.7 Instantaneous friction coefficient variation during simulation of a downhill brake application 21
7.2.8 Variation in instantaneous friction for a brake to rest 23
7.3 Static friction coefficient 24
7.4 Extreme winter conditions (freight wagons) 24
7.4.1 General 24
7.4.2 !Dynamometer test 24
7.4.3 Train brake test 25
7.5 Locked brake (fusibility) 26
7.5.1 Generic prescriptions 26
7.5.2 Specific prescriptions for freight wagons 26

8 Category B requirements 27
8.1 Vehicle brake test 27
8.2 Dynamometer wear test (friction couple) 27
8.3 Dynamic friction performance 27
8.4 In service assessment 27

9 Category C requirements 28
9.1 Metal pick up 28
9.2 Influence on track circuit operation (shuntage) 28

10 Environmental issues 28
10.1 General 28
10.2 Noise 28
10.3 Odour 29
10.4 Smoke, fumes and sparkling 29
10.5 Recycling and disposal 29

11 Marking 29

Annex A (normative) Summary of Dynamometer test programs and acceptance criteria 30

Annex B (normative) General requirements for conducting dynamometer test programmes 32

B.1 General 32
B.2 Rotation and ventilation conditions 32
B.3 Brake application timing ts 32
B.4 Bedding 32
B.5 Wear 32
B.6 Roughness index of the wheel tread 33
B.7 Interruption of the tests 33
B.8 Temperatures 33
B.9 Wet conditions 33
B.10 Test of simulation of downhill 34
B.11 Test wheels 34

Annex C (normative) Composite brake blocks (K) (2Bg - 2Bgu)- Demonstration of friction properties for S and SS (S/SS) - braked freight wagons (vmax = 120 km/h) 35

C.1 Program for performance tests 35
C.2 Program for simulation brake assessment 41
C.3 Dispersion range of mean friction coefficients 42
C.4 Dispersion range of instantaneous friction coefficients 46

Annex D (normative) Composite brake blocks (LL) - Demonstration of friction properties for S and SS (S/SS) - braked freight wagons (vmax = 120 km/h) 47

D.1 Program for performance tests 47
D.2 Program for simulation brake assessment 52
D.3 Dispersion range of mean friction coefficients 54
D.4 Dispersion range of instantaneous friction coefficients 56

Annex E (normative) Composite brake blocks (K) (1Bg)- Demonstration of friction properties for S and SS (S/SS) - braked freight wagons (vmax = 120 km/h) 57

E.1 Program for performance tests 57
E.2 Dispersion range of mean friction coefficients 60
E.3 Dispersion range of instantaneous friction coefficients 62

Annex F (normative) Composite brake blocks (L) - Demonstration of friction properties for extra tread brake of coach 63

F.1 Program for performance tests 63
F.2 Program for simulation brake assessment 67
F.3 Dispersion range of mean friction coefficients in dry condition 68
F.4 Dispersion range of mean friction coefficients in wet condition 69
F.5 Dispersion range of instantaneous friction coefficients 70

Annex G (normative) Composite brake blocks (K) - Demonstration of friction properties for locomotives 72

G.1 Program for performance tests 72
G.2 Program for simulation brake assessment 76
G.3 Dispersion range of mean friction coefficients in dry condition 77
G.4 Dispersion range of mean friction coefficients in wet condition 78
G.5 Dispersion range of instantaneous friction coefficients 79

Annex H (normative) Composite brake blocks (K) - Demonstration of friction properties for EMU - DMU 81

H.1 Program for performance tests 81
H.2 Program for simulation brake assessment 86
H.3 Dispersion range of mean friction coefficients in dry condition 87
H.4 Dispersion range of mean friction coefficients in wet condition 88
H.5 Dispersion range of instantaneous friction coefficients 89

Annex I (normative) Composite brake blocks (K) - Demonstration of friction properties for High speed train (motor bogie) 91

I.1 Program for performance tests 91
I.2 Program for simulation brake assessment 94
I.3 Dispersion range of mean friction coefficients in dry condition 95
I.4 Dispersion range of mean friction coefficients in wet condition 97
I.5 Dispersion range of instantaneous friction coefficients 98

Annex J (!normative") Dynamometer test program - Generic test program 100

J.1 General 100
J.2 Generic test program 100
J.3 Definitions 104
J.4 !Values to be determined in order to define the area of use 104
J.5 "Principle of assessment and pass/fail criteria 106

Annex K (normative) Dynamometer Test program to detect the formation of metal pick-up at the brake block 107

K.1 Test program for freight wagons with brake blocks type K and LL 107
K.2 Test program for locomotives with brake blocks type K 109
K.3 Test program for EMU - DMU with brake blocks type K 112
K.4 Test program for High speed train with brake blocks type K 115

Annex L (normative) Dynamometer test program to demonstrate the extreme winter braking properties 118

L.1 Test program for freight wagons with brake blocks type K 118
L.2 Test program for freight wagons with brake blocks type LL 120
L.3 Specific requirements for conducting Test Programs L.1 and L.2 121
L.4 Process of assessment and past fail criteria for test programs L.1 and L.2 122
L.5 Generic flow chart to perform test program 123
L.6 Detailed flow chart to perform test program (example brake block K) 124

Annex M (normative) Test run to demonstrate the extreme winter braking properties brake blocks K - LL for freight wagons 127

M.1 !Test program to demonstrate the braking properties under severe snowy conditions ... 127
M.2 Values to be determined in order to define the area of use ... 130
M.3 Assessment of measurement data and pass/fail criteria ... 130

Annex N (normative) Dynamometer Test program to simulate "Locked brake" ... 132

N.1 Test program for freight wagons with brake blocks type K and LL ... 132
N.2 Test program for locomotives with brake blocks type K ... 133
N.3 Test program for EMU - DMU with brake blocks type K ... 134
N.4 Test program for High speed train with brake blocks type K ... 135

Annex O (normative) Dynamometer test program to demonstrate the compatibility with track circuits ... 136

O.1 General ... 136
O.2 Short description of the measuring method used ... 136
O.3 Schematic diagram of test set up ... 136
O.4 Flow chart to perform test program ... 138
O.5 Preparation of the disc and the rollers ... 138
O.6 Preparation of the samples of brake block ... 139
O.7 Contamination of disc ... 139
O.8 Measurements ... 140
O.9 Assessment of the results ... 141

Annex P (informative) Vehicle test to demonstrate the compatibility with track circuits ... 143

P.1 General ... 143
P.2 Test conditions ... 143
P.3 Assessment of results ... 144
P.4 Pass/fail criteria ... 145

Annex Q (informative) Dynamometer test program - Determination of static friction coefficient ... 147

Q.1 !Generic test program for freight wagons with brake blocks type K and LL ... 147
Q.2 !Specific test program for S and/or SS freight wagons with brake blocks type K and LL" 147
Q.3 Test program for EMU - DMU and Locomotive with brake blocks type K ... 149
Q.4 Test program for High speed train with brake blocks type K ... 150
Q.5 !Specific Requirements for conducting dynamometer test programmes Q.1 to Q.4" ... 150

Annex R (informative) Dynamometer test program - Simulation of service conditions for freight wagons ... 153

R.1 Simulation freight wagon with brake block type K 2Bgu ... 153
R.2 Simulation freight wagon with brake block type LL 2Bgu ... 155

Annex S (normative) Interchangeability, rejection lugs and critical dimensions ... 158

Annex T (normative) Brake block shear and flexural strength tests ... 161

T.1 General ... 161
T.2 Shear strength test ... 161
T.3 Flexural strength test ... 162

Annex U (normative) Limitation of permissible mechanical damage of brake block ... 164

U.1 General ... 164
U.2 Cracked through to back-plate ... 164
U.3 Crumbling of the friction material ... 165
U.4 Metal pick-up ... 165
U.5 Detachment from back-plate ... 166
U.6 Cracks in the direction of wheel circumference ... 166
U.7 Detachment of the friction material ... 166

U.8 Interface with the brake block holder 167

Annex V (normative) In service assessment of brake block 168

V.1 General 168
V.2 Freight wagon 168
V.3 Coach 169
V.4 Locomotive 169
V.5 EMU-DMU 170
V.6 High speed train 170
V.7 Description of areas to be monitored and additional measures 171
V.8 Pass/fail criteria 172

Annex W (informative) Complementary definitions and abbreviations 173

Annex X (informative) Brake block characterization test 175

Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2008/57/EC aimed to be covered 176

Bibliography 179