

DIN EN 16452:2019-06 (E)

Railway applications - Braking - Brake blocks (includes Amendment :2019)

Contents	Page
Foreword	8
Introduction	9
1 Scope	10
2 Normative references	10
3 Terms and definitions	11
4 Abbreviations	13
5 Overall requirements	13
5.1 Deviations from requirements	13
5.2 Functions	13
5.3 Operational criteria	14
5.3.1 Friction material performance	14
5.3.2 Service performance	14
5.3.3 Brake block characteristics	15
6 Acceptance procedure	15
6.1 Brake block performance requirements	15
6.1.1 General	15
6.1.2 Category A	16
6.1.3 Category B	16
6.1.4 Category C	16
6.2 Approval test requirements	16
6.3 Dynamometer specification	19
7 Category A requirements	19
7.1 Brake block characteristics	19
7.1.1 Standard design	19
7.1.2 Brake block characterization test	19
7.1.3 Brake block mechanical characteristics for service operation	20
7.2 Dynamic friction performance	20
7.2.1 Generic requirements for assessment process	20
7.2.2 Bedded and non bedded performance	21
7.2.3 Variation in mean coefficient of friction in dry condition for a brake to rest	21
7.2.4 Mean friction coefficient variation under wet conditions	21
7.2.5 Mean friction coefficient variation at high initial temperature	21
7.2.6 Mean friction coefficient variation after simulation of a downhill brake application	21
7.2.7 Instantaneous friction coefficient variation during simulation of a downhill brake application	21
7.2.8 Variation in instantaneous friction for a brake to rest	23
7.3 Static friction coefficient	24
7.4 Extreme winter conditions (freight wagons)	24
7.4.1 General	24
7.4.2 !Dynamometer test	24
7.4.3 Train brake test	25
7.5 Locked brake (fusibility)	26
7.5.1 Generic prescriptions	26
7.5.2 Specific prescriptions for freight wagons	26

8	Category B requirements	27
8.1	Vehicle brake test	27
8.2	Dynamometer wear test (friction couple)	27
8.3	Dynamic friction performance	27
8.4	In service assessment	27
9	Category C requirements	28
9.1	Metal pick up	28
9.2	Influence on track circuit operation (shuntage)	28
10	Environmental issues	28
10.1	General	28
10.2	Noise	28
10.3	Odour	29
10.4	Smoke, fumes and sparkling	29
10.5	Recycling and disposal	29
11	Marking	29
Annex A (normative) Summary of Dynamometer test programs and acceptance criteria		30
Annex B (normative) General requirements for conducting dynamometer test programmes		32
B.1	General	32
B.2	Rotation and ventilation conditions	32
B.3	Brake application timing t_s	32
B.4	Bedding	32
B.5	Wear	32
B.6	Roughness index of the wheel tread	33
B.7	Interruption of the tests	33
B.8	Temperatures	33
B.9	Wet conditions	33
B.10	Test of simulation of downhill	34
B.11	Test wheels	34
Annex C (normative) Composite brake blocks (K) (2Bg - 2Bgu)- Demonstration of friction properties for S and SS (S/SS) - braked freight wagons ($v_{max} = 120 \text{ km/h}$)		35
C.1	Program for performance tests	35
C.2	Program for simulation brake assessment	41
C.3	Dispersion range of mean friction coefficients	42
C.4	Dispersion range of instantaneous friction coefficients	46
Annex D (normative) Composite brake blocks (LL) - Demonstration of friction properties for S and SS (S/SS) - braked freight wagons ($v_{max} = 120 \text{ km/h}$)		47
D.1	Program for performance tests	47
D.2	Program for simulation brake assessment	52
D.3	Dispersion range of mean friction coefficients	54
D.4	Dispersion range of instantaneous friction coefficients	56
Annex E (normative) Composite brake blocks (K) (1Bg)- Demonstration of friction properties for S and SS (S/SS) - braked freight wagons ($v_{max} = 120 \text{ km/h}$)		57
E.1	Program for performance tests	57
E.2	Dispersion range of mean friction coefficients	60
E.3	Dispersion range of instantaneous friction coefficients	62
Annex F (normative) Composite brake blocks (L) - Demonstration of friction properties for extra tread brake of coach		63

F.1	Program for performance tests	63
F.2	Program for simulation brake assessment	67
F.3	Dispersion range of mean friction coefficients in dry condition	68
F.4	Dispersion range of mean friction coefficients in wet condition	69
F.5	Dispersion range of instantaneous friction coefficients	70
Annex G (normative) Composite brake blocks (K) - Demonstration of friction properties for locomotives		72
G.1	Program for performance tests	72
G.2	Program for simulation brake assessment	76
G.3	Dispersion range of mean friction coefficients in dry condition	77
G.4	Dispersion range of mean friction coefficients in wet condition	78
G.5	Dispersion range of instantaneous friction coefficients	79
Annex H (normative) Composite brake blocks (K) - Demonstration of friction properties for EMU - DMU		81
H.1	Program for performance tests	81
H.2	Program for simulation brake assessment	86
H.3	Dispersion range of mean friction coefficients in dry condition	87
H.4	Dispersion range of mean friction coefficients in wet condition	88
H.5	Dispersion range of instantaneous friction coefficients	89
Annex I (normative) Composite brake blocks (K) - Demonstration of friction properties for High speed train (motor bogie)		91
I.1	Program for performance tests	91
I.2	Program for simulation brake assessment	94
I.3	Dispersion range of mean friction coefficients in dry condition	95
I.4	Dispersion range of mean friction coefficients in wet condition	97
I.5	Dispersion range of instantaneous friction coefficients	98
Annex J (!normative") Dynamometer test program - Generic test program		100
J.1	General	100
J.2	Generic test program	100
J.3	Definitions	104
J.4	!Values to be determined in order to define the area of use	104
J.5	"Principle of assessment and pass/fail criteria	106
Annex K (normative) Dynamometer Test program to detect the formation of metal pick-up at the brake block		107
K.1	Test program for freight wagons with brake blocks type K and LL	107
K.2	Test program for locomotives with brake blocks type K	109
K.3	Test program for EMU - DMU with brake blocks type K	112
K.4	Test program for High speed train with brake blocks type K	115
Annex L (normative) Dynamometer test program to demonstrate the extreme winter braking properties		118
L.1	Test program for freight wagons with brake blocks type K	118
L.2	Test program for freight wagons with brake blocks type LL	120
L.3	Specific requirements for conducting Test Programs L.1 and L.2	121
L.4	Process of assessment and pass fail criteria for test programs L.1 and L.2	122
L.5	Generic flow chart to perform test program	123
L.6	Detailed flow chart to perform test program (example brake block K)	124
Annex M (normative) Test run to demonstrate the extreme winter braking properties brake blocks K - LL for freight wagons		127

M.1	!Test program to demonstrate the braking properties under severe snowy conditions	127
M.2	Values to be determined in order to define the area of use	130
M.3	Assessment of measurement data and pass/fail criteria	130
Annex N (normative) Dynamometer Test program to simulate "Locked brake"		132
N.1	Test program for freight wagons with brake blocks type K and LL	132
N.2	Test program for locomotives with brake blocks type K	133
N.3	Test program for EMU - DMU with brake blocks type K	134
N.4	Test program for High speed train with brake blocks type K	135
Annex O (normative) Dynamometer test program to demonstrate the compatibility with track circuits		136
O.1	General	136
O.2	Short description of the measuring method used	136
O.3	Schematic diagram of test set up	136
O.4	Flow chart to perform test program	138
O.5	Preparation of the disc and the rollers	138
O.6	Preparation of the samples of brake block	139
O.7	Contamination of disc	139
O.8	Measurements	140
O.9	Assessment of the results	141
Annex P (informative) Vehicle test to demonstrate the compatibility with track circuits		143
P.1	General	143
P.2	Test conditions	143
P.3	Assessment of results	144
P.4	Pass/fail criteria	145
Annex Q (informative) Dynamometer test program - Determination of static friction coefficient		147
Q.1	!Generic test program for freight wagons with brake blocks type K and LL	147
Q.2	!Specific test program for S and/or SS freight wagons with brake blocks type K and LL"	147
Q.3	Test program for EMU - DMU and Locomotive with brake blocks type K	149
Q.4	Test program for High speed train with brake blocks type K	150
Q.5	!Specific Requirements for conducting dynamometer test programmes Q.1 to Q.4"	150
Annex R (informative) Dynamometer test program - Simulation of service conditions for freight wagons		153
R.1	Simulation freight wagon with brake block type K 2Bgu	153
R.2	Simulation freight wagon with brake block type LL 2Bgu	155
Annex S (normative) Interchangeability, rejection lugs and critical dimensions		158
Annex T (normative) Brake block shear and flexural strength tests		161
T.1	General	161
T.2	Shear strength test	161
T.3	Flexural strength test	162
Annex U (normative) Limitation of permissible mechanical damage of brake block		164
U.1	General	164
U.2	Cracked through to back-plate	164
U.3	Crumbling of the friction material	165
U.4	Metal pick-up	165
U.5	Detachment from back-plate	166
U.6	Cracks in the direction of wheel circumference	166
U.7	Detachment of the friction material	166

U.8	Interface with the brake block holder	167
Annex V (normative) In service assessment of brake block		168
V.1	General	168
V.2	Freight wagon	168
V.3	Coach	169
V.4	Locomotive	169
V.5	EMU-DMU	170
V.6	High speed train	170
V.7	Description of areas to be monitored and additional measures	171
V.8	Pass/fail criteria	172
Annex W (informative) Complementary definitions and abbreviations		173
Annex X (informative) Brake block characterization test		175
Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2008/57/EC aimed to be covered		176
Bibliography		179