DIN EN 13262:2020-12 (E)

Railway applications - Wheelsets and bogies - Wheels - Product requirements

Contents

Page

European foreword ... 5
Introduction ... 6
1 European scope ... 7
2 Normative references ... 7
3 Terms and definitions ... 8
4 Product definition ... 9
4.1 Chemical composition ... 9
4.1.1 Values to be obtained ... 9
4.1.2 Sampling position ... 9
4.1.3 Chemical analysis ... 9
4.2 Mechanical characteristics ... 10
4.2.1 Characteristics from the tensile testing ... 10
4.2.2 Hardness characteristics in the rim ... 12
4.2.3 Impact resistance characteristics ... 14
4.2.4 Fatigue characteristics ... 14
4.2.5 Toughness characteristics of the rim ... 15
4.3 Heat treatment homogeneity ... 17
4.3.1 Values to be obtained ... 17
4.3.2 Test pieces ... 17
4.3.3 Test method ... 17
4.4 Material cleanliness ... 17
4.4.1 Micrographic cleanliness ... 17
4.4.2 Internal integrity ... 19
4.5 Residual stresses ... 22
4.5.1 General ... 22
4.5.2 Values to be obtained ... 22
4.5.3 Test piece ... 22
4.5.4 Measurement methods ... 22
4.6 Surface characteristics ... 22
4.6.1 Surface finish ... 22
4.6.2 Surface condition for the oil injection hole ... 23
4.6.3 Surface integrity ... 23
4.7 Geometrical tolerances ... 24
4.7.1 General ... 24
4.7.2 Wear groove ... 26
4.8 Static imbalance ... 27
4.9 Corrosion protection ... 28
4.10 Marking ... 28
5 Product qualification ... 29
6 Conditions of supply of the product ... 29
7 Tips for choosing the steel grade ... 29
Annexe A (normative) Evaluation process for the acceptance of new materials ... 30
A.1 General ... 30
A.2 First step: Characterisation of a new steel grade ... 30
A.3 Step two: Testing in service ... 30
A.4 Step three: Report ... 31

Annexe B (informative) Examples of test benches for fatigue testing 32
B.1 Test piece 32
B.2 First test method 32
B.2.1 Test rig 32
B.2.2 Test control 32
B.3 Second test method 33
B.3.1 Test rig 33
B.3.2 Control of the test 34
B.4 Third test method 34
B.4.1 Test rig 34
B.4.2 Control of the test 35
Annexe C (informative) Strain gauge method of determining the variation in circumferential residual stresses deep under the running surface (destructive method) 36
C.1 Method principle 36
C.2 Procedure 36
C.2.1 Strain gauge equipment for a section of the rim before cutting the wheel (Figure C.1) 36
C.2.2 Making the cuts (Figure C.2) 36
C.2.3 Operations to be performed during cutting 37
C.3 Calculation of the variation of the circumferential residual stress deep under the running surface 37
C.3.1 General 37
C.3.2 Calculation of the variation of the circumferential stress produced by cutting operation no. 1 37
C.3.3 Calculation of the variation of the circumferential stress produced by cutting operation no. 2 38
C.3.4 Calculation of the variation of the circumferential stress produced by cutting operation no. 3 38
C.3.5 Final diagram showing the variation of the circumferential stress deep under the running surface 38
Annexe D (normative) Product qualification 41
D.1 Introduction 41
D.2 General 41
D.3 Requirements 42
D.3.1 Requirements to be met by the manufacturing process 42
D.3.1.1 General 42
D.3.1.2 Quality organisation 42
D.3.1.3 Staff qualification 42
D.3.1.4 Equipment 42
D.3.2 Requirements to be met by the product 42
D.4 Qualification procedure 42
D.4.1 General 42
D.4.2 Documentation required 43
D.4.3 Evaluation of production facilities and production process 43
D.4.4 Laboratory tests 44
D.4.5 Wheel tests 44
D.4.5.1 Extended production control 44
D.4.5.2 Commissioning 45
D.4.5.3 Result of monitoring in service 45
D.5 Validity of the qualification 45

D.5.1 Condition of validity 45
D.5.2 Modification and extension 45
D.5.3 Transfer 45
D.5.4 Expiry 46
D.5.5 Withdrawal 46
D.6 Qualification record 46
Annexe E (normative) Conditions of supply of the product 47
E.1 Introduction 47
E.2 General 47
E.3 Delivery states 48
E.4 Unit checks 48
E.5 Batch sampling check 48
E.5.1 Checks to be carried out 48
E.5.2 Batch homogeneity by measuring rim hardness 49
E.5.3 Orientation of residual stresses on treated wheels 50
E.5.4 Visual inspection 50
E.6 Quality plan 50
E.6.1 General 50
E.6.2 Objectives 50
E.6.3 Methods of application 50
E.7 Permissible repairs 51
E.8 Retest 51
Annexe F (normative) Measurement of the hydrogen content at the time of development of steel for monobloc wheels 52
F.1 General 52
F.2 Sampling 52
F.3 Analysis method 52
F.4 Precautions 52
Annexe G (informative) Common applications of steel grades 53
Annexe ZA (informative) Relationship between this European Standard and the essential requirements of Directive 2016/797/EC to be met 54
Bibliography 57