

# DIN EN 13261:2020-12 (E)

## Railway applications - Wheelsets and bogies - Axles - Product requirements

| <b>Contents</b>  | <b>Page</b> |
|--|-------------|
| European foreword.....                                       | 6           |
| Introduction .....   | 7           |
| 1 Scope.....   | 8           |
| 2 Normative references.....                                  | 8           |
| 3 Terms and definitions .....                                | 9           |
| 4 Product definition.....                                    | 11          |
| 4.1 Chemical composition .....                               | 11          |
| 4.1.1 Values to be obtained .....                            | 11          |
| 4.1.2 Sampling methods .....                                 | 11          |
| 4.1.3 Analysis method .....                                  | 11          |
| 4.2 Mechanical characteristics .....                         | 11          |
| 4.2.1 Characteristics from the tensile testing.....          | 11          |
| 4.2.2 Impact resistance characteristics .....                | 14          |
| 4.2.3 Fatigue characteristics .....                          | 16          |
| 4.3 Microstructural characteristics .....                    | 18          |
| 4.3.1 Values to be obtained .....                            | 18          |
| 4.3.2 Position of the test piece.....                        | 18          |
| 4.3.3 Test method .....                                      | 18          |
| 4.4 Material cleanliness .....                               | 18          |
| 4.4.1 Micrographic cleanliness .....                         | 18          |
| 4.4.2 Internal integrity.....                                | 20          |
| 4.5 Ultrasonic permeability.....                             | 20          |
| 4.5.1 General.....   | 20          |
| 4.5.2 Level to be obtained .....                             | 20          |
| 4.5.3 Test piece .....                                       | 20          |
| 4.5.4 Test method .....                                      | 21          |
| 4.6 Residual stresses .....                                  | 21          |
| 4.6.1 General.....   | 21          |
| 4.6.2 Values to be obtained .....                            | 21          |
| 4.6.3 Test piece and measurement point location .....        | 21          |
| 4.6.4 Measurement method .....                               | 22          |
| 4.7 Surface characteristics .....                            | 22          |
| 4.7.1 Surface finish .....                                   | 22          |
| 4.7.2 Surface integrity .....                                | 25          |
| 4.8 Geometrical and dimensional tolerances.....              | 26          |
| 4.9 Protection against corrosion and mechanical damage ..... | 31          |
| 4.9.1 Final protection .....                                 | 31          |
| 4.9.2 Temporary protection.....                              | 36          |
| 4.10 Marking.....  | 37          |
| 5 Alternative manufacturing process.....                     | 37          |
| 6 Product qualification .....                                | 37          |
| 7 Conditions of supply of the product .....                  | 37          |

|   |           |
|---|-----------|
| <b>Annexe A (informative) Sampling of the material from an axle journal overlength.....</b>                       | <b>38</b> |
| <b>A.1 Values to be reached.....</b>  | <b>38</b> |
| <b>A.2 Sampling method.....</b>   | <b>38</b> |
| <b>A.2.1 Overlength with a diameter identical to the journal diameter.....</b>                                    | <b>38</b> |
| <b>A.2.2 Overlength with a diameter greater than the journal diameter.....</b>                                    | <b>38</b> |
| <b>Annexe B (informative) Test piece drawings.....</b>  | <b>39</b> |
| <b>Annexe C (normative) Gauge block for measuring ultrasound permeability.....</b>                                | <b>43</b> |
| <b>C.1 Gauge block.....</b>   | <b>43</b> |
| <b>C.2 Gauge block tolerances.....</b>  | <b>45</b> |
| <b>C.3 Steel grade of the gauge block.....</b>  | <b>45</b> |
| <b>Annexe D (informative) Position of measurement zones for ultrasound permeability.....</b>                      | <b>46</b> |
| <b>Annexe E (informative) Residual stress measurement with strain gauges and saw cutting.....</b>                 | <b>47</b> |
| <b>Annexe F (informative) Post-machining shot peening method.....</b>   | <b>48</b> |
| <b>F.1 Shot peening principle.....</b>  | <b>48</b> |
| <b>F.2 Requirements.....</b>  | <b>48</b> |
| <b>F.2.1 Shot peening product.....</b>  | <b>48</b> |
| <b>F.2.2 Hardness.....</b>  | <b>48</b> |
| <b>F.2.3 Roughness.....</b>   | <b>48</b> |
| <b>F.2.4 Coverage rate.....</b>   | <b>48</b> |
| <b>F.2.5 Fatigue limit.....</b>   | <b>48</b> |
| <b>F.3 Parameters.....</b>  | <b>49</b> |
| <b>F.4 Qualification of the shot-peening process.....</b>   | <b>49</b> |
| <b>Annexe G (normative) Method to determine the impact resistance of the protective coating.....</b>              | <b>50</b> |
| <b>G.1 YES.....</b>   | <b>50</b> |
| <b>G.2 Test piece.....</b>  | <b>50</b> |
| <b>G.3 Equipment.....</b>   | <b>50</b> |
| <b>G.4 Operating procedure.....</b>   | <b>50</b> |
| <b>G.5 Expression of results.....</b>   | <b>50</b> |
| <b>Annexe H (normative) Method to determine the chipping resistance of the protective coating.....</b>            | <b>51</b> |
| <b>H.1 YES.....</b>   | <b>51</b> |
| <b>H.2 Test piece.....</b>  | <b>51</b> |
| <b>H.3 Equipment.....</b>   | <b>51</b> |
| <b>H.4 Operating procedure.....</b>   | <b>51</b> |
| <b>H.5 Expression of results.....</b>   | <b>51</b> |
| <b>Annexe I (normative) Method to determine the resistance of the coating to specific corrosive products.....</b> | <b>53</b> |

|  |  |           |
|--|--|-----------|
| I.1  | YES .....  | 53        |
| I.2  | Test piece .....   | 53        |
| I.3  | Equipment .....  | 53        |
| I.4  | Corrosive products .....   | 53        |
| I.5  | Operating procedure .....  | 54        |
| I.6  | Expression of results.....                                       | 54        |
| <b>Annexe J (normative) Method to determine the resistance of the protective coating under cyclic mechanical stress.....</b> |  | <b>55</b> |
| J.1  | Purpose.....   | 55        |
| J.2  | YES .....  | 55        |
| J.3  | Test piece .....   | 55        |
| J.4  | Equipment .....  | 55        |
| J.5  | Operating procedure .....  | 55        |
| J.6  | Expression of results.....                                       | 56        |
| <b>Annexe K (normative) Product qualification .....</b>  |  | <b>57</b> |
| K.1  | Introduction.....  | 57        |
| K.2  | General.....   | 57        |
| K.3  | Requirements .....   | 58        |
| K.3.1  | Requirements to be met by the manufacturer .....                 | 58        |
| K.3.1.1  | General.....   | 58        |
| K.3.1.2  | Quality organisation.....  | 58        |
| K.3.1.3  | Staff qualification .....  | 58        |
| K.3.1.4  | Equipment .....  | 58        |
| K.3.2  | Requirements to be met by the product .....                      | 58        |
| K.4  | Qualification procedures.....                                    | 59        |
| K.4.1  | General.....   | 59        |
| K.4.2  | Documentation required.....                                      | 59        |
| K.4.3  | Evaluation of production facilities and production process ..... | 59        |
| K.4.4  | Laboratory tests.....  | 60        |
| K.5  | Validity of the qualification .....                              | 60        |
| K.5.1  | Condition of validity.....                                       | 60        |
| K.5.2  | Modification and extension .....                                 | 60        |
| K.5.3  | Transfer .....   | 60        |
| K.5.4  | Expiry .....   | 61        |
| K.5.5  | Withdrawal.....  | 61        |
| K.6  | Qualification record .....                                       | 61        |

|  |           |
|--|-----------|
| <b>Annexe L (normative) Conditions of supply of the product .....</b>  | <b>62</b> |
| <b>L.1 Introduction.....</b>   | <b>62</b> |
| <b>L.2 General .....</b>   | <b>62</b> |
| <b>L.3 Delivery state .....</b>  | <b>63</b> |
| <b>L.4 Unit checks .....</b>   | <b>63</b> |
| <b>L.5 Batch sampling check.....</b>   | <b>63</b> |
| <b>L.5.1 Checks to be carried out.....</b>   | <b>63</b> |
| <b>L.5.2 Ultrasonic permeability .....</b>   | <b>64</b> |
| <b>L.5.3 Surface finish.....</b>   | <b>64</b> |
| <b>L.5.4 Visual inspection.....</b>  | <b>65</b> |
| <b>L.6 Quality plan.....</b>   | <b>65</b> |
| <b>L.6.1 General .....</b>   | <b>65</b> |
| <b>L.6.2 Objectives .....</b>  | <b>65</b> |
| <b>L.6.3 Quality Plan terms of application .....</b>   | <b>65</b> |
| <b>L.7 Permissible repairs.....</b>  | <b>66</b> |
| <b>L.7.1 General .....</b>   | <b>66</b> |
| <b>L.7.2 Heat treatment .....</b>  | <b>66</b> |
| <b>L.7.3 Retesting .....</b>   | <b>66</b> |
| <b>L.7.4 Axle straightening .....</b>  | <b>66</b> |
| <b>L.7.5 Re-machining .....</b>  | <b>66</b> |
| <b>Annexe M (normative) Measurement of the hydrogen content of steel for axles at the<br/>development stage .....</b>  | <b>67</b> |
| <b>M.1 General .....</b>   | <b>67</b> |
| <b>M.2 Sampling .....</b>  | <b>67</b> |
| <b>M.3 Analysis methods.....</b>   | <b>67</b> |
| <b>M.4 Precautions .....</b>   | <b>67</b> |
| <b>Annexe ZA (informative) Relationship between this European Standard and the essential<br/>requirements of Directive 2016/797/EC to be fulfilled .....</b> | <b>68</b> |
| <b>Bibliography .....</b>  | <b>70</b> |