DIN EN 14363:2022-10 (E)

Railway applications - T esting and Simulation for the acceptance of running characteristics of railway vehicles - Running Behaviour and stationary tests (includes Amendment :2022)

Contents

Page

European foreword 8

Introduction 10

1 Scope 12

2 Normative references 14

3 Terms and definitions 15

4 Deviations from requirements 17

5 Test requirements 18
5.1 Measuring uncertainty 18
5.2 Test extent 18
5.2.1 General 18
5.2.2 Fault modes 18
5.3 Test vehicle 19
5.3.1 Selection and status of the vehicle 19
5.3.2 Loading conditions 19
5.3.3 Distribution of static wheel forces 20
5.4 Assessment of test result 20
5.5 Documentation of test 21

6 First stages assessment 22
6.1 Safety against derailment on twisted track 22
6.1.1 General 22
6.1.2 Signal processing 23
6.1.3 Rail test conditions 23
6.1.4 Vehicle test conditions 24
6.1.5 Test methods 26
6.2 Safety against derailment under longitudinal compressive forces in S-shaped curves 41
6.3 Evaluation of the torsional coefficient of a vehicle body 41
6.4 Determination of displacement characteristics 41
6.5 Loading of the diverging branch of a switch 41
6.6 Running safety in curved crossings for vehicles with small wheels 42

7 Second stage - dynamic performance assessment 42
7.1 General 42
7.2 Choice of measuring method 43
7.2.1 General 43
7.2.2 Base conditions for the use of the simplified measuring method and measurement of axle box forces 45
7.2.3 Simplifications for separate stability testing 45
7.3 Performing on-track tests 46
7.3.1 General 46
7.3.2 Test zones and track sections 52
7.3.3 Extent of tests 53
7.3.4 Test operation 54

7.4 Measured quantities and measuring points 54
7.5 Assessment quantities and limit values 56
7.5.1 General 56
7.5.2 Running safety 62
7.5.3 Track loading 63
7.5.4 Ride characteristics 63
7.6 Test evaluation 63
7.6.1 Overview 63
7.6.2 Recording the measuring signals 64
7.6.3 Statistical evaluation in test zones 65
7.6.4 Evaluation of test results in transition curves 73
7.6.5 Verification of stability 73
7.7 Documentation 73
7.7.1 General 73
7.7.2 Description of the vehicle design and status of the tested vehicle 73
7.7.3 Additional information for future extension of acceptance 74
7.7.4 Description of the test routes 74
7.7.5 Description of data capture 74
7.7.6 Description of evaluation 74
7.7.7 Test results (including additional information for model validation) 74
7.7.8 Deficiencies in reaching the target test conditions 76
7.7.9 Infrastructure conditions more severe than the target test conditions 76

Annex A (informative) Information on safety against derailment 77

A.1 Factors influencing the safety against derailment of vehicles running on twisted track 77
A.1.1 General 77
A.1.2 Wheel unloading influences 77
A.1.3 Guiding force influences 77
A.2 Evaluation and limit value for safety against derailment 78
A.3 Friction conditions during testing on special track 79
A.4 Special conditions for vehicles with air springs 81
A.4.1 General 81
A.4.2 4-point levelling systems 82
A.4.3 3-point levelling system with longitudinal connection 82
A.4.4 2-point levelling systems 82
A.5 Test twist conditions for articulated vehicles 83
A.6 Test twist conditions for vehicles with more than two suspension levels 90
A.7 Calculation of the shim sizes (test method 1) 91
A.8 Performing and evaluating a twist test for a two-axle vehicle (test method 2) 92
A.8.1 General 92
A.8.2 Required test rig 92
A.8.3 Performing the twist test 93
A.8.4 Evaluation of twist diagrams 93
A.9 Performing and evaluation of a twist test for a vehicle with two bogies with two axles (test method 2) 95
A.9.1 General 95
A.9.2 Required test rig 95
A.9.3 Performing and evaluating a combined body and bogie twist test (test method 2.1) 95
A.9.4 Performing separate twist tests on bogie centre distance and bogie wheel base (test method 2.2) 99

Annex B (informative) Computer simulations designed to examine whether the vehicle has an acceptable resistance to flange climbing derailment at low speed 104

B.1 General requirement 104
B.2 Computer output 104
B.3 Track input 104
B.4 Body-bogie yaw torque 105
B.5 Performance requirement 105

Annex C (informative) Tests for determination of the torsional coefficient of a vehicle body 107

C.1 Force-deflection measurement directly at the vehicle body 107

Figure C.1 -- Nomenclature of the supporting points 107
C.2 Force-deflection measurement at the contact points between wheel and rail after blocking of the suspension(s) between wheelset (bogie frame) and vehicle body 108

Annex D (informative) Determination of displacement characteristics for application with EN 15273 109

D.1 Introduction 109
D.2 Determination of displacement characteristics 109
D.2.1 General 109
D.2.2 Assessment Requirements 109
D.2.3 Test conditions 109
D.2.4 Method 1: Stationary test 110
D.2.5 Method 2 On-track test 113

Annex E (informative) Assessment of the behaviour of vehicles with small wheels in curved crossings 115

E.1 Purpose 115
E.2 Area of application 115
E.3 Description of the crossing geometry 115
E.4 Test conditions 118
E.4.1 General 118
E.4.2 Method 1: Lateral forces and angle of attack 119
E.4.3 Method 2: Examination of the impact on the crossing nose 119
E.4.4 Limit values 119
E.4.5 Assessment 120
E.4.6 Dispensation 120
E.4.7 Simulation 120

Annex F (informative) Test specification for assessment of vehicle behaviour in switches and crossings 121

F.1 Introduction 121
F.2 Definitions 121
F.3 Test conditions 121
F.4 Assessment of the test results 122
F.5 Documentation 122

Annex G (normative) Coordinate system for measured quantities 126

Annex H (informative) Operational parameters 127

Annex I (informative) Position of the different wheelsets during test 129

Annex J (informative) Additional track loading assessment quantities 130

J.1 General 130
J.2 Maximum lateral force 130
J.3 Combination of lateral and vertical forces 130

Annex K (informative) Evaluation and background of the rail surface damage quantity 132

Annex L (informative) Typical maximum estimated values of ride characteristics 134

Annex M (normative) Track geometric quality - Selection of test tracks 135

M.1 Basis of evaluation 135
M.2 Assessment quantities for track geometric quality 135

M.3 Different measuring systems 136
M.4 Target test conditions 137
M.5 Reporting 139

Annex N (informative) Background of track quality description 140

Annex O (normative) Rail profile measurement 141

O.1 General 141
O.2 Manual measurements 141
O.2.1 Measurements for equivalent conicity 141
O.2.2 Measurements for radial steering index 141
O.3 Automatic measurements 141

Annex P (normative) Requirements for evaluation of equivalent conicity 142

Annex Q (informative) Radial steering index 143

Q.1 Introduction 143
Q.2 Calculation of radial steering index 144

Annex R (normative) Statistical evaluation 147

R.1 Objectives and principles of statistical analysis 147
R.1.1 General 147
R.1.2 One-dimensional method 147
R.1.3 Two-dimensional method or simple regression 147
R.1.4 Multiple regression 147
R.2 Determination of the percentiles for each track section 148
R.3 Preparation of the random samples 149
R.4 One-dimensional analysis for estimated maximum values 149
R.5 Two-dimensional analysis for estimated values 149
R.6 Multiple regression analysis for estimated values 150
R.7 Statistical evaluation for the overturning criterion 152
R.8 Regression assumptions 153
R.8.1 Regression assumptions and associated problems 153
R.8.2 Identification and correction techniques 154

Annex S (informative) Running behaviour of special vehicles 156

S.1 General 156
S.2 Vehicle design and classification 156
S.3 Use of the simplified measuring method 157
S.4 Test conditions 157
S.5 Specific limit value 157

Annex T (informative) Simulation of on-track tests 158

T.1 Introduction 158
T.2 Fields of application 158
T.2.1 General 158
T.2.2 Extension of the range of test conditions 158
T.2.3 Assessment of vehicles following modification 159
T.2.4 Assessment of new vehicles by comparison with an already approved reference vehicle 159
T.2.5 Investigation of dynamic behaviour in case of fault modes 160
T.3 Validation 160
T.3.1 General principles 160
T.3.2 Vehicle model 161
T.3.3 Validation of the vehicle model 161
T.4 Input 175
T.4.1 Introduction 175
T.4.2 Vehicle model 175

T.4.3 Vehicle configuration 175
T.4.4 Track data 176
T.4.5 Track model parameters 177
T.4.6 Wheel/rail contact geometry 177
T.4.7 Rail surface condition 177
T.4.8 Direction of travel 178
T.4.9 Speed 178
T.4.10 Position of the vehicle in the trainset 178
T.4.11 Frequency content of simulations 178
T.5 Output 179
T.6 Documentation 179
T.7 Examples for model validation according to Method 1 180

Annex U (informative) Extension of acceptance 187

U.1 General 187
U.2 Determination of the safety factor 195
U.3 Dispensation 195
U.3.1 General 195
U.3.2 Special cases 195
U.4 Use of the simplified method" 196
U.5 Requirements depending on the initial approval 196

Annex V (normative) **Symbols** 198

Annex W (informative) **List with the main technical changes compared to EN 14363:2005, EN 15686:2010 and EN 15687:2010** 202

Annex ZA (informative) **Relationship between this European Standard and the Essential Requirements of EU Directive (EU) 2016/797 aimed to be covered** 205

Bibliography 207